Exchange Organization Report

contoso.com





Date Author 15/05/2019 17:29:49 DEMO2012R2\sysadmin

.. .

Version 1.01

Product XIA Configuration Server [11.0.7.17032]

Table of Contents

Disclaimer	
Exchange Organization Information	
Item Properties	7
Relationships	7
Relationship Map	8
Organization Summary	
Compliance Management	
Journal Rules	11
Journal Rule 1	12
Journal Rule 2	13
Retention Policies	14
Default MRM Policy	15
Retention Policy 1	16
Retention Policy 2	17
Retention Tags	18
Mail Flow	
Accepted Domains	20
accepteddomain.com	21
contoso.com	22
Remote Domains	23
Default	24
Remote Domain	25
Rules	26
Transport Rule 1	27
Transport Rule 2	28
Mobile	
Mobile Mailbox Policies	30
Default	31
Mobile Mailbox Policy	32

Organization

Add-Ins	35
Action Items	36
Bing Maps	37
Insights	38
My Templates	39
Suggested Meetings	40

Unsubscribe

Permissions

43
45
46
47
48
49
50
52
53
54
55
56
57
58
59
60
61
62
63
65
67
69
70

Protection

	Connection Filter	74
	Malware Filters	75
	Malware Filter Policy	76
	Malware Filter Policy 2	77
	Malware Filter Policy 3	78
	Default	80
	Outbound Spam	81
	Spam Filters	82
	Hosted Content Filter Policy	83
	Hosted Content Filter Policy 2	85
	Redirect	87
	Default	89
Pub	lic Folders	

Public Folders 92 \ 93 \Public Folder 1 94 \Public Folder 1\Subfolder 96 \Public Folder 2 97 \Public Folder 3 98

	Public Folder 4	100
P	ublic Folder Mailboxes	102
	PublicFolderMailbox	103
	PublicFolderMailbox2	104

Recipients

Mailboxes	106
Distribution Groups	107
Distribution Group 1	108
Distribution Group 2	109
Distribution Group Alias	110
Dynamic Distribution Groups	111
DynamicGroup	112
Office 365 Groups	114
demo	115

	Demonstration group	116
Inifie	ed Messaging	
/	Auto Attendants	118
	AutoAttendant	119
	AutoAttendantWithBusinessHours	121
	MyAttendant	123
[Dial Plans	125
	DialPlan1	126
	DialPlan2	128
	DialPlan3	130
	DialPlan4	132
ł	Hunt Groups	134
	P Gateways	135
	IPGateway1	136
	IPGateway2	137
١	Mailbox Policies	138
	DialPlan1 Default Policy	139
	DialPlan2 Default Policy	141
	DialPlan3 Default Policy	143
	DialPlan4 Default Policy	145

Version History

Disclaimer

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.

Microsoft, Windows and Active Directory are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Exchange Organization Information

There is no description configured for this Exchange Organization. This can be set using the XIA Configuration Server interface.


Item Properties

Description	Exchange Online (15.20.1643.16)		
Item Name	contoso.com		
Item ID	1041		
Primary Owner Name			
Primary Owner Contact			
Scanned on Date	14 May 2019		
Client Version	11.0.7.17018		

Relationships

Item ID	Direction	Name	Туре	Relationship Type
iii 1000	Outbound	Contoso Technical Services	Container	Contained Within

Relationship Map



Organization Summary

Microsoft Exchange is an enterprise-class email and calendaring system, available either as a cloud-based solution, or as an on-premises installation.

General Settings		
Name contoso.com		
Identifier 0595cddd-0312-4163-b74a-dacf20028cd8		
Organization Type Exchange Online		
RBAC Configuration Version 15.20.1643.16		
Version	15.20.1643.16	

Compliance Management

Compliance Management functionality provides the ability to create policies to manage email lifecycle, retain messages for the length of time based on business, legal, and regulatory requirements, and preserve email records for litigation and investigation purposes.

Journal Rules

Journaling is the ability to record all communications, including email communications, in an organization for use in the organization's email retention or archival strategy. To meet an increasing number of regulatory and compliance requirements, many organizations must maintain records of communications that occur when employees perform daily business tasks.

General Settings	
Undeliverable Report Address	undeliverable@contoso.com

🙀 2 Journal Rules

Name	Enabled	Recipient	Send To
Journal Rule 1	True	user@contoso.com	journal1@contoso.com
Journal Rule 2	False	user@contoso.com	journal2@contoso.com

Journal Rule 1

Journaling is the ability to record all communications, including email communications, in an organization for use in the organization's email retention or archival strategy. To meet an increasing number of regulatory and compliance requirements, many organizations must maintain records of communications that occur when employees perform daily business tasks.

General Settings		
Name	Journal Rule 1	
GUID	9f884605-5a28-48f8-8f9b-d9f566d55f10	
Last Updated	09/04/2018 10:18:41	
Settings		
Enabled	True	
Journal Email Address	journal1@contoso.com	
Recipient	user@contoso.com	

Journal Rule 2

Journaling is the ability to record all communications, including email communications, in an organization for use in the organization's email retention or archival strategy. To meet an increasing number of regulatory and compliance requirements, many organizations must maintain records of communications that occur when employees perform daily business tasks.

General Settings		
Name	Journal Rule 2	
GUID	9e163652-fb6e-4ae8-b763-5a43b237bff4	
Last Updated	09/04/2018 10:53:06	
F Settings		
Enabled	False	
Journal Email Address	journal2@contoso.com	
Recipient	user@contoso.com	
Scope	External messages only	

Retention Policies

Retention policies help organizations to manage email lifecycle and reduce legal risks associated with email and other communications.

3 Retention Policies	3 Retention Policies		
Name	Tags		
befault MRM Policy	1 Month Delete 1 Week Delete 1 Year Delete 5 Year Delete 6 Month Delete Default 2 year move to archive Junk Email Never Delete Personal 1 year move to archive Personal 5 year move to archive Personal never move to archive Recoverable Items 14 days move to archive		
Retention Policy 1	1 Year Delete Default 2 year move to archive		
Retention Policy 2			

Default MRM Policy

Retention policies help organizations to manage email lifecycle and reduce legal risks associated with email and other communications.

b General Settings		
Name	Default MRM Policy	
GUID	3e02ad53-e044-4da5-b88a-7e8e3aa736c7	
Last Updated	29/05/2018 15:55:06	

12 Retention Policy Tags

Name	Туре	Retention Period	Retention Action
A 1 Month Delete	Personal	When the item reaches 30 days old	Delete and allow recovery
A Week Delete	Personal	When the item reaches 7 days old	Delete and allow recovery
A Year Delete	Personal	When the item reaches 365 days old	Delete and allow recovery
4 5 Year Delete	Personal	When the item reaches 1825 days old	Delete and allow recovery
6 Month Delete	Personal	When the item reaches 180 days old	Delete and allow recovery
Befault 2 year move to archive	Default	When the item reaches 730 days old	Move to archive
🚇 Junk Email	Junk Email	When the item reaches 30 days old	Delete and allow recovery
A Never Delete	Personal	Never	Delete and allow recovery
Personal 1 year move to archive	Personal	When the item reaches 365 days old	Move to archive
Personal 5 year move to archive	Personal	When the item reaches 1825 days old	Move to archive
Personal never move to archive	Personal	Never	Move to archive
Recoverable Items 14 days move to archive	Recoverable Items	When the item reaches 14 days old	Move to archive

Retention Policy 1

Retention policies help organizations to manage email lifecycle and reduce legal risks associated with email and other communications.

5 General Settings		
Name	Retention Policy 1	
GUID	4f88651a-5610-4752-80a3-1e80cb1be3a9	
Last Updated	11/04/2018 13:56:49	

2 Retention Policy Tags

Name	Туре	Retention Period	Retention Action
🚇 1 Year Delete	Personal	When the item reaches 365 days old	Delete and allow recovery
Befault 2 year move to archive	Default	When the item reaches 730 days old	Move to archive

Retention Policy 2

Retention policies help organizations to manage email lifecycle and reduce legal risks associated with email and other communications.

b General Settings		
Name	Retention Policy 2	
GUID	c67ad6a9-01c0-41d4-9df8-9fc589fb331f	
Last Updated	11/04/2018 13:50:19	

There are no tags configured for this retention policy.

Retention Tags

Retention tags are used to apply retention settings to folders and individual items such as email messages and voice mail. These settings specify how long a message remains in a mailbox and the action to take when the message reaches the specified retention age.

16 Retention Policy Tags			
Name	Туре	Retention Period	Retention Action
4 1 Month Delete	Personal	When the item reaches 30 days old	Delete and allow recovery
🚇 1 Week Delete	Personal	When the item reaches 7 days old	Delete and allow recovery
🚇 1 Year Delete	Personal	When the item reaches 365 days old	Delete and allow recovery
🐴 5 Year Delete	Personal	When the item reaches 1825 days old	Delete and allow recovery
6 Month Delete	Personal	When the item reaches 180 days old	Delete and allow recovery
AsyncOperationNotification	Personal	When the item reaches 30 days old	Delete and allow recovery
🐣 AutoGroup	Personal	When the item reaches 30 days old	Delete and allow recovery
Default 2 year move to archive	Default	When the item reaches 730 days old	Move to archive
Deleted Items	Deleted Items	When the item reaches 30 days old	Delete and allow recovery
🚇 Junk Email	Junk Email	When the item reaches 30 days old	Delete and allow recovery
ModeratedRecipients	Personal	When the item reaches 2 days old	Delete and allow recovery
A Never Delete	Personal	Never	Delete and allow recovery
Personal 1 year move to archive	Personal	When the item reaches 365 days old	Move to archive
Personal 5 year move to archive	Personal	When the item reaches 1825 days old	Move to archive
Personal never move to archive	Personal	Never	Move to archive
Recoverable Items 14 days move to archive	Recoverable Items	When the item reaches 14 days old	Move to archive

Mail Flow

This section describes the configuration of the mail flow within the organization including the address policies, send and receive connectors and transport rules.

Accepted Domains

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

2 Accepted Domains			
Name	Domain Name	Туре	
🦪 accepteddomain.com	accepteddomain.com	Internal Relay	
🦪 contoso.com	contoso.com	Internal Relay	

accepteddomain.com

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

General Settings		
Name	accepteddomain.com	
GUID	2e9e5bae-d0e3-4648-86c9-b39a256f1b0e	
Last Updated	09/04/2018 11:47:31	

Accepted Domain Settings

Domain Name	accepteddomain.com
Domain Type	Internal Relay
DKIM Enabled	True
Default	False
Accept Subdomains	True

contoso.com

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

General Settings	
Name	contoso.com
GUID	b5473913-b2df-4ade-bfe4-fc09a06d2a91
Last Updated	30/05/2018 16:29:03

Accepted Domain Settings

Domain Name	contoso.com
Domain Type	Internal Relay
DKIM Enabled	True
Default	True
Accept Subdomains	False

Remote Domains

Remote domains allow control of mail flow to domains outside of the Exchange Online domain.

2 Remote Domains	
Name	Domain Name
Default	*
Remote Domain	remotedomain.contoso.com

Default

Remote domains allow control of mail flow to domains outside of the Exchange Online domain.

General Settings	
Name	Default
GUID	691bc26c-4e27-4010-960e-7b8470d79b05
Last Updated	03/08/2017 03:19:27

Remote Domain Settings	
Domain Name	*
Out of Office Automatic Reply Types	Allow only external Out of Office replies
Use Rich-Text Format	Follow user settings

Automatic Replies	
Allow Automatic Replies	True
Allow Automatic Forwarding	True

Message Reporting	
Allow Delivery Reports	True
Allow Non-delivery Reports	True
Allow Meeting Forward Notifications	False

In Supported Character Set	
MIME Character Set	Western European (ISO)
Non-MIME Character Set	Western European (ISO)

Remote Domain

Remote domains allow control of mail flow to domains outside of the Exchange Online domain.

General Settings		
Name	Remote Domain	
GUID	c1ab8488-f93c-441c-8c13-41a6bc2c9d8c	
Last Updated	11/04/2018 13:24:52	
Remote Domain Settings		
Domain Name	remotedomain.contoso.com	
Out of Office Automatic Reply Types	Allow only external Out of Office replies	
Use Rich-Text Format	Never use rich text format	
Automatic Replies		
Allow Automatic Replies	True	
Allow Automatic Forwarding	False	
I Message Reporting		
Allow Delivery Reports	False	
Allow Non-delivery Reports	False	
Allow Meeting Forward Notifications	True	

Supported Character Set	
MIME Character Set	Korean (ISO)
Non-MIME Character Set	Chinese Simplified (GB18030)

Rules

Mail flow rules, also known as transport rules, are used to identify and take action on messages that flow through an Exchange organization.

2 Rules		
Name	Enabled	Priority
🛃 Transport Rule 1	False	0
Transport Rule 2	True	1

Transport Rule 1

Mail flow rules, also known as transport rules, are used to identify and take action on messages that flow through an Exchange organization.

General Settings	
Name	Transport Rule 1
GUID	b21b45cd-e9d7-4555-b4d2-f20d350122b1
Last Updated	30/05/2018 14:38:27

Settings	
Audit Mode	Medium
Comments	
Defer Message On Processing Error	True
Enabled	False
Mode	Enforce
Priority	0
Rule Version	15.0.5.3
Match Sender Address	Header
Stop Processing More Rules	False
Match Sender Address	Header

Details	
Description	If the message: Is sent to 'Inside the organization' Take the following actions: Set audit severity level to 'Medium' and Send the incident report to user@contoso.com, include these message properties in the report: bcc'd recipients

Transport Rule 2

Mail flow rules, also known as transport rules, are used to identify and take action on messages that flow through an Exchange organization.

General Settings	
Name	Transport Rule 2
GUID	18db81a1-935b-49f8-9edc-9abc05dedbe3
Last Updated	30/05/2018 14:52:41

Settings	
Audit Mode	Low
Comments	Transport Rule 2 comments.
Defer Message On Processing Error	True
Enabled	True
Mode	Test without Policy Tips
Priority	1
Rule Version	15.0.2.0
Match Sender Address	Header
Stop Processing More Rules	True

Details	
Description	If the message: The message size is larger than or equal to '512 KB (524,288 bytes)' Take the following actions: Set audit severity level to 'Low' and Delete the message without notifying the recipient or sender and Stop processing more rules Activation date: 08/06/2018 13:30:00 Expiry date: 05/07/2018 13:30:00

Mobile

This section provides configuration settings for mobile devices.

Mobile Mailbox Policies

Mobile device mailbox policies allow a common set of policies and security settings to be applied to a collection of ActiveSync users.

2 Mobile Device Mailbox Policies		
Name	Default	Last Modified
Default	False	13/04/2018 14:20:39
Jobile Mailbox Policy	True	30/05/2018 15:42:00

Default

Mobile device mailbox policies allow a common set of policies and security settings to be applied to a collection of ActiveSync users.

le General Settings	
Name	Default
Default	False
Allow Non-Provisionable Devices	True
GUID	b777db50-0189-446b-91ab-8ef2e1f8cc16
Last Updated	13/04/2018 14:20:39

💦 Security	
Require Password	False

Device	
Allow Removable Storage	True
Allow Camera	True
Allow Wi-Fi	True
Allow Infrared	True
Allow Internet Sharing	True
Allow Remote Desktop	True
Allow Bluetooth	Allow

by Sync Settings

Include Past Calendar Items	All
Include Past Email Items	All
Limit Email Size	Unlimited
Allow Direct Push When Roaming	True
Allow HTML Email	True
Allow Attachments	True
Maximum Attachment Size	Unlimited

Mobile Mailbox Policy

Mobile device mailbox policies allow a common set of policies and security settings to be applied to a collection of ActiveSync users.

General Settings	
Name	Mobile Mailbox Policy
Default	True
Allow Non-Provisionable Devices	True
GUID	644256b9-6833-4673-8acb-b6c0843f05fb
Last Updated	30/05/2018 15:42:00

💦 Security	
Require Password	True
Allow Simple Passwords	True
Require Alphanumeric Passwords	True
Required Character Sets	3
Require Device Encryption	False
Minimum Password Length	0
Maximum Failed Password Attempts	0
Require Sign-in after the device has been inactive for (minutes)	22
Enforce Password Lifetime (days)	0
Password Recycle Count	33

Market Strength Province

Allow Removable Storage	True
Allow Camera	True
Allow Wi-Fi	True
Allow Infrared	True
Allow Internet Sharing	True
Allow Remote Desktop	True
Allow Bluetooth	Allow

Sync Settings		
Include Past Calendar Items	All	
Include Past Email Items	All	
Limit Email Size	Unlimited	
Allow Direct Push When Roaming	True	
Allow HTML Email	True	
Allow Attachments	True	
Maximum Attachment Size	Unlimited	

Organization

This section provides organization level configuration settings.

Add-Ins

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

6 Add-Ins				
Name	Provider	Enabled	Default State	
Action Items	Microsoft	True	Enabled	
🚯 Bing Maps	Microsoft	True	Enabled	
🙀 Insights	Microsoft	True	Enabled	
🙀 My Templates	Microsoft	True	Enabled	
Suggested Meetings	Microsoft	True	Enabled	
🚯 Unsubscribe	Microsoft	True	Enabled	

Action Items

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

General Settings		
Name	Action Items	
Description	Shows Action Item suggestions from your email. This add-in will not share your data with any third-party service.	

Add-In Settings	
Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	1.0

Bing Maps

General Settings	
Name	Bing Maps
Description	Map addresses found in your email. This add-in will send addresses to Bing but will not share your data with any third-party service.

Add-In Settings	
Enabled	True
Default State	Enabled
Permissions	Restricted
Provider Name	Microsoft
Version	1.1

Insights

General Settings	
Name	Insights
Description	Get insights about your work, while you work. Insights to help you protect time to get work done, automatic to dos, and more.

Add-In Settings	
Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	2.6.0.0

My Templates

General Settings	
Name	My Templates
Description	
Add-In Settings	
Enabled	True
Default State	Enabled
Permissions	Read\write item
Provider Name	Microsoft
Version	1.0

Suggested Meetings

General Settings	
Name	Suggested Meetings
Description	Shows meeting suggestions found in your email and allows you to add them to your calendar. This add-in will not share your data with any third-party service.

Add-In Settings	
Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	1.1

Unsubscribe

General Settings	
Name	Unsubscribe
Description	This add-in is triggered by messages from subscription email feeds, and allows you to block the sender or unsubscribe from the source. This add-in will not share your data with any third-party service.

Add-In Settings	
Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	1.0

Permissions

Microsoft Exchange provides permissions based on the Role Based Access Control (RBAC) permissions model, which can be used to grant permissions to administrators and users.

Admin Roles

🝖 16 Admin Roles Name Description Compliance Management This role group will allow a specified user, responsible for compliance, to properly configure and manage compliance settings within Exchange in accordance with their policy. **Discovery Management** Members of this management role group can perform searches of mailboxes in the Exchange organization for data that meets specific criteria. Help Desk Members of this management role group can view and manage the configuration for individual recipients and view recipients in an Exchange organization. Members of this role group can only manage the configuration each user can manage on his or her own mailbox. Additional permissions can be added by assigning additional management roles to this role group. HelpdeskAdmins_1404554458 Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include cross-service helpdesk or password administrators, as well as external partner groups and Microsoft Support. By default, this group is not assigned any roles. However, it will be a member of the View-Only Organization Management role group and will inherit the rights of that group. Hygiene Management Members of this management role group can manage Exchange anti-spam features and grant permissions for antivirus products to integrate with Exchange. Organization Management Members of this management role group have permissions to manage Exchange objects and their properties in the Exchange organization. Members can also delegate role groups and management roles in the organization. This role group shouldn't be deleted. Recipient Management Members of this management role group have rights to create, manage, and remove Exchange recipient objects in the Exchange organization. **Records Management** Members of this management role group have permissions to manage and dispose record content. RIM-MailboxAdmins249649434ebd453887d6f8bfa850517f Role Group This is a sample role group. 122 Security Administrator Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Administrators role groups and will inherit the capabilities of that role group. M Security Reader Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Reader role groups and will inherit the capabilities of that role group. TenantAdmins_453723128 Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Organization Management role group and will inherit the capabilities of that role group. Total UM Management Members of this management role group can manage Unified Messaging organization, server, and recipient configuration.

Market State State

Members of this management role group can view recipient and configuration objects and their properties in the Exchange organization.

Provides the ability for XIA Configuration to document the configuration.

Compliance Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings	
Name	Compliance Management
Description	This role group will allow a specified user, responsible for compliance, to properly configure and manage compliance settings within Exchange in accordance with their policy.
GUID	d2f43f7f-d5ca-4fe3-8c34-9df3045e32af
Last Updated	05/04/2018 14:56:05

Role Group SettingsManagersOrganization ManagementMember NamesMyan M. MookleRole NamesAudit Logs
Compliance Admin
Data Loss Prevention
Information Rights Management
Journaling
Message Tracking
Retention Management
View-Only Audit Logs
View-Only Audit Logs
View-Only Audit Logs
View-Only RecipientsWrite ScopeExecutive Mailboxes

Discovery Management

General Settings	
Name	Discovery Management
Description	Members of this management role group can perform searches of mailboxes in the Exchange organization for data that meets specific criteria.
GUID	e941ebe2-9df7-4309-bf69-78072545ac91
Last Updated	03/08/2017 03:19:27

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Legal Hold Mailbox Search
Write Scope	Default

Help Desk

General Settings	
Name	Help Desk
Description	Members of this management role group can view and manage the configuration for individual recipients and view recipients in an Exchange organization. Members of this role group can only manage the configuration each user can manage on his or her own mailbox. Additional permissions can be added by assigning additional management roles to this role group.
GUID	ff665767-d39f-4938-b8d6-bf057c7933ee
Last Updated	03/08/2017 03:19:27

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Reset Password User Options View-Only Recipients
Write Scope	Default

HelpdeskAdmins_1404554458

General Settings	
Name	HelpdeskAdmins_1404554458
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include cross-service helpdesk or password administrators, as well as external partner groups and Microsoft Support. By default, this group is not assigned any roles. However, it will be a member of the View-Only Organization Management role group and will inherit the rights of that group.
GUID	ac31a717-1604-4fae-9223-08e287a76b16
Last Updated	08/08/2017 13:35:13

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	
Write Scope	Default

Hygiene Management

General Settings	
Name	Hygiene Management
Description	Members of this management role group can manage Exchange anti-spam features and grant permissions for antivirus products to integrate with Exchange.
GUID	fb0d0848-4738-4cf9-9e4a-723c5cf3adb6
Last Updated	03/08/2017 03:19:27

👔 Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Transport Hygiene View-Only Configuration View-Only Recipients
Write Scope	Default

Organization Management

General Settings	
Name	Organization Management
Description	Members of this management role group have permissions to manage Exchange objects and their properties in the Exchange organization. Members can also delegate role groups and management roles in the organization. This role group shouldn't be deleted.
GUID	7cfbbec3-01e1-47da-b7d8-a306e9e8c411
Last Updated	18/12/2018 12:02:16

Role Group Settings

Managers	Organization Management
Managers Member Names Role Names	Organization Management TenantAdmins_453723128 Address Lists ApplicationImpersonation ArchiveApplication Audit Logs Compliance Admin Data Loss Prevention Distribution Groups E-Mail Address Policies Federated Sharing Information Rights Management Journaling LegalHold Application Mail Recipient Creation Mail Recipient Creation Mail Recipient Shapplication Mail Recipient Creation Mail Tops Mail Dox Search Application MeetingGraphApplication MeetingGraphApplication MeetingGraphApplication MeetingGraphApplication My BaseQuitons My Custom Apps My Marketplace Apps My TrantMailboxes <t< td=""></t<>
	Transport Rules UM Mailboxes UM Prompts Unified Messaging User Options
	User Options UserApplication View-Only Audit Logs View-Only Configuration View-Only Recipients
Write Scope	Default

Recipient Management

General Settings	
Name	Recipient Management
Description	Members of this management role group have rights to create, manage, and remove Exchange recipient objects in the Exchange organization.
GUID	7ee14036-e111-437f-b405-087c8aeab287
Last Updated	03/08/2017 03:19:27

7 Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Distribution Groups Mail Recipient Creation Mail Recipients Message Tracking Migration Move Mailboxes Recipient Policies Reset Password Team Mailboxes
Write Scope	Default

Records Management

General Settings	
Name	Records Management
Description	Members of this management role group have permissions to manage and dispose record content.
GUID	9c055929-6814-4616-8913-7f410567fbff
Last Updated	03/08/2017 03:19:27

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Audit Logs Journaling Message Tracking Retention Management Transport Rules
Write Scope	Default

RIM-MailboxAdmins249649434ebd453887d6f8bfa850517f

General Settings	
Name	RIM-MailboxAdmins249649434ebd453887d6f8bfa850517f
Description	
GUID	29bfd24b-05bc-4aa8-a820-2b81f2cf67e4
Last Updated	15/10/2017 22:06:56

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	ApplicationImpersonation
Write Scope	Default

Role Group

General Settings	
Name	Role Group
Description	This is a sample role group.
GUID	a8ebb149-d3c3-4c05-811c-3127c8faaf53
Last Updated	01/06/2018 14:26:16

Role Group Settings	
Managers	Organization Management tsmith
Member Names	
Role Names	
Write Scope	Default

Security Administrator

General Settings	
Name	Security Administrator
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Administrators role groups and will inherit the capabilities of that role group.
GUID	3cbaf7a9-e26d-4c5a-91e7-cc394e5e09a9
Last Updated	18/12/2018 11:30:14

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Security Admin
Write Scope	Default

Security Reader

General Settings	
Name	Security Reader
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Reader role groups and will inherit the capabilities of that role group.
GUID	29942a63-a36c-4927-b4d7-8862d48fb7b9
Last Updated	03/08/2017 03:19:27

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	Security Reader
Write Scope	Default

TenantAdmins_453723128

General Settings	
Name	TenantAdmins_453723128
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Organization Management role group and will inherit the capabilities of that role group.
GUID	515ac5c6-8045-4a76-8154-4809b0710d3f
Last Updated	18/12/2018 12:02:52

Role Group Settings	
Managers	Organization Management
Member Names	tsmith bcook
Role Names	
Write Scope	Default

UM Management

General Settings	
Name	UM Management
Description	Members of this management role group can manage Unified Messaging organization, server, and recipient configuration.
GUID	575e4e5d-50b0-47cd-9e5e-338a2003979f
Last Updated	03/08/2017 03:19:27

Role Group Settings	
Managers	Organization Management
Member Names	
Role Names	UM Mailboxes UM Prompts Unified Messaging
Write Scope	Default

View-Only Organization Management

General Settings	
Name	View-Only Organization Management
Description	Members of this management role group can view recipient and configuration objects and their properties in the Exchange organization.
GUID	a52b5a69-3d89-4cae-b6e8-be5a7da18894
Last Updated	18/12/2018 11:27:50

Role Group Settings	
Managers	Organization Management
Member Names	HelpdeskAdmins_1404554458 tsmith
Role Names	View-Only Configuration View-Only Recipients
Write Scope	Default

XIA Configuration Role

General Settings	
Name	XIA Configuration Role
Description	Provides the ability for XIA Configuration to document the configuration.
GUID	7d7f147c-cf8a-4536-bece-da437786d2e2
Last Updated	18/12/2018 13:16:53

Role Group Settings	
Managers	Organization Management tsmith
Member Names	asmith
Role Names	E-Mail Address Policies Mail Recipients View-Only Configuration View-Only Recipients
Write Scope	Default

Outlook Web App Policies

The Outlook Web App policies allow a common set of policy settings, such as feature availability and file access settings to be applied to Outlook Web App users.

3 Outlook Web App Policies		
Name	Last Modified	
Outlook Web App Mailbox Policy	24/04/2018 14:36:51	
Outlook Web App Mailbox Policy 2	24/04/2018 14:37:03	
OwaMailboxPolicy-Default	03/08/2017 03:19:50	

Outlook Web App Mailbox Policy

The Outlook Web App policies allow a common set of policy settings, such as feature availability and file access settings to be applied to Outlook Web App users.

General Settings	
Name	Outlook Web App Mailbox Policy
GUID	f0f683b2-5aee-496f-b7b3-aa55154e731d
Offline Access	Never
Last Updated	24/04/2018 14:36:51

Communication Management

All Address Lists	False
Contacts	False
Exchange ActiveSync	False
Instant Messaging	False
LinkedIn Contact Sync	False
Mobile Device Contact Sync	False
Text Messaging	False
Unified Messaging	False

Information Management

Inbox Rules	False
Journaling	False
Notes	False
Recover Deleted Items	False

5 Security

Change Password	False
Junk Email Filtering	True

鷆 User Experience

Email Signature	False
Interesting Calendars	False
Local Events	False
Places	False
Premium Client	False
Themes	False
Weather	False

03 Time Management	
Calendar	False
Reminders and Notifications	False
Tasks	False

i File Access	
Direct File Access (Private)	False
Direct File Access (Public)	False

Outlook Web App Mailbox Policy 2

The Outlook Web App policies allow a common set of policy settings, such as feature availability and file access settings to be applied to Outlook Web App users.

General Settings	
Name	Outlook Web App Mailbox Policy 2
GUID	a8826ae9-2eda-43a8-94d2-aa9ebd8bae0a
Offline Access	Never
Last Updated	24/04/2018 14:37:03

Communication Management

All Address Lists	False
Contacts	False
Exchange ActiveSync	False
Instant Messaging	False
LinkedIn Contact Sync	False
Mobile Device Contact Sync	False
Text Messaging	False
Unified Messaging	False

Information Management

Inbox Rules	False
Journaling	False
Notes	False
Recover Deleted Items	False

5 Security

Change Password	True
Junk Email Filtering	True

鷆 User Experience

Email Signature	False
Interesting Calendars	False
Local Events	False
Places	False
Premium Client	False
Themes	False
Weather	False

Time Management	
Calendar	False
Reminders and Notifications	False
Tasks	False

i File Access	
Direct File Access (Private)	False
Direct File Access (Public)	True

OwaMailboxPolicy-Default

The Outlook Web App policies allow a common set of policy settings, such as feature availability and file access settings to be applied to Outlook Web App users.

General Settings	
Name	OwaMailboxPolicy-Default
GUID	fa722014-a51a-4f73-b629-043a9ee7dac6
Offline Access	Always
Last Updated	03/08/2017 03:19:50

Communication Management

All Address Lists	True
Contacts	True
Exchange ActiveSync	True
Instant Messaging	True
LinkedIn Contact Sync	True
Mobile Device Contact Sync	True
Text Messaging	True
Unified Messaging	True

Information Management Inbox Rules True Journaling True Notes True Recover Deleted Items True

Security

Change Password	False
Junk Email Filtering	True

🔩 User Experience

Email Signature	True
Interesting Calendars	True
Local Events	False
Places	True
Premium Client	True
Themes	True
Weather	True

Time Management	
Calendar	True
Reminders and Notifications	True
Tasks	True

ile Access	
Direct File Access (Private)	True
Direct File Access (Public)	True

User Roles

User roles are policies that control what settings users can configure on their own mailboxes and on distribution groups they own. These settings include their display name, contact information, voice mail settings, and distribution group membership.

3 User Roles		
Name	Description	
Default Role Assignment Policy	This policy grants end users the permission to set their options in Outlook on the web and perform other self-administration tasks.	
🕵 Role 1	This is a sample role assignment policy.	
🔮 Role 2	This is another sample role assignment policy.	

Default Role Assignment Policy

A user role is a policy that controls what settings users can configure on their own mailboxes and on distribution groups they own.

General Settings	
Name	Default Role Assignment Policy
Description	This policy grants end users the permission to set their options in Outlook on the web and perform other self-administration tasks.
GUID	09d029fc-9913-4454-9009-bed2681b3927
Last Updated	15/10/2017 22:07:05
Assigned Roles	My Custom Apps My Marketplace Apps My ReadWriteMailbox Apps MyAddressInformation MyBaseOptions MyDistributionGroupMembership

Role 1

A user role is a policy that controls what settings users can configure on their own mailboxes and on distribution groups they own.

General Settings	
Name	Role 1
Description	This is a sample role assignment policy.
GUID	816ff2b6-2a77-44ef-a62d-3bc8babc5252
Last Updated	05/04/2018 15:41:43
Assigned Roles	My Custom Apps My Marketplace Apps MyMobileInformation MyPersonalInformation MyProfileInformation

Role 2

A user role is a policy that controls what settings users can configure on their own mailboxes and on distribution groups they own.

General Settings	
Name	Role 2
Description	This is another sample role assignment policy.
GUID	47b32f6f-e10d-4425-bc87-c3f9d91a15d2
Last Updated	05/04/2018 15:39:14
Assigned Roles	MyContactInformation MyDistributionGroups MyMailSubscriptions MyTeamMailboxes MyTextMessaging MyVoiceMail

Protection

Microsoft Exchange Protection provides malware filtering for Exchange On-Premises and a cloud-based email filtering service for Exchange Online. These help protect the organization against spam and malware.

Connection Filter

The connection filter allows the creation of a safe sender list and block list of IP addresses.

Pefault	
Description	This is a sample connection filter.
Allowed Addresses	4.5.6.7/32 1.2.3.0/24
Blocked Addresses	9.9.9.0/24 8.8.8.0/24
Enable Safe List	True
Last Updated	13/04/2018 14:00:49

Malware Filters

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

2 Malware Filters		
Name	Enabled	Priority
Malware Filter Policy	False	0
Malware Filter Policy 2	True	1
Malware Filter Policy 3	True	2
🥙 Default	True	Lowest

Malware Filter Policy

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

General Settings	
Name	Malware Filter Policy
Description	This is a sample malware filter policy.
Priority	0
Enabled	False
Default	False
Last Updated	02/04/2018 15:37:11

Rettings

Response	Delete the entire message
Common Attachment Filter	True
Filtered File Types	ace ani app docm exe jar reg scr vbe vbs
Notify Internal Senders	False
Notify External Senders	False
Notify Administrators (Internal Senders)	False
Notify Administrators (External Senders)	False

E Custom Notification Settings	
Use Customized Notification Text	False

🥂 Applied To	
Applied To	If the message: Is sent to 'asmith@tailspin.com' Take the following actions: Apply malware filter policy "Malware Filter Policy".

Malware Filter Policy 2

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

General Settings	
Name	Malware Filter Policy 2
Description	This is another sample malware filter policy.
Priority	1
Enabled	True
Default	False
Last Updated	02/04/2018 15:33:47

P	Settings
---	----------

Response	Delete the entire message
Common Attachment Filter	True
Filtered File Types	ace ani app docm exe jar reg scr vbe vbs
Notify Internal Senders	False
Notify External Senders	False
Notify Administrators (Internal Senders)	False
Notify Administrators (External Senders)	False

Lestom Notification Settings	
Use Customized Notification Text	False
🕵 Applied To	

Applied To	If the message: Is sent to 'bsmith@tailspin.com' Take the following actions: Apply malware filter policy "Malware Filter Policy 2".	

Malware Filter Policy 3

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

General Settings	
Name	Malware Filter Policy 3
Description	This is sample malware filter policy 3.
Priority	2
Enabled	True
Default	False
Last Updated	02/04/2018 15:48:12

🚱 Settings	
Response	Delete all attachments and use custom alert text
Custom Alert Text	Alert text
Common Attachment Filter	True
Filtered File Types	ace ani docm exe jar reg scr vbe vbs cer
Notify Internal Senders	True
Notify External Senders	True
Notify Administrators (Internal Senders)	True
Notify Administrator Address (Internal Senders)	internalsender@contoso.com
Notify Administrators (External Senders)	True
Notify Administrator Address (External Senders)	externalsender@contoso.com

Les Custom Notification Settings	
Use Customized Notification Text	True
Custom From Name	From Name
Custom From Address	customfrom@contoso.com
Custom Internal Message Subject	Internal Subject
Custom Internal Message Body	Internal message.
Custom External Message Subject	External Subject
Custom External Message Body	External message.

Applied To

If the message: Is sent to a member of group 'room1@contoso.com' Take the following actions: Apply malware filter policy "Malware Filter Policy 3".

Default

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

General Settings	
Name	Default
Description	
Priority	Lowest
Enabled	True
Default	True
Last Updated	15/10/2017 22:07:23

Settings	
Response	Delete the entire message
Common Attachment Filter	False
Notify Internal Senders	False
Notify External Senders	False
Notify Administrators (Internal Senders)	False
Notify Administrators (External Senders)	False

Custom Notification Settings	
Use Customized Notification Text	False

Outbound Spam

Outbound spam filtering is always enabled if you use the service for sending outbound email, thereby protecting organizations using the service and their intended recipients.

Pefault	
Description	This is a hosted outbound spam filter policy.
Bcc Suspicious Messages	True
Bcc Suspicious Messages Addresses	suspicious@contoso.com
Send Notification When a Sender is Blocked	True
Send Notification When a Sender is Blocked Addresses	notifyspam@contoso.com
Last Updated	13/04/2018 14:52:31

Spam Filters

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

🥺 4 Spam Filters		
Name	Enabled	Priority
We Hosted Content Filter Policy	False	0
Hosted Content Filter Policy 2	False	1
Redirect	True	3
Vefault	True	Lowest

Hosted Content Filter Policy

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

General Settings	
Name	Hosted Content Filter Policy
Description	This is a hosted content filter policy.
Priority	0
Enabled	False
Default	False
Last Updated	05/04/2018 10:38:11

Spam And Bulk Actions	
Spam Action	Redirect message to email address
High Confidence Spam Action	Add X-header
Mark Bulk Email as Spam	On
Bulk Threshold	5
Retain Spam for (Days)	14
Add X-Header Text	xhearer3
Redirect to Email Addresses	redirectedspam@contoso.com

🐼 Block Lists	
Blocked Senders	blockedsender1@domain.com blockedsender2@domain.com
Blocked Sender Domains	blocked1.com blocked2.com

Allow Lists	
Allowed Senders	allowedsender1@domain.com allowedsender2@domain.com
Allowed Sender Domains	alloweddomain1.com alloweddomain2.com

🤯 International Spam	
Filter Messages by Language	True
Filtered Languages	Basque
Filter Messages by Country or Region	True
Filtered Countries or Regions	Azerbaijan

🔛 Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	Off
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score

-	
URL Redirect to .biz or .info Web Sites	Off
Image Links to Remote Sites	Off
Numeric IP Addresses in URL	Off
URL Redirect to Other Port	Off

Test Mode	
Test Mode Action	Send a Bcc message
Test Mode Bcc To Recipients	asmith@contoso.com

Applied To	
Applied To	If the message: Is sent to 'contact@contoso.com' Take the following actions: Apply hosted content filter policy "Hosted Content Filter Policy".

Hosted Content Filter Policy 2

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

General Settings	
Name	Hosted Content Filter Policy 2
Description	This is a hosted content filter policy.
Priority	1
Enabled	False
Default	False
Last Updated	04/04/2018 16:44:54

Part And Bulk Actions	
Spam Action	Prepend subject line with text
High Confidence Spam Action	Add X-header
Mark Bulk Email as Spam	On
Bulk Threshold	7
Retain Spam for (Days)	15
Add X-Header Text	[SPAM]
Prepend Subject Line Text	[SPAM]

😵 Block Lists	
Blocked Senders	blockedsender@contoso.com
Blocked Sender Domains	blockeddomain.com

♂ Allow Lists	
Allowed Senders	allowedsender@domain.com
Allowed Sender Domains	alloweddomain.com

International Spam

Filter Messages by Language	True	
Filtered Languages	Uzbek Slovak Vietnamese Turkish Welsh Sami (Northern) Serbian Urdu Ukrainian Yiddish Unknown Language (wen) English Albanian	
Filter Messages by Country or Region	True	
Filtered Countries or Regions	United Kingdom Albania	

Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	On
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score URL Redirect to .biz or .info Web Sites Off Image Links to Remote Sites Off Numeric IP Addresses in URL Off URL Redirect to Other Port Off

Test Mode	
Test Mode Action	Add X-header

🕵 Applied To

Applied To	If the message: recipients's address domain portion belongs to any of these domains: 'contoso.com' Take the following actions: Apply hosted content filter policy "Hosted Content Filter Policy 2". Except if the message: recipients's address domain portion belongs to any of these domains: 'contososecure.com'
------------	--

Redirect

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

General Settings	
Name	Redirect
Description	
Priority	3
Enabled	True
Default	False
Last Updated	13/04/2018 15:04:38

Spam And Bulk Actions	
Spam Action	Redirect message to email address
High Confidence Spam Action	Move message to Junk Email folder
Mark Bulk Email as Spam	On
Bulk Threshold	7
Retain Spam for (Days)	15
Redirect to Email Addresses	redirect@contoso.com

8 Block Lists	
Blocked Senders	
Blocked Sender Domains	

	Allow	Lists
--	-------	-------

Allowed Senders
Allowed Sender Domains

🍪 International Spam	
Filter Messages by Language	False
Filter Messages by Country or Region	False

🔛 Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	Off
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score

URL Redirect to .biz or .info Web Sites	Off
Image Links to Remote Sites	Off
Numeric IP Addresses in URL	Off
URL Redirect to Other Port	Off

Test Mode	
Test Mode Action	None

Applied To	
Applied To	If the message: Is sent to 'demo@contoso.com' Take the following actions: Apply hosted content filter policy "Redirect".

Default

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

General Settings	
Name	Default
Description	
Priority	Lowest
Enabled	True
Default	True
Last Updated	15/10/2017 22:07:14

Part And Bulk Actions	
Spam Action	Move message to Junk Email folder
High Confidence Spam Action	Move message to Junk Email folder
Mark Bulk Email as Spam	On
Bulk Threshold	7
Retain Spam for (Days)	15

Block Lists	
Blocked Senders	
Blocked Sender Domains	

Ø Allow Lists	
Allowed Senders	
Allowed Sender Domains	

🍪 International Spam	
Filter Messages by Language	False
Filter Messages by Country or Region	False

🔝 Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	Off
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score

-	
URL Redirect to .biz or .info Web Sites	Off
Image Links to Remote Sites	Off
Numeric IP Addresses in URL	Off
URL Redirect to Other Port	Off

Test Mode	
Test Mode Action	None

Public Folders

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

Public Folders

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

6 Public Folders		
Path	Mail Enabled	Mailbox Name
	False	PublicFolderMailbox
Rublic Folder 1	True	PublicFolderMailbox
Rublic Folder 1\Subfolder	False	PublicFolderMailbox
📑 \Public Folder 2	False	PublicFolderMailbox
Rublic Folder 3	True	PublicFolderMailbox
🗾 \Public Folder 4	True	PublicFolderMailbox

 \setminus

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

Reneral Settings	
Mail Enabled	False
Mailbox Name	PublicFolderMailbox
Has Subfolders	True
Maintain Per-user Information	True

Z Statistics	
Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	27/04/2018 15:16:47

14 Limits	
Use Organization Quota Defaults	True
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions

Name	Access Rights
👩 Anonymous	None
🛃 Default	Author

\Public Folder 1

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

F General Settings	
Mail Enabled	True
Mailbox Name	PublicFolderMailbox
Has Subfolders	False
Maintain Per-user Information	True

✓ Statistics	
Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	30/04/2018 14:25:43

14 Limits	
Use Organization Quota Defaults	True
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions

Name	Access Rights
👩 Anonymous	None
👧 Default	Author

📑 Mail

Alias	demo
Display Name	demo
Hide From Exchange Address List	False
Email Addresses	SMTP:demo@contoso.com
Groups	Group
Forwarding Address	

Selegation	
Send As Accounts	
Send On Behalf	

\Public Folder 1\Subfolder

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

s General Settings	
Mail Enabled	False
Mailbox Name	PublicFolderMailbox
Has Subfolders	False
Maintain Per-user Information	True

Z Statistics	
Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	27/04/2018 15:16:53

з.	Limite
1	Limits

Use Organization Quota Defaults	False
Issue Warning	12 MB (12,582,912 bytes)
Prohibit Post	Unlimited
Maximum Item Size	Unlimited
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions	
Name	Access Rights
👩 Anonymous	None
👩 Default	Author

\Public Folder 2

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

real Settings	
Mail Enabled	False
Mailbox Name	PublicFolderMailbox
Has Subfolders	False
Maintain Per-user Information	True

✓ Statistics	
Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	30/04/2018 14:21:31

1 Limits	
Use Organization Quota Defaults	True
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions

Name	Access Rights
👩 Anonymous	None
🛃 Default	Author

\Public Folder 3

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

s General Settings	
Mail Enabled	True
Mailbox Name	PublicFolderMailbox
Has Subfolders	False
Maintain Per-user Information	True

✓ Statistics	
Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	30/04/2018 15:11:44

14 Limits	
Use Organization Quota Defaults	True
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions

Name	Access Rights
👩 Anonymous	None
👧 Default	Author

🛃 Mail	
Alias	Public Folder 3
Display Name	Public Folder 3
Hide From Exchange Address List	False
Email Addresses	SMTP:publicfolder3@contoso.com
Groups	
Forwarding Address	Myan M. Mookle
Deliver To Mailbox And Forward	False

Selegation

Send As Accounts

Send On Behalf

demo@contoso.com admin@contoso.com user@contoso.com

Terry Smith Bob Cook

\Public Folder 4

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

Reneral Settings	
Mail Enabled	True
Mailbox Name	PublicFolderMailbox
Has Subfolders	True
Maintain Per-user Information	False

Z Statistics	
Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	1
Total Item Size	3.04 KB (3,113 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	30/04/2018 11:36:10

14 Limits	
Use Organization Quota Defaults	False
Issue Warning	22 MB (23,068,672 bytes)
Prohibit Post	33 MB (34,603,008 bytes)
Maximum Item Size	55 MB (57,671,680 bytes)
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions	
Name	Access Rights
👩 Anonymous	None
🚮 Default	Author

🛃 Mail	
Alias	Public Folder 4
Display Name	Public Folder 4
Hide From Exchange Address List	False
Email Addresses	SMTP:publicfolder4@contoso.com
Groups	Group 1 Group 2
Forwarding Address	Myan M. Mookle
Deliver To Mailbox And Forward	True

Selegation	
Send As Accounts	tsmith@contoso.com
Send On Behalf	Terry Smith

Public Folder Mailboxes

The Exchange public folder architecture uses specially designed mailboxes to store both the public folder hierarchy and the content.

2 Public Folder Mailboxes		
Name	Database	Contains
E PublicFolderMailbox	GBRP265DG102-db122	Secondary Hierarchy
PublicFolderMailbox2	GBRP265DG052-db126	Primary Hierarchy

PublicFolderMailbox

The Exchange public folder architecture uses specially designed mailboxes to store both the public folder hierarchy and the content.

Ceneral Settings	
Database	GBRP265DG102-db122
Contains	Secondary Hierarchy
Organizational Unit	gbrp123a002.prod.outlook.com/Microsoft Exchange Hosted Organizations/contoso.com
GUID	b5b798dd-3bad-4bec-8b39-a948b35b3529
Last Updated	25/08/2018 23:22:57

14 Quota Settings	
Use Default Mailbox Database Quota Settings	False
Issue Warning	98 GB (105,226,698,752 bytes)
Prohibit Post	100 GB (107,374,182,400 bytes)
Maximum Item Size	36 MB (37,748,736 bytes)

PublicFolderMailbox2

The Exchange public folder architecture uses specially designed mailboxes to store both the public folder hierarchy and the content.

E General Settings	
Database	GBRP265DG052-db126
Contains	Primary Hierarchy
Organizational Unit	gbrp123a002.prod.outlook.com/Microsoft Exchange Hosted Organizations/contoso.com
GUID	ce2d88ad-3e17-475d-83c4-359dc5f8b2f0
Last Updated	18/09/2018 03:27:48

14 Quota Settings	
Use Default Mailbox Database Quota Settings	False
Issue Warning	98 GB (105,226,698,752 bytes)
Prohibit Post	100 GB (107,374,182,400 bytes)
Maximum Item Size	36 MB (37,748,736 bytes)

Recipients

This section provides information about the recipients configured within the organization.

Mailboxes

Provides information about the mailboxes configured in the organization.

3 Mailboxes			
Display Name	Туре	Primary SMTP Address	Last Logon Time
Andy Smith	User	asmith@contoso.com	01/04/2019 19:05:06
Bob Cook	User	bcook@contoso.com	01/05/2019 10:24:05
oz demo	User	demo@contoso.com	01/04/2019 19:55:39
Discovery Search Mailbox	Discovery Mailbox	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}@contoso.com	{Never Logged In}
1 HRCalendar	Shared	HRCalendar@contoso.com	01/04/2019 19:55:39
Projector	Equipment	projector@contoso.com	14/05/2019 00:59:35
2 Room1	Room	room1@contoso.com	14/05/2019 06:18:37
Terry Smith	User	tsmith@contoso.com	01/04/2019 19:55:40
oser user	User	user@contoso.com	01/04/2019 19:55:40

Distribution Groups

Distribution groups allow the sending of emails to collections of users.

3 Distribution Groups		
Display Name	Alias	Primary SMTP Address
Distribution Group 1	Distribution Group 1	demo@contoso.com
Distribution Group 2	Distribution Group 2	demo@contoso.com
Distribution Group Alias	Distribution Group Alias	demo@contoso.com

Distribution Group 1

Distribution groups allow the sending of emails to collections of users.

General Settings	
Display Name	Distribution Group 1
Alias	Distribution Group 1
Email Addresses	SMTP:demo@contoso.com
Automatically Update Email Addresses	False
MailTip	
Notes	Notes for distribution group 1.
Hide From Address Lists	False
Last Updated	09/05/2018 13:54:31

🔮 Ownership	
Owners	demo

🥵 Membership	
Members	demo
Joining	Open: anyone can join this group without being approved by the group owners
Leaving	Open: Anyone can leave the group without being approved by the group owners.

R Delivery Management	
Accepted Sender Type	Only senders inside my organization
Accepted Senders	All senders can send messages to this group

Voderation	
Messages Must Be Approved	False
Selegation	

Send As	demo@contoso.com tsmith@contoso.com
Send On Behalf	demo Terry Smith

Distribution Group 2

Distribution groups allow the sending of emails to collections of users.

General Settings		
Display Name	Distribution Group 2	
Alias	Distribution Group 2	
Email Addresses	SMTP:demo@contoso.com	
Automatically Update Email Addresses	False	
MailTip		
Notes	Notes for distribution group 2.	
Hide From Address Lists	False	
Last Updated	30/04/2018 20:00:58	

🔮 Ownership	
Owners	demo

<u> 1</u>	Membership
-----------	------------

Members	demo tsmith bcook
Joining	Open: anyone can join this group without being approved by the group owners
Leaving	Open: Anyone can leave the group without being approved by the group owners.

N Delivery Management	
Accepted Sender Type	Only senders inside my organization
Accepted Senders	All senders can send messages to this group

Voderation				
Messages Must Be Approved	False			
9 Delogation				
Selegation				
Send As				

Send On Behalf

Distribution Group Alias

Distribution groups allow the sending of emails to collections of users.

General Settings		
Display Name	Distribution Group Alias	
Alias	Distribution Group Alias	
Email Addresses	SMTP:test@contoso.com	
Automatically Update Email Addresses	False	
MailTip	<html> <body> This is a mailtip for a distribution group. </body> </html>	
Notes	Notes for this distribution group alias.	
Hide From Address Lists	True	
Last Updated	09/05/2018 13:48:11	

🔮 Ownership		
Owners	Myan M. Mookle Terry Smith	

🕵 Membership

Members	demo tsmith bcook
Joining	Open: anyone can join this group without being approved by the group owners
Leaving	Open: Anyone can leave the group without being approved by the group owners.

N Delivery Management		
Accepted Sender Type	Only senders inside my organization	
Accepted Senders	HRCalendar DynamicGroup	

Woderation	
Messages Must Be Approved	False

See Delegation	
Send As	demo@contoso.com mmookle@contoso.com
Send On Behalf	Bob Smith Myan M. Mookle Terry Smith

Dynamic Distribution Groups

Dynamic distribution groups are mail-enabled Active Directory group objects within a Microsoft Exchange organization. The membership of the group is determined automatically by filters and conditions.

1 Dynamic Distribution Groups	
Display Name	Alias
🕵 DynamicGroup	DynamicGroup

DynamicGroup

Dynamic distribution groups are mail-enabled Active Directory group objects within a Microsoft Exchange organization. The membership of the group is determined automatically by filters and conditions.

General Settings	
Display Name	DynamicGroup
Alias	DynamicGroup
Email Addresses	SMTP:dynamicgroup@contoso.com
MailTip	<html> <body> This is a mail tip for a dynamic distribution group </body> </html>
Notes	Notes for a dynamic distribution group.
Hide From Address Lists	True
Last Updated	09/05/2018 13:57:37

S Ownership	
Owner	tsmith

🕵 Membership	
Recipient Filter	((((CustomAttribute3 -eq 'Custom Attribute 3') -and (Alias -ne \$null))) -and (-not(Name -like 'SystemMailbox{*')) -and (-not(Name -like 'CAS_{*'})) -and (-not(RecipientTypeDetailsValue -eq 'MailboxPlan')) -and (-not(RecipientTypeDetailsValue -eq 'DiscoveryMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'PublicFolderMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'ArbitrationMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'AuditLogMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'AuxAuditLogMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'ArbitrationMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'AuditLogMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'AuxAuditLogMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'SupervisoryReviewPolicyMailbox')) -and (-not(RecipientTypeDetailsValue -eq 'GuestMailUser')))
Recipient Container	contoso.com

Planagement	
Accepted Sender Type	Only senders inside my organization
Accepted Senders	All senders can send messages to this group

Voderation	
Messages Must Be Approved	True
Group Moderators	HRCalendar
Senders Who Don't Require Message Approval	Andy Smith HRCalendar
Notification	Notify all senders when their messages aren't approved

See Delegation	
Send As	demo@contoso.com mmookle@contoso.com
Send On Behalf	Bob Smith Terry Smith

Office 365 Groups

Office 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

2 Office 365 Groups	
Display Name	Alias
🧟 demo	Unified Group
Demonstration group	0b093dfa-ea0c-4d5d-9e04-1d28d9503bfb

demo

Office 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings		
Group Name	demo	
Group Email Address	demo@contoso.com	
Description		
Privacy	Public - anyone can see content	
Language	English (United States)	
Subscribe New Members	True	
Allow Extenal Email	True	
🔮 Ownership		
Owners	demo	
🕵 Membership		
Members	demo	
N Delivery Management		
Accept Messages From	All senders	
Reject Messages From	No senders	
Search Delegation		
Send As		
Sand On Robalf		

Demonstration group

Office 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings	
Group Name	Demonstration group
Group Email Address	0b093dfa-ea0c-4d5d-9e04-1d28d9503bfb@contoso.com
Description	This is an Azure Active Directory demo group
Privacy	Public - anyone can see content
Language	English (United States)
Subscribe New Members	True
Allow Extenal Email	False

🔮 Ownership	
Owners	demo Myan M. Mookle

🕵 Membership

Members

Note State S	
Accept Messages From	demo asmith
Reject Messages From	No senders

Delegation	
Send As	tsmith@contoso.com demo@contoso.com
Send On Behalf	Bob Cook Terry Smith demo

Unified Messaging

Microsoft Exchange Server Unified Messaging (UM) allows users to receive e-mail, voice, and fax messages in their Outlook inbox. Additional features include Voice Mail Preview which delivers a transcription of voice mail messages to a user's Inbox.

Auto Attendants

UM auto attendants can be used to create a voice menu system for an organization that lets external and internal callers locate, place, or transfer calls to company users or departments in an organization.

3 Auto Attendants		
Name	Status	
AutoAttendant	Enabled	
AutoAttendantWithBusinessHours	Enabled	
MyAttendant	Disabled	

AutoAttendant

UM auto attendants can be used to create a voice menu system for an organization that lets external and internal callers locate, place, or transfer calls to company users or departments in an organization.

General Settings	
Dial Plan	DialPlan1
Status	Enabled
Access Numbers	
Response To Voice Commands	False
Fallback Auto Attendant	[Not Set]
GUID	dbf1f034-62f1-4836-9499-efd190d4e264
Last Updated	10/05/2018 12:01:30

Creetings	
Business Hours Greeting	Default greeting
Non-Business Hours Greeting	Default greeting
International Announcement	None

Business Hours	
Time Zone	(UTC+00:00) Monrovia, Reykjavik
Business Hours Schedule	Sun.00:00-Sat.23:45 Sat.23:45-Sun.00:00

Menu Navigation	
Business Hours Menu Prompt	
Business Hours Menu Navigation	False
Non-Business Hours Menu Prompt	
Non-Business Hours Menu Navigation	False

Real Address Book And Operator Access	
Allow Callers To Dial Users	True
Allow Callers To Leave Voice Messages	False
Allow Callers To Search Users	In this dial plan only
Operator Extension	
Allow Transfer To Operator During Business Hours	False
Allow Transfer To Operator During Non-Business Hours	False

Nuthorization	
Allow Calls in Same Dial Plan	True
Allow Calls To Any Extension	True
Authorized In-Country / Region Dialing Rules	[Not Set]
Authorized International Dialling Rules	[Not Set]

AutoAttendantWithBusinessHours

UM auto attendants can be used to create a voice menu system for an organization that lets external and internal callers locate, place, or transfer calls to company users or departments in an organization.

General Settings	
Dial Plan	DialPlan1
Status	Enabled
Access Numbers	837296 213123
Response To Voice Commands	True
Fallback Auto Attendant	AutoAttendant
GUID	e1ca8b7a-fe62-4c88-9d0f-198beb38e17c
Last Updated	11/05/2018 09:52:39

Z Greetings	
Business Hours Greeting	Welcome.wma
Non-Business Hours Greeting	Outofhours.wma
International Announcement	International.wma

Business Hours	
Time Zone	(UTC+00:00) Monrovia, Reykjavik
Business Hours Schedule	Sun.00:00-Sat.23:45 Sat.23:45-Sun.00:00

Menu Navigation	
Business Hours Menu Prompt	BusinessHours.wma
Business Hours Menu Navigation	True
Non-Business Hours Menu Prompt	Outofhours.wma
Non-Business Hours Menu Navigation	True

Business Hours Key Mappings			
Key	Prompt	Response	Action
1	NoneAction	HolidayMessage.wma	None
2	TransferACtion	BusinessHours.wma	Transfer to extension '213123'
3	TransferAuto		Transfer to UM auto attendant 'AutoAttendant'
4	LeaveVoiceMailAction		Leave a voice message for 'Terry Smith'
5	AnnounceLocation		Announce business location
6	AnnounceHours		Announce business hours

Non-Business Hours Key Mappings

Кеу	Prompt	Response	Action
Timed out	1212	HolidayMessage.wma	None

R Address Book And Operator Access	
Allow Callers To Dial Users	True
Allow Callers To Leave Voice Messages	False
Allow Callers To Search Users	In the entire organization
Operator Extension	1234
Allow Transfer To Operator During Business Hours	True
Allow Transfer To Operator During Non-Business Hours	True

N Authorization	
Allow Calls in Same Dial Plan	True
Allow Calls To Any Extension	True
Authorized In-Country / Region Dialing Rules	Allowed Region Rule
Authorized International Dialling Rules	Allowed International Rule

MyAttendant

UM auto attendants can be used to create a voice menu system for an organization that lets external and internal callers locate, place, or transfer calls to company users or departments in an organization.

General Settings	
Dial Plan	DialPlan2
Status	Disabled
Access Numbers	12121 23432432
Response To Voice Commands	False
Fallback Auto Attendant	[Not Set]
GUID	e2f11d57-9570-4ade-b27d-60e86fdbd6b2
Last Updated	10/05/2018 11:55:51

Z Greetings	
Business Hours Greeting	Default greeting
Non-Business Hours Greeting	Default greeting
International Announcement	None

Business Hours	
Time Zone	(UTC+00:00) Monrovia, Reykjavik
Business Hours Schedule	Sun.00:00-Sat.23:45 Sat.23:45-Sun.00:00

Menu Navigation

Business Hours Menu Prompt	
Business Hours Menu Navigation	False
Non-Business Hours Menu Prompt	
Non-Business Hours Menu Navigation	False

R Address Book And Operator Access	
Allow Callers To Dial Users	True
Allow Callers To Leave Voice Messages	False
Allow Callers To Search Users	In this dial plan only
Operator Extension	
Allow Transfer To Operator During Business Hours	False
Allow Transfer To Operator During Non-Business Hours	False

N Authorization	
Allow Calls in Same Dial Plan	True
Allow Calls To Any Extension	True
Authorized In-Country / Region Dialing Rules	[Not Set]
Authorized International Dialling Rules	[Not Set]

Dial Plans

UM dial plans establish a link from the telephone extension number of a user enabled for voice mail to their mailbox.

4 Dial Plans			
Name	Extension Length	URI Type	
📄 DialPlan1	5	Telephone extension	
DialPlan2	5	Telephone extension	
📄 DialPlan3	5	E.164	
📑 DialPlan4	5	SIP URI	

DialPlan1

UM dial plans establish a link from the telephone extension number of a user enabled for voice mail to their mailbox.

General Settings		
5		
Telephone extension		
Secured		
9ad63b2a-72da-4eaa-9807-091999923974		
25/05/2018 11:49:49		
Dial Codes		
1		
2		
3		
44		
4		
5		

0	Outlook	Voice	Access
---	---------	-------	--------

Number Formats For Incoming Calls

Welcome Greeting Enabled	False
International Announcement Enabled	False
Outlook Voice Access Numbers	

12 44

√ -	Settings
------------	----------

Primary Search For Names	LastFirst
Secondary Search For Names	SmtpAddress
Audio Codec	Мр3
Operator Extension	
Sign-in Failures Before Disconnect	3
Maximum Call Duration (Minutes)	30
Maximum Recording Duration (Minutes)	20
Recording Idle Time Out (Seconds)	5
Input Failures Before Disconnect	3
Default Language	English (United States)

	In-Country / Region Dialing Rules	
--	-----------------------------------	--

Name	Number Pattern	Dialed Number	Comment
E Region Rule	1243	129819	This is a comment for a region rule.

International Dialing Rules			
Name	Number Pattern	Dialed Number	Comment
La International Rule	123x	129819	This is a comment for an international rule.

N Dialing Authorization	
Allow Calls In The Same Dial Plan	True
Allow Calls To Any Extension	False
Authorized In-Country / Region Dialing Rules	
Authorized International Dialling Rules	

Allow Transfer To Users	True
Leave Voice Messages Without Calling	True
Allow Callers To Search	In this dial plan only
Include Additional Information	None

DialPlan2

UM dial plans establish a link from the telephone extension number of a user enabled for voice mail to their mailbox.

General Settings	
Extension Length (Digits)	5
Dial Plan Type	Telephone extension
VoIP Security Type	Secured
GUID	6f8dd22a-8f1a-4299-a15b-6aba1a753b6b
Last Updated	01/05/2018 14:06:29

Dial Codes	
Outside Line Access Code	
International Access Code	
National Number Prefix	
Country/Region Code	22
Country/Region Number Format	
International Number Format	
Number Formats For Incoming Calls	

Outlook Voice Access	
Welcome Greeting Enabled	False
International Announcement Enabled	False
Outlook Voice Access Numbers	

Settings	
Primary Search For Names	LastFirst
Secondary Search For Names	SmtpAddress
Audio Codec	МрЗ
Operator Extension	
Sign-in Failures Before Disconnect	3
Maximum Call Duration (Minutes)	30
Maximum Recording Duration (Minutes)	20
Recording Idle Time Out (Seconds)	5
Input Failures Before Disconnect	3
Default Language	English (United States)

There are no dialing rules configured.

International Dialing Rules

There are no dialing rules configured.

A	Dialing	Authorization	h

Allow Calls In The Same Dial Plan	True
Allow Calls To Any Extension	False
Authorized In-Country / Region Dialing Rules	
Authorized International Dialling Rules	

Transfer And Search

Allow Transfer To Users	True
Leave Voice Messages Without Calling	True
Allow Callers To Search	In this dial plan only
Include Additional Information	None

DialPlan3

UM dial plans establish a link from the telephone extension number of a user enabled for voice mail to their mailbox.

General Settings	
Extension Length (Digits)	5
Dial Plan Type	E.164
VoIP Security Type	Secured
GUID	098c1b38-de36-4c4f-9958-2e2b2ff004a1
Last Updated	01/05/2018 14:06:48

Dial Codes	
Outside Line Access Code	
International Access Code	
National Number Prefix	
Country/Region Code	55
Country/Region Number Format	
International Number Format	
Number Formats For Incoming Calls	

Outlook Voice Access		
Welcome Greeting Enabled	False	
International Announcement Enabled	False	
Outlook Voice Access Numbers		

Settings	
Primary Search For Names	LastFirst
Secondary Search For Names	SmtpAddress
Audio Codec	МрЗ
Operator Extension	
Sign-in Failures Before Disconnect	3
Maximum Call Duration (Minutes)	30
Maximum Recording Duration (Minutes)	20
Recording Idle Time Out (Seconds)	5
Input Failures Before Disconnect	3
Default Language	Italian (Italy)

There are no dialing rules configured.

International Dialing Rules

There are no dialing rules configured.

-			
A	Dialing	Authorization	n

Allow Calls In The Same Dial Plan	True	
Allow Calls To Any Extension	False	
Authorized In-Country / Region Dialing Rules		
Authorized International Dialling Rules		

Transfer And Search

Allow Transfer To Users	True
Leave Voice Messages Without Calling	True
Allow Callers To Search	In this dial plan only
Include Additional Information	None

DialPlan4

UM dial plans establish a link from the telephone extension number of a user enabled for voice mail to their mailbox.

General Settings		
Extension Length (Digits)	5	
Dial Plan Type	SIP URI	
VoIP Security Type	Secured	
GUID	41b661a1-917d-4ec7-b3de-c14b5ede848c	
Last Updated	02/05/2018 16:36:28	

Dial Codes

Outside Line Access Code	1
International Access Code	2
National Number Prefix	3
Country/Region Code	88
Country/Region Number Format	123
International Number Format	4
Number Formats For Incoming Calls	5 6

Outlook Voice Access

Welcome Greeting Enabled	True
Welcome Greeting Filename	Sound.wma
International Announcement Enabled	True
International Announcement Filename	Sound.wma
International Announcement Interruptible	True
Outlook Voice Access Numbers	829573 204732

Settings	
Primary Search For Names	FirstLast
Secondary Search For Names	None
Audio Codec	Gsm
Operator Extension	122
Sign-in Failures Before Disconnect	5
Maximum Call Duration (Minutes)	31
Maximum Recording Duration (Minutes)	21
Recording Idle Time Out (Seconds)	6
Input Failures Before Disconnect	4
Default Language	Swedish (Sweden)

In-Country / Region Dialing Rules

Name	Number Pattern	Dialed Number	Comment
E Region Rule 1	12x	121	This is a comment for region rule 1.
E Region Rule 2	12234x	1223348	This is a comment for region rule 2.

International Dialing Rules Name Number Pattern Dialed Number Comment

Name			Comment
La Internation Rule	122x	1234	This is a comment for an international rule.

Note: The second sec

Allow Calls In The Same Dial Plan	False
Allow Calls To Any Extension	True
Authorized In-Country / Region Dialing Rules	Allowed Region Rule
Authorized International Dialling Rules	Allowed International Rule

Transfer And Search

Allow Transfer To Users	True
Leave Voice Messages Without Calling	True
Allow Callers To Search	In the entire organization
Include Additional Information	Location

Hunt Groups

Telephony hunt groups provide a way to distribute telephone calls from a single number to multiple extensions or telephone numbers.

2 Hunt Groups			
Name	Dial Plan	IP Gateway	Pilot Identifier
4 HuntGroup1	DialPlan1	IPGateway1	12123
4 HuntGroup2	DialPlan1	IPGateway2	

IP Gateways

UM IP gateways link Exchange Unified Messaging to the physical IP gateway device so that it can handle calls from the physical telephone system.

2 IP Gateways		
Name	Address	Status
📷 IPGateway1	gateway1.contoso.com	Enabled
📷 IPGateway2	gateway2.contoso.com	Enabled

IPGateway1

UM IP gateways link Exchange Unified Messaging to the physical IP gateway device so that it can handle calls from the physical telephone system.

General Settings	
Name	IPGateway1
GUID	1dc2079c-4c37-496e-9fc8-27b106a6cea8
Last Updated	01/05/2018 10:40:26
mage Settings	
Address	gateway1.contoso.com
Gateway Status	Enabled
Forwarding Address	5c80f4a4-ba63-44bf-8cde-523cb3d3d06b.um.outlook.com
Allow Outgoing Calls	True
Allow Message Waiting Indicator	True

IPGateway2

UM IP gateways link Exchange Unified Messaging to the physical IP gateway device so that it can handle calls from the physical telephone system.

General Settings	
Name	IPGateway2
GUID	7f1340bf-7b36-45a4-a4d9-8d9bb13a5bb1
Last Updated	01/05/2018 11:19:59
📷 Settings	
Address	gateway2.contoso.com
Gateway Status	Enabled
Forwarding Address	5c80f4a4-ba63-44bf-8cde-523cb3d3d06b.um.outlook.com
Allow Outgoing Calls	False
Allow Message Waiting Indicator	False

Mailbox Policies

UM mailbox policies specify common PIN policies, features, custom message text, and dialing authorization for a group of UM-enabled mailboxes.

4 Mailbox Policies		
Name	Dial Plan	Minimum PIN Length
DialPlan1 Default Policy	DialPlan1	7
DialPlan2 Default Policy	DialPlan2	6
DialPlan3 Default Policy	DialPlan3	6
DialPlan4 Default Policy	DialPlan4	6

DialPlan1 Default Policy

UM mailbox policies specify common PIN policies, features, custom message text, and dialing authorization for a group of UM-enabled mailboxes.

General Settings	
Dial Plan	DialPlan1
Limit On Personal Greetings (Minutes)	5
Allow Analysis Of Voice Messages	False
GUID	93565121-19d0-40ba-9bcf-5ee066ac4b14
Last Updated	10/05/2018 10:42:53

Allow Voice Mail Preview	True
Allow Call Answering Rules	True
Allow Message Waiting Indicator	True
Allow Outlook Voice Access	True
Allow Missed Call Notifications	True
Allow Play On Phone	True
Allow Inbound Faxes	True
Partner Fax Server URI	sip:fax.contoso.com:5060;transport=TCP

Message Text		
User Enabled For Unified Messaging	User enabled	
Outlook Voice Access PIN Reset	PIN reset	
User Receives Voice Message	Receives voice message	
User Receives Fax Message	Receives fax message	

N PIN Policies	
Minimum PIN Length	7
PIN Recycle Count	6
Allow Common PIN Patterns	True
Pin Lifetime	Not Enforced
Sign-in Failures Before PIN Reset	22
Sign-in Failures Before Account Lockout	33

N Dialing Authorization	
Allow Calls in Same Dial Plan	False
Allow Calls To Any Extension	False
Authorized In-Country / Region Dialing Rules	
Authorized International Dialling Rules	Allowed International Rule

Protected Voice Mail		
Protect Voice Messages From Unauthenticated Callers	None	
Protect Voice Messages From Authenticated Callers	None	
Require Protected Play On Phone	True	
Allow Voice Responses To Email And Calendar Items	False	
Message For Users Without WRM Support	This is a WINRM message	

DialPlan2 Default Policy

UM mailbox policies specify common PIN policies, features, custom message text, and dialing authorization for a group of UM-enabled mailboxes.

General Settings	
Dial Plan	DialPlan2
Limit On Personal Greetings (Minutes)	5
Allow Analysis Of Voice Messages	False
GUID	f4657965-c768-4851-b584-a60a6284d8ea
Last Updated	01/05/2018 14:06:29

Allow Voice Mail Preview	True
Allow Call Answering Rules	True
Allow Message Waiting Indicator	True
Allow Outlook Voice Access	True
Allow Missed Call Notifications	True
Allow Play On Phone	True
Allow Inbound Faxes	False

Message Text	
User Enabled For Unified Messaging	[Not Set]
Outlook Voice Access PIN Reset	[Not Set]
User Receives Voice Message	[Not Set]
User Receives Fax Message	[Not Set]

R PIN Policies	
Minimum PIN Length	6
PIN Recycle Count	5
Allow Common PIN Patterns	False
Pin Lifetime	60 days
Sign-in Failures Before PIN Reset	5
Sign-in Failures Before Account Lockout	15

N Dialing Authorization	
Allow Calls in Same Dial Plan	True
Allow Calls To Any Extension	True
Authorized In-Country / Region Dialing Rules	
Authorized International Dialling Rules	

Protected Voice Mail	
Protect Voice Messages From Unauthenticated Callers	None
Protect Voice Messages From Authenticated Callers	None
Require Protected Play On Phone	False
Allow Voice Responses To Email And Calendar Items	True
Message For Users Without WRM Support	

DialPlan3 Default Policy

UM mailbox policies specify common PIN policies, features, custom message text, and dialing authorization for a group of UM-enabled mailboxes.

General Settings	
Dial Plan	DialPlan3
Limit On Personal Greetings (Minutes)	5
Allow Analysis Of Voice Messages	False
GUID	882105ec-f31e-4d6a-b81f-f6a67d45573d
Last Updated	01/05/2018 14:06:48

Allow Voice Mail Preview	True
Allow Call Answering Rules	True
Allow Message Waiting Indicator	True
Allow Outlook Voice Access	True
Allow Missed Call Notifications	True
Allow Play On Phone	True
Allow Inbound Faxes	False

Message Text	
User Enabled For Unified Messaging	[Not Set]
Outlook Voice Access PIN Reset	[Not Set]
User Receives Voice Message	[Not Set]
User Receives Fax Message	[Not Set]

IN Policies	
Minimum PIN Length	6
PIN Recycle Count	5
Allow Common PIN Patterns	False
Pin Lifetime	60 days
Sign-in Failures Before PIN Reset	5
Sign-in Failures Before Account Lockout	15

N Dialing Authorization	
Allow Calls in Same Dial Plan	True
Allow Calls To Any Extension	True
Authorized In-Country / Region Dialing Rules	
Authorized International Dialling Rules	

Protected Voice Mail	
Protect Voice Messages From Unauthenticated Callers	None
Protect Voice Messages From Authenticated Callers	None
Require Protected Play On Phone	False
Allow Voice Responses To Email And Calendar Items	True
Message For Users Without WRM Support	

DialPlan4 Default Policy

UM mailbox policies specify common PIN policies, features, custom message text, and dialing authorization for a group of UM-enabled mailboxes.

General Settings	
Dial Plan	DialPlan4
Limit On Personal Greetings (Minutes)	5
Allow Analysis Of Voice Messages	False
GUID	90c85b12-e385-4263-9ca2-fe249028f82c
Last Updated	01/05/2018 14:11:00

Allow Voice Mail Preview	True
Allow Call Answering Rules	True
Allow Message Waiting Indicator	True
Allow Outlook Voice Access	True
Allow Missed Call Notifications	True
Allow Play On Phone	True
Allow Inbound Faxes	False

Message Text		
User Enabled For Unified Messaging	[Not Set]	
Outlook Voice Access PIN Reset	[Not Set]	
User Receives Voice Message	[Not Set]	
User Receives Fax Message	[Not Set]	

N PIN Policies		
Minimum PIN Length	6	
PIN Recycle Count	5	
Allow Common PIN Patterns	False	
Pin Lifetime	60 days	
Sign-in Failures Before PIN Reset	5	
Sign-in Failures Before Account Lockout	15	

No. Dialing Authorization		
Allow Calls in Same Dial Plan	True	
Allow Calls To Any Extension	True	
Authorized In-Country / Region Dialing Rules		
Authorized International Dialling Rules		

Protected Voice Mail			
Protect Voice Messages From Unauthenticated Callers	None		
Protect Voice Messages From Authenticated Callers	None		
Require Protected Play On Phone	False		
Allow Voice Responses To Email And Calendar Items	True		
Message For Users Without WRM Support			

Version History

The version history displays the changes that have been made to the documentation of this item over time - either automatically when a change has been detected, or manually by users of the system.

Version	Username	Date	Time	Description
2 1.01	DEMO2012R2\sysadmin	15 May 2019	17:29	Updated by XIA Configuration Client Data
1.00	DEMO2012R2\sysadmin	15 May 2019	17:29	Initial Item Creation