

IIS Server Report

WIN-86VJQDEFFM4



Date	07/05/2014 16:06:50
Author	CENTREL Solutions
Version	1.05
Product	XIA Configuration Server [6.0.0.25996]

Table of Contents

Disclaimer

IIS Server Information

General Information	4
Relationships	4
Relationship Map	5
Server Information	6

Application Pools

.NET v2.0	8
.NET v2.0 Classic	9
Classic .NET AppPool	10
DefaultAppPool	11
XIAConfiguration - NS	12

Web Sites

Default Web Site	14
XIAConfiguration	19

Version History

Disclaimer

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.









IIS Server Information

This is a sample web server running Windows Server 2012 R2 (IIS 8.5) hosting the XIA Configuration server application. The SSL certificate assigned to the default web site **is intentionally expired** when viewing the site notice the warning presented.

General Information


Description	IIS Server version: 8.5
Item Name	WIN-86VJQDEFFM4
Item ID	2679
Primary Owner Name	Web Services Team
Primary Owner Contact	webservices@demonstration.int
Scanned on Date	07 May 2014
Client Version	6.0.0

Relationships

Item ID	Name	Type	Relationship Type
 2629	WIN-86VJQDEFFM4	Windows Server	Is Hosted On
 1000	Demonstration Inc	Container	Contained Within
 Internal	Default Web Site	Microsoft IIS Web Site	Hosts IIS Web Site
 Internal	.NET v2.0	Microsoft IIS Application Pool	Hosts IIS Application Pool
 Internal	.NET v2.0 Classic	Microsoft IIS Application Pool	Hosts IIS Application Pool
 Internal	Classic .NET AppPool	Microsoft IIS Application Pool	Hosts IIS Application Pool
 Internal	DefaultAppPool	Microsoft IIS Application Pool	Hosts IIS Application Pool
 Internal	XIAConfiguration - NS	Microsoft IIS Application Pool	Hosts IIS Application Pool

Relationship Map

Relationship Map for WIN-86VJQDEFFM4




Server Information

Operating System	Microsoft Windows Server 2012 R2 Datacenter
Version	8.5

Server Certificates

Provides information about the certificates that the web server can use with web sites configured for SSL.






Name	Issued To	Issued By	Expiry Date
 www.centrel-solutions.com	www.centrel-solutions.com	GeoTrust DV SSL CA	12 October 2013

Application Pools

An application pool is a group of one or more IIS applications that are served by a single or set of worker processes.

As application pools are isolated from one another, each running their own worker process, they ensure that a failure in one application pool does not affect the applications running in other application pools.

Each application pool allows for individually configured identity, recycling and performance settings.

Name	.NET Framework Version	Managed Pipeline Mode	Identity
 .NET v2.0	v2.0	Integrated	ApplicationPoolIdentity
 .NET v2.0 Classic	v2.0	Classic	ApplicationPoolIdentity
 Classic .NET AppPool	v2.0	Classic	ApplicationPoolIdentity
 DefaultAppPool	v4.0	Integrated	ApplicationPoolIdentity
 XIAConfiguration - NS	v2.0	Integrated	NetworkService

.NET v2.0

Application Pool

Name	.NET v2.0
Auto Start	True
Applications	
Managed Pipeline Mode	Integrated
Managed Runtime Version	v2.0

Failure Protection

Shutdown Executable	
Shutdown Executable Parameters	
Orphaned Process Executable	
Orphaned Process Executable Parameters	
Orphan Worker Processes	False
Rapid Fail Protection	True
Rapid Fail Protection Interval	5 seconds
Rapid Fail Protection Maximum Failures	5

Process Model

Identity Type	ApplicationPoolIdentity
Idle Timeout	20 minutes
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Interval	0 seconds
Ping Response Time	2 seconds
Shutdown Time Limit	2 seconds
Startup Time Limit	2 seconds
Username	
Password	[Not Documented]

.NET v2.0 Classic

Application Pool

Name	.NET v2.0 Classic
Auto Start	True
Applications	
Managed Pipeline Mode	Classic
Managed Runtime Version	v2.0

Failure Protection

Shutdown Executable	
Shutdown Executable Parameters	
Orphaned Process Executable	
Orphaned Process Executable Parameters	
Orphan Worker Processes	False
Rapid Fail Protection	True
Rapid Fail Protection Interval	5 seconds
Rapid Fail Protection Maximum Failures	5

Process Model

Identity Type	ApplicationPoolIdentity
Idle Timeout	20 minutes
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Interval	0 seconds
Ping Response Time	2 seconds
Shutdown Time Limit	2 seconds
Startup Time Limit	2 seconds
Username	
Password	[Not Documented]

Classic .NET AppPool

Application Pool

Name	Classic .NET AppPool
Auto Start	True
Applications	
Managed Pipeline Mode	Classic
Managed Runtime Version	v2.0

Failure Protection

Shutdown Executable	
Shutdown Executable Parameters	
Orphaned Process Executable	
Orphaned Process Executable Parameters	
Orphan Worker Processes	False
Rapid Fail Protection	True
Rapid Fail Protection Interval	5 seconds
Rapid Fail Protection Maximum Failures	5

Process Model

Identity Type	ApplicationPoolIdentity
Idle Timeout	20 minutes
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Interval	0 seconds
Ping Response Time	2 seconds
Shutdown Time Limit	2 seconds
Startup Time Limit	2 seconds
Username	
Password	[Not Documented]

DefaultAppPool

Application Pool

Name	DefaultAppPool
Auto Start	True
Applications	Default Web Site
Managed Pipeline Mode	Integrated
Managed Runtime Version	v4.0

Failure Protection

Shutdown Executable	
Shutdown Executable Parameters	
Orphaned Process Executable	
Orphaned Process Executable Parameters	
Orphan Worker Processes	False
Rapid Fail Protection	True
Rapid Fail Protection Interval	5 seconds
Rapid Fail Protection Maximum Failures	5

Process Model

Identity Type	ApplicationPoolIdentity
Idle Timeout	20 minutes
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Interval	0 seconds
Ping Response Time	2 seconds
Shutdown Time Limit	2 seconds
Startup Time Limit	2 seconds
Username	
Password	[Not Documented]

XIAConfiguration - NS

Application Pool

Name	XIAConfiguration - NS
Auto Start	True
Applications	Default Web Site/XIAConfiguration
Managed Pipeline Mode	Integrated
Managed Runtime Version	v2.0

Failure Protection

Shutdown Executable	
Shutdown Executable Parameters	
Orphaned Process Executable	
Orphaned Process Executable Parameters	
Orphan Worker Processes	False
Rapid Fail Protection	True
Rapid Fail Protection Interval	5 seconds
Rapid Fail Protection Maximum Failures	5

Process Model

Identity Type	NetworkService
Idle Timeout	120 minutes
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Interval	0 seconds
Ping Response Time	2 seconds
Shutdown Time Limit	2 seconds
Startup Time Limit	2 seconds
Username	
Password	[Not Documented]

Web Sites

A Web site is a container for Web applications, and you can access it through one or more unique bindings.

A Web site binding is the combination of an IP address, a port, and the optional host headers on which IIS listens for requests made to that Web site.

Each web site can have individual logging and connection settings.

Name	ID	Path
 Default Web Site	1	%SystemDrive%\inetpub\wwwroot

Default Web Site

This web site contained an invalid certificate at the time of the scan or the certificate in use has since expired. Please see the SSL bindings below for more information.

Auto Start	True
Bindings	http:*:80: https:*:443:
ID	1
Max Bandwidth	4294967295 bytes/second
Maximum Connections	4294967295

SSL Binding

Address	*
Port	443
Friendly Name	www.centrel-solutions.com

General

Friendly Name	www.centrel-solutions.com
Subject Name	www.centrel-solutions.com
Subject	CN=www.centrel-solutions.com, OU=Domain Control Validated - QuickSSL(R) Premium, OU=See www.geotrust.com/resources/cps (c)12, OU=GT57171736, SERIALNUMBER=5XKigc7He-9VGLA4cfFbokCiFqJTyOTI
Issuer	CN=GeoTrust DV SSL CA, OU=Domain Validated SSL, O=GeoTrust Inc., C=US
Valid From	10 September 2012
Expiry Date	12 October 2013
Key Usage	Digital Signature Key encipherment
Enhanced Key Usages	Server Authentication (1.3.6.1.5.5.7.3.1) Client Authentication (1.3.6.1.5.5.7.3.2)

Details

Public Key	RSA (1024 Bits)
Serial Number	0501DA
Signature Algorithm	sha1RSA
Thumbprint	794F2B15351DF68127ED7B3B7E8CE1D3317BFBE8
Version	3
CRL Distribution Points	http://gtssldv-crl.geotrust.com/crls/gtssldv.crl
Subject Alternative Names	www.centrel-solutions.com centrel-solutions.com

Logging Settings

Directory	%SystemDrive%\inetpub\logs\LogFiles
Enabled	True
Log Format	W3C
Fields	Client IP Address Date Method Protocol Status Protocol Substatus Referer Server IP Address Server Port Time Time Taken URI Query URI Stem User Agent User Name Win32 Status
Log File Rollover	Create a new log file daily.
Truncate Size	20971520

Home Directory

Application Pool	DefaultAppPool
Document Footer	
Application User (pass-through authentication)	True
Username	
Password	[Not Documented]
Path	/
Physical Path	%SystemDrive%\inetpub\wwwroot
SSL Flags	None

ASP Settings

Enable Buffering	True
Code Page	0
Script Error Message	An error occurred on the server when processing the URL. Please contact the system administrator. [p/] If you are the system administrator please click [a href="http://go.microsoft.com/fwlink/?LinkID=82731"]here[/a] to find out more about this error.
Send Errors To Browser	False
Script Language	VBScript
Script Timeout	90 seconds
Enabled	True
Maximum Sessions	4294967295
Session Timeout	20 seconds

ASP.NET

Trust Level	Full
-------------	------

ASP.NET App Settings

There are no ASP.NET app settings defined.

ASP.NET Connection Strings

LocalSqlServer	System.Data.SqlClient data source=.\SQLEXPRESS;Integrated Security=SSPI;AttachDBFilename= DataDirectory aspnetdb.mdf;User Instance=true
----------------	---

ASP.NET Machine Key

Encryption Method	Auto
Decryption Key	AutoGenerate,IsolateApps
Validation Method	SHA1
Validation Key	AutoGenerate,IsolateApps

ASP.NET Session State

Cookie Mode	UseCookie
Cookie Name	ASP.NET_SessionId
Custom Provider	
Session State Mode	InProc
Partition Resolver Type	
Regenerate expired session ID	True
SQL Command Timeout	30 seconds
SQL Connection String	data source=localhost;Integrated Security=SSPI
State Server Connection String	tcpip=loopback:42424
State Server Network Timeout	10 seconds
Session Timeout	20 minutes
Use hosting identity for impersonation	True

ASP.NET SMTP Settings

Use Default (Windows) Credentials	False
Delivery Method	Network
E-mail address	
SMTP Server	
Port	25
Username	
Password	[Not Documented]

Authentication Settings

Anonymous Authentication	True
Anonymous Identity	IUSR
Basic Authentication	False
Default Domain	
Realm	
Client Certificate Authentication	False
Windows Authentication	False
Providers	Negotiate NTLM
Enable Kernel-Mode Authentication	True

Default Document Settings

Enabled	True
Files	Default.htm Default.asp index.htm index.html iisstart.htm default.aspx

Directory Browsing

Enabled	False
Fields	Date, Extension, Size, Time

Custom Error Pages

Default Page Path	
Path Type	File
Error Responses	DetailedLocalOnly
401	401.htm
403	403.htm
404	404.htm
405	405.htm
406	406.htm
412	412.htm
500	500.htm
501	501.htm
502	502.htm

Enabled ISAPI Filters

ASP.Net_2.0.50727-64	%windir%\Microsoft.NET\Framework64\v2.0.50727\aspnet_filter.dll
ASP.Net_2.0.50727.0	%windir%\Microsoft.NET\Framework\v2.0.50727\aspnet_filter.dll

Handler Mappings

Name	Path	Verbs
ISAPI-dll	*.dll	*
TraceHandler-Integrated	trace.axd	GET,HEAD,POST,DEBUG
WebAdminHandler-Integrated	WebAdmin.axd	GET,DEBUG
AssemblyResourceLoader-Integrated	WebResource.axd	GET,DEBUG
PageHandlerFactory-Integrated	*.aspx	GET,HEAD,POST,DEBUG
SimpleHandlerFactory-Integrated	*.ashx	GET,HEAD,POST,DEBUG
WebServiceHandlerFactory-Integrated	*.asmx	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-rem-Integrated	*.rem	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-soap-Integrated	*.soap	GET,HEAD,POST,DEBUG
AXD-ISAPI-2.0	*.axd	GET,HEAD,POST,DEBUG
PageHandlerFactory-ISAPI-2.0	*.aspx	GET,HEAD,POST,DEBUG
SimpleHandlerFactory-ISAPI-2.0	*.ashx	GET,HEAD,POST,DEBUG
WebServiceHandlerFactory-ISAPI-2.0	*.asmx	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-rem-ISAPI-2.0	*.rem	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-soap-ISAPI-2.0	*.soap	GET,HEAD,POST,DEBUG
AXD-ISAPI-2.0-64	*.axd	GET,HEAD,POST,DEBUG
PageHandlerFactory-ISAPI-2.0-64	*.aspx	GET,HEAD,POST,DEBUG
SimpleHandlerFactory-ISAPI-2.0-64	*.ashx	GET,HEAD,POST,DEBUG
WebServiceHandlerFactory-ISAPI-2.0-64	*.asmx	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-rem-ISAPI-2.0-64	*.rem	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-soap-ISAPI-2.0-64	*.soap	GET,HEAD,POST,DEBUG
TRACEVerbHandler	*	TRACE
OPTIONSVerbHandler	*	OPTIONS
StaticFile	*	*

XIAConfiguration

Home Directory

Application Pool	XIAConfiguration - NS
Document Footer	
Application User (pass-through authentication)	True
Username	
Password	[Not Documented]
Path	/XIAConfiguration
Physical Path	C:\Program Files\CENTREL Solutions\XIA Configuration\XIA Configuration Server
SSL Flags	None

ASP Settings

Enable Buffering	True
Code Page	0
Script Error Message	An error occurred on the server when processing the URL. Please contact the system administrator. [p] If you are the system administrator please click [a href="http://go.microsoft.com/fwlink/?LinkID=82731"]here[/a] to find out more about this error.
Send Errors To Browser	False
Script Language	VBScript
Script Timeout	90 seconds
Enabled	True
Maximum Sessions	4294967295
Session Timeout	20 seconds

ASP.NET

Trust Level	Full
-------------	------

ASP.NET App Settings

TallPDF.NET 3.0 Web Redistribution Key	pln43budcbN8WdQBIQFE8E++
--	--------------------------

ASP.NET Connection Strings

LocalSqlServer	System.Data.SqlClient data source=.\SQLEXPRESS;Integrated Security=SSPI;AttachDBFilename= DataDirectory aspnetdb.mdf;User Instance=true
----------------	---

ASP.NET Machine Key

Encryption Method	Auto
Decryption Key	AutoGenerate,IsolateApps
Validation Method	SHA1
Validation Key	AutoGenerate,IsolateApps

ASP.NET Session State

Cookie Mode	UseCookie
Cookie Name	ASP.NET_SessionId
Custom Provider	
Session State Mode	InProc
Partition Resolver Type	
Regenerate expired session ID	True
SQL Command Timeout	30 seconds
SQL Connection String	data source=localhost;Integrated Security=SSPI
State Server Connection String	tcpip=loopback:42424
State Server Network Timeout	10 seconds
Session Timeout	20 minutes
Use hosting identity for impersonation	True

ASP.NET SMTP Settings

Use Default (Windows) Credentials	False
Delivery Method	Network
E-mail address	
SMTP Server	
Port	25
Username	
Password	[Not Documented]

Authentication Settings

Anonymous Authentication	False
Anonymous Identity	IUSR
Basic Authentication	False
Default Domain	
Realm	
Client Certificate Authentication	False
Windows Authentication	True
Providers	Negotiate NTLM
Enable Kernel-Mode Authentication	True

Default Document Settings

Enabled	True
Files	default.aspx

Directory Browsing

Enabled	False
Fields	Date, Extension, Size, Time

Custom Error Pages

Default Page Path	
Path Type	File
Error Responses	DetailedLocalOnly
401	401.htm
403	403.htm
404	404.htm
405	405.htm
406	406.htm
412	412.htm
500	500.htm
501	501.htm
502	502.htm

Enabled ISAPI Filters

ASP.Net_2.0.50727-64	%windir%\Microsoft.NET\Framework64\v2.0.50727\aspnet_filter.dll
ASP.Net_2.0.50727.0	%windir%\Microsoft.NET\Framework\v2.0.50727\aspnet_filter.dll

Handler Mappings

Name	Path	Verbs
ScriptHandlerFactory	*.asmx	*
ScriptHandlerFactoryAppServices	*_AppService.axd	*
ScriptResource	ScriptResource.axd	GET,HEAD
CachedImageService	cachedimageservice.axd	GET
ISAPI-dll	*.dll	*
TraceHandler-Integrated	trace.axd	GET,HEAD,POST,DEBUG
WebAdminHandler-Integrated	WebAdmin.axd	GET,DEBUG
AssemblyResourceLoader-Integrated	WebResource.axd	GET,DEBUG
PageHandlerFactory-Integrated	*.aspx	GET,HEAD,POST,DEBUG
SimpleHandlerFactory-Integrated	*.ashx	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-rem-Integrated	*.rem	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-soap-Integrated	*.soap	GET,HEAD,POST,DEBUG
AXD-ISAPI-2.0	*.axd	GET,HEAD,POST,DEBUG
PageHandlerFactory-ISAPI-2.0	*.aspx	GET,HEAD,POST,DEBUG
SimpleHandlerFactory-ISAPI-2.0	*.ashx	GET,HEAD,POST,DEBUG
WebServiceHandlerFactory-ISAPI-2.0	*.asmx	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-rem-ISAPI-2.0	*.rem	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-soap-ISAPI-2.0	*.soap	GET,HEAD,POST,DEBUG
AXD-ISAPI-2.0-64	*.axd	GET,HEAD,POST,DEBUG
PageHandlerFactory-ISAPI-2.0-64	*.aspx	GET,HEAD,POST,DEBUG
SimpleHandlerFactory-ISAPI-2.0-64	*.ashx	GET,HEAD,POST,DEBUG
WebServiceHandlerFactory-ISAPI-2.0-64	*.asmx	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-rem-ISAPI-2.0-64	*.rem	GET,HEAD,POST,DEBUG
HttpRemotingHandlerFactory-soap-ISAPI-2.0-64	*.soap	GET,HEAD,POST,DEBUG
TRACEVerbHandler	*	TRACE
OPTIONSVerbHandler	*	OPTIONS
StaticFile	*	*

Version History

The version history displays the changes that have been made to the documentation of this item over time - either automatically when a change has been detected, or manually by users of the system.

Version	Username	Date	Time	Description
 1.05	CENTREL-WS02\dhomer	07 May 2014	16:05	Updated notes
 1.04	CENTREL-WS02\dhomer	07 May 2014	15:51	Updated by XIA Configuration Client Data
 1.03	CENTREL-WS02\dhomer	07 May 2014	15:51	Updated notes
 1.02	CENTREL-WS02\dhomer	07 May 2014	15:51	Updated by XIA Configuration Client Data
 1.01	CENTREL-WS02\dhomer	07 May 2014	15:51	Updated by XIA Configuration Client Data
 1.00	CENTREL-WS02\dhomer	07 May 2014	15:51	Initial Item Creation