

IIS Server Documentation

IIS-SERVER

CONTOSO
TECHNICAL
SERVICES

Company Confidential



Date	Friday, February 14, 2025 4:50:56 PM
Author	CONTOSO\sysadmin
Version	1.02
Product	XIA Configuration Server [17.0.5.0]

Table of Contents

Disclaimer	4
Configuration Item	5
Client Information	6
Relationships	7
Relationship Map	8
Server Summary	9
Application Pools	10
Classic .NET AppPool	11
DefaultAppPool	13
Host	15
Service	16
Platform	17
Server Certificates	24
WMSvc-SHA2-IIS-SERVER	25
Server Configuration	26
ASP.NET Features	27
IIS Features	31
Management Features	40
Sites	41
Default Web Site	42
ASP.NET Features	43
Bindings	47
http *:80:	48
https *:443:contoso	49
IIS Features	50
NTFS Permissions	59

Disclaimer

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and/or be subject to legal privilege. It should not be copied, disclosed to, retained, or used by any other party.

Microsoft, Windows and Active Directory are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Configuration Item

Provides general information for this item.

General Information

Name	IIS-SERVER
Description	Windows Server 2022 IIS Server
Primary Owner Name	Contoso Support
Primary Owner Contact	support@contoso.com

System Information

Item Path	Demonstration Company
Identifier	222ea59a-4d48-4f32-ab42-32be50907f55
Item ID	1035
Version ID	1.02
Check Out Status	Available

Custom Item Details

This is a demo Windows Server 2022 IIS Server.

Client Information

Provides information about the client that was used to generate the information and the data used by the client to uniquely identify this item.

Item Identifiers

Primary Identifier	IIS-SERVER
Secondary Identifier	VMware-56 4d fa 54 57 48 f6 92-d9 1e 6e e4 99 02 b8 fb
Tertiary Identifier	
Environment Identifier	

Client Information


Client Machine Name	XCS-2K25-DEMO
Client Identifier	a5f92aec-9e9a-4d75-80d9-108e72daf65b
Client IP Address	192.168.128.6
Client Scan Date	14 February 2025 16:40 (today)
Client Service Username	CONTOSO\sysadmin
Client Version	17.0.5.0





Scan Profile

Target	IIS-SERVER
Profile Name	IIS
Profile Identifier	ff1480a2-f58e-469a-a260-b988a7c67039


Relationships

Provides a summary of the relationships between this item and other items in the environment.

 4 Relationships

Item ID	Direction	Name	Type	Relationship Type
 1000	Outbound	Demonstration Company	Container	Contained Within
 Internal	Outbound	Default Web Site	IIS Site	Hosts IIS Site
 Internal	Outbound	Classic .NET AppPool	IIS Application Pool	Hosts IIS Application Pool
 Internal	Outbound	DefaultAppPool	IIS Application Pool	Hosts IIS Application Pool

Relationship Map



Server Summary

Internet Information Services (IIS) for Windows® Server is a flexible, secure and manageable Web server.

Host Information

Computer Fully Qualified Domain Name	IIS-SERVER.contoso.com
Operating System Name	Microsoft Windows Server 2022 Datacenter
Service Pack	None Installed



2 Application Pools

Name	Identity
Classic .NET AppPool	Application Pool Identity
DefaultAppPool	Application Pool Identity



1 Sites

Name	Path
Default Web Site	%SystemDrive%\inetpub\wwwroot

Application Pools

Application pools define a group of one or more worker processes, configured with common settings that can serve requests to one or more applications.

2 Application Pools

Name	State	.NET CLR Version	Identity
 Classic .NET AppPool	Stopped	v2.0	Application Pool Identity
 DefaultAppPool	Started	v4.0	Application Pool Identity

Classic .NET AppPool

Application pools define a group of one or more worker processes, configured with common settings that can serve requests to one or more applications.

General

Auto-Start	False
Enable 32-Bit Applications	False
Managed Pipeline Mode	Classic
Managed Runtime Version	v2.0
Queue Length	1,000
Security Identifier	S-1-5-82-1036420768-1044797643-1061213386-2937092688-4282445334
Start Mode	On Demand
State	Stopped

Applications


Application Names	
-------------------	--

CPU

Limit (Percent)	0
Limit Action	No Action
Limit Interval (Minutes)	5
Processor Affinity Enabled	False
Processor Affinity Mask	4294967295
Processor Affinity Mask (64-bit)	4294967295
Processor Group	0

Process Model

Generate Events	Idle Timeout (Minutes)
Identity	Application Pool Identity
Idle Timeout (Minutes)	20
Idle Timeout Action	Terminate
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Maximum Response Time (Seconds)	90
Ping Period (Seconds)	30
Shutdown Time Limit (Seconds)	90
Startup Time Limit (Seconds)	90

 Process Orphaning

Enabled	False
Executable	
Parameters	

 Rapid Fail Protection

Service Unavailable Response Type	HTTP Level
Enabled	True
Failure Interval (Minutes)	5
Maximum Failures	5
Shutdown Executable	
Shutdown Parameters	

 Recycling

Disable Overlapped Recycle	False
Disable Recycle For Configuration Changes	False
Generate Events	Application Pool Configuration Change ISAPI Reported Unhealthy Manual Recycle Private Memory Limit Exceeded Regular Time Interval Request Limit Exceeded Specific Time Virtual Memory Limit Exceeded
Private Memory Limit (KB)	0
Regular Time Interval (Minutes)	1,740
Request Limit	0
Specific Times	
Virtual Memory Limit (KB)	0

DefaultAppPool

Application pools define a group of one or more worker processes, configured with common settings that can serve requests to one or more applications.

General

Auto-Start	True
Enable 32-Bit Applications	False
Managed Pipeline Mode	Integrated
Managed Runtime Version	v4.0
Queue Length	1,000
Security Identifier	S-1-5-82-3006700770-424185619-1745488364-794895919-4004696415
Start Mode	On Demand
State	Started

Applications


Application Names	Default Web Site Default Web Site/ContosoApp
-------------------	---

CPU

Limit (Percent)	0
Limit Action	No Action
Limit Interval (Minutes)	5
Processor Affinity Enabled	False
Processor Affinity Mask	4294967295
Processor Affinity Mask (64-bit)	4294967295
Processor Group	0

Process Model

Generate Events	Idle Timeout (Minutes)
Identity	Application Pool Identity
Idle Timeout (Minutes)	20
Idle Timeout Action	Terminate
Load User Profile	False
Maximum Worker Processes	1
Ping Enabled	True
Ping Maximum Response Time (Seconds)	90
Ping Period (Seconds)	30
Shutdown Time Limit (Seconds)	90
Startup Time Limit (Seconds)	90

 Process Orphaning

Enabled	False
Executable	
Parameters	

 Rapid Fail Protection

Service Unavailable Response Type	HTTP Level
Enabled	True
Failure Interval (Minutes)	5
Maximum Failures	5
Shutdown Executable	
Shutdown Parameters	

 Recycling

Disable Overlapped Recycle	False
Disable Recycle For Configuration Changes	False
Generate Events	Application Pool Configuration Change ISAPI Reported Unhealthy Manual Recycle Private Memory Limit Exceeded Regular Time Interval Request Limit Exceeded Specific Time Virtual Memory Limit Exceeded
Private Memory Limit (KB)	0
Regular Time Interval (Minutes)	1,740
Request Limit	0
Specific Times	
Virtual Memory Limit (KB)	0

Host

This section provides information about the host platform.

General Settings

Computer Fully Qualified Domain Name	IIS-SERVER.contoso.com
Operating System Name	Microsoft Windows Server 2022 Datacenter
Service Pack	None Installed



Hardware

Manufacturer	VMware, Inc.
Model	VMware7,1
Serial Number	VMware-56 4d fa 54 57 48 f6 92-d9 1e 6e e4 99 02 b8 fb
Processors	Intel(R) Core(TM) i9-10885H CPU @ 2.40GHz

Service

Provides details of the World Wide Web Publishing Service running on the host system.

Windows Service

Name	W3SVC
Display Name	World Wide Web Publishing Service
Description	Provides Web connectivity and administration through the Internet Information Services Manager

Advanced

Allow Interaction With Desktop	False
Path Name	C:\Windows\system32\svchost.exe -k iissvcs
Service Execution Type	Share Process
Start Mode	Automatic
Service State	Running

Dependencies

Service Depends On	WAS HTTP
--------------------	-------------

Log On

Account Name	localSystem
--------------	-------------

Recovery

First Failure Action	Take No Action
Second Failure Action	Take No Action
Subsequent Failure Action	Take No Action
Reset Failure Count	0 days
Enable Actions for Stops with Errors	False

Platform

Provides information about the features installed on the hosting platform.

Roles And Features

Feature	Install State
<input checked="" type="checkbox"/> .NET Framework 3.5 Features	Installed
<input checked="" type="checkbox"/> .NET Framework 3.5 (includes .NET 2.0 and 3.0)	Installed
<input type="checkbox"/> HTTP Activation	Available
<input type="checkbox"/> Non-HTTP Activation	Available
<input checked="" type="checkbox"/> .NET Framework 4.8 Features	Installed
<input checked="" type="checkbox"/> .NET Framework 4.8	Installed
<input checked="" type="checkbox"/> ASP.NET 4.8	Installed
<input checked="" type="checkbox"/> WCF Services	Installed
<input type="checkbox"/> HTTP Activation	Available
<input type="checkbox"/> Message Queuing (MSMQ) Activation	Available
<input type="checkbox"/> Named Pipe Activation	Available
<input type="checkbox"/> TCP Activation	Available
<input checked="" type="checkbox"/> TCP Port Sharing	Installed
<input type="checkbox"/> Active Directory Certificate Services	Available
<input type="checkbox"/> Certificate Enrollment Policy Web Service	Available
<input type="checkbox"/> Certificate Enrollment Web Service	Available
<input type="checkbox"/> Certification Authority	Available
<input type="checkbox"/> Certification Authority Web Enrollment	Available
<input type="checkbox"/> Network Device Enrollment Service	Available
<input type="checkbox"/> Online Responder	Available
<input type="checkbox"/> Active Directory Domain Services	Available
<input type="checkbox"/> Active Directory Federation Services	Available
<input type="checkbox"/> Active Directory Lightweight Directory Services	Available
<input type="checkbox"/> Active Directory Rights Management Services	Available
<input type="checkbox"/> Active Directory Rights Management Server	Available
<input type="checkbox"/> Identity Federation Support	Available
<input type="checkbox"/> Background Intelligent Transfer Service (BITS)	Available
<input type="checkbox"/> Compact Server	Available
<input type="checkbox"/> IIS Server Extension	Available
<input type="checkbox"/> BitLocker Drive Encryption	Available
<input type="checkbox"/> BitLocker Network Unlock	Available
<input type="checkbox"/> BranchCache	Available

<input type="checkbox"/> Client for NFS	Available
<input type="checkbox"/> Containers	Available
<input type="checkbox"/> Data Center Bridging	Available
<input type="checkbox"/> Device Health Attestation	Available
<input type="checkbox"/> DHCP Server	Available
<input type="checkbox"/> Direct Play	Available
<input type="checkbox"/> DNS Server	Available
<input type="checkbox"/> Enhanced Storage	Available
<input type="checkbox"/> Failover Clustering	Available
<input type="checkbox"/> Fax Server	Available
<input checked="" type="checkbox"/> File and Storage Services	Installed
<input type="checkbox"/> File and iSCSI Services	Available
<input type="checkbox"/> BranchCache for Network Files	Available
<input type="checkbox"/> Data Deduplication	Available
<input type="checkbox"/> DFS Namespaces	Available
<input type="checkbox"/> DFS Replication	Available
<input type="checkbox"/> File Server	Available
<input type="checkbox"/> File Server Resource Manager	Available
<input type="checkbox"/> File Server VSS Agent Service	Available
<input type="checkbox"/> iSCSI Target Server	Available
<input type="checkbox"/> iSCSI Target Storage Provider (VDS and VSS hardware providers)	Available
<input type="checkbox"/> Server for NFS	Available
<input type="checkbox"/> Work Folders	Available
<input checked="" type="checkbox"/> Storage Services	Installed
<input type="checkbox"/> Group Policy Management	Available
<input type="checkbox"/> Host Guardian Hyper-V Support	Available
<input type="checkbox"/> Host Guardian Service	Available
<input type="checkbox"/> Hyper-V	Available
<input type="checkbox"/> I/O Quality of Service	Available
<input type="checkbox"/> IIS Hostable Web Core	Available
<input type="checkbox"/> Internet Printing Client	Available
<input type="checkbox"/> IP Address Management (IPAM) Server	Available
<input type="checkbox"/> LPR Port Monitor	Available
<input type="checkbox"/> Management OData IIS Extension	Available
<input type="checkbox"/> Media Foundation	Available
<input type="checkbox"/> Message Queuing	Available
<input type="checkbox"/> Message Queuing DCOM Proxy	Available
<input type="checkbox"/> Message Queuing Services	Available
<input type="checkbox"/> Directory Service Integration	Available
<input type="checkbox"/> HTTP Support	Available

<input type="checkbox"/> Message Queuing Server	Available
<input type="checkbox"/> Message Queuing Triggers	Available
<input type="checkbox"/> Multicasting Support	Available
<input type="checkbox"/> Routing Service	Available
<input checked="" type="checkbox"/> Microsoft Defender Antivirus	Installed
<input type="checkbox"/> Multipath I/O	Available
<input type="checkbox"/> MultiPoint Connector	Available
<input type="checkbox"/> MultiPoint Connector Services	Available
<input type="checkbox"/> MultiPoint Manager and MultiPoint Dashboard	Available
<input type="checkbox"/> Network Controller	Available
<input type="checkbox"/> Network Load Balancing	Available
<input type="checkbox"/> Network Policy and Access Services	Available
<input type="checkbox"/> Network Virtualization	Available
<input type="checkbox"/> Peer Name Resolution Protocol	Available
<input type="checkbox"/> Print and Document Services	Available
<input type="checkbox"/> Internet Printing	Available
<input type="checkbox"/> LPD Service	Available
<input type="checkbox"/> Print Server	Available
<input type="checkbox"/> Quality Windows Audio Video Experience	Available
<input type="checkbox"/> RAS Connection Manager Administration Kit (CMAK)	Available
<input type="checkbox"/> Remote Access	Available
<input type="checkbox"/> DirectAccess and VPN (RAS)	Available
<input type="checkbox"/> Routing	Available
<input type="checkbox"/> Web Application Proxy	Available
<input type="checkbox"/> Remote Assistance	Available
<input type="checkbox"/> Remote Desktop Services	Available
<input type="checkbox"/> Remote Desktop Connection Broker	Available
<input type="checkbox"/> Remote Desktop Gateway	Available
<input type="checkbox"/> Remote Desktop Licensing	Available
<input type="checkbox"/> Remote Desktop Session Host	Available
<input type="checkbox"/> Remote Desktop Virtualization Host	Available
<input type="checkbox"/> Remote Desktop Web Access	Available
<input type="checkbox"/> Remote Differential Compression	Available
<input type="checkbox"/> Remote Server Administration Tools	Available
<input type="checkbox"/> Feature Administration Tools	Available
<input type="checkbox"/> BitLocker Drive Encryption Administration Utilities	Available
<input type="checkbox"/> BitLocker Drive Encryption Tools	Available
<input type="checkbox"/> BitLocker Recovery Password Viewer	Available
<input type="checkbox"/> BITS Server Extensions Tools	Available
<input type="checkbox"/> DataCenterBridging LLDP Tools	Available

<input type="checkbox"/> Failover Clustering Tools	Available
<input type="checkbox"/> Failover Cluster Automation Server	Available
<input type="checkbox"/> Failover Cluster Command Interface	Available
<input type="checkbox"/> Failover Cluster Management Tools	Available
<input type="checkbox"/> Failover Cluster Module for Windows PowerShell	Available
<input type="checkbox"/> IP Address Management (IPAM) Client	Available
<input type="checkbox"/> Network Load Balancing Tools	Available
<input type="checkbox"/> Shielded VM Tools	Available
<input type="checkbox"/> SMTP Server Tools	Available
<input type="checkbox"/> SNMP Tools	Available
<input type="checkbox"/> Storage Migration Service Tools	Available
<input type="checkbox"/> Storage Replica Module for Windows PowerShell	Available
<input type="checkbox"/> System Insights Module for Windows PowerShell	Available
<input type="checkbox"/> WINS Server Tools	Available
<input type="checkbox"/> Role Administration Tools	Available
<input type="checkbox"/> Active Directory Certificate Services Tools	Available
<input type="checkbox"/> Certification Authority Management Tools	Available
<input type="checkbox"/> Online Responder Tools	Available
<input type="checkbox"/> Active Directory Rights Management Services Tools	Available
<input type="checkbox"/> AD DS and AD LDS Tools	Available
<input type="checkbox"/> Active Directory module for Windows PowerShell	Available
<input type="checkbox"/> AD DS Tools	Available
<input type="checkbox"/> Active Directory Administrative Center	Available
<input type="checkbox"/> AD DS Snap-Ins and Command-Line Tools	Available
<input type="checkbox"/> AD LDS Snap-Ins and Command-Line Tools	Available
<input type="checkbox"/> DHCP Server Tools	Available
<input type="checkbox"/> DNS Server Tools	Available
<input type="checkbox"/> Fax Server Tools	Available
<input type="checkbox"/> File Services Tools	Available
<input type="checkbox"/> DFS Management Tools	Available
<input type="checkbox"/> File Server Resource Manager Tools	Available
<input type="checkbox"/> Services for Network File System Management Tools	Available
<input type="checkbox"/> Hyper-V Management Tools	Available
<input type="checkbox"/> Hyper-V GUI Management Tools	Available
<input type="checkbox"/> Hyper-V Module for Windows PowerShell	Available
<input type="checkbox"/> Network Controller Management Tools	Available
<input type="checkbox"/> Network Policy and Access Services Tools	Available
<input type="checkbox"/> Print and Document Services Tools	Available
<input type="checkbox"/> Remote Access Management Tools	Available
<input type="checkbox"/> Remote Access GUI and Command-Line Tools	Available

<input type="checkbox"/> Remote Access module for Windows PowerShell	Available
<input type="checkbox"/> Remote Desktop Services Tools	Available
<input type="checkbox"/> Remote Desktop Gateway Tools	Available
<input type="checkbox"/> Remote Desktop Licensing Diagnoser Tools	Available
<input type="checkbox"/> Remote Desktop Licensing Tools	Available
<input type="checkbox"/> Volume Activation Tools	Available
<input type="checkbox"/> Windows Deployment Services Tools	Available
<input type="checkbox"/> Windows Server Update Services Tools	Available
<input type="checkbox"/> API and PowerShell cmdlets	Available
<input type="checkbox"/> User Interface Management Console	Available
<input type="checkbox"/> RPC over HTTP Proxy	Available
<input type="checkbox"/> Setup and Boot Event Collection	Available
<input type="checkbox"/> Simple TCP/IP Services	Available
<input type="checkbox"/> SMB 1.0/CIFS File Sharing Support	Available
<input type="checkbox"/> SMB 1.0/CIFS Client	Available
<input type="checkbox"/> SMB 1.0/CIFS Server	Available
<input type="checkbox"/> SMB Bandwidth Limit	Available
<input type="checkbox"/> SMTP Server	Available
<input type="checkbox"/> SNMP Service	Available
<input type="checkbox"/> SNMP WMI Provider	Available
<input type="checkbox"/> Software Load Balancer	Available
<input type="checkbox"/> Storage Migration Service	Available
<input type="checkbox"/> Storage Migration Service Proxy	Available
<input type="checkbox"/> Storage Replica	Available
<input checked="" type="checkbox"/> System Data Archiver	Installed
<input type="checkbox"/> System Insights	Available
<input type="checkbox"/> Telnet Client	Available
<input type="checkbox"/> TFTP Client	Available
<input type="checkbox"/> VM Shielding Tools for Fabric Management	Available
<input type="checkbox"/> Volume Activation Services	Available
<input checked="" type="checkbox"/> Web Server (IIS)	Installed
<input checked="" type="checkbox"/> FTP Server	Installed
<input checked="" type="checkbox"/> FTP Extensibility	Installed
<input checked="" type="checkbox"/> FTP Service	Installed
<input checked="" type="checkbox"/> Management Tools	Installed
<input checked="" type="checkbox"/> IIS 6 Management Compatibility	Installed
<input checked="" type="checkbox"/> IIS 6 Management Console	Installed
<input checked="" type="checkbox"/> IIS 6 Metabase Compatibility	Installed
<input checked="" type="checkbox"/> IIS 6 Scripting Tools	Installed
<input checked="" type="checkbox"/> IIS 6 WMI Compatibility	Installed


<input checked="" type="checkbox"/> IIS Management Console	Installed
<input checked="" type="checkbox"/> IIS Management Scripts and Tools	Installed
<input checked="" type="checkbox"/> Management Service	Installed
<input checked="" type="checkbox"/> Web Server	Installed
<input checked="" type="checkbox"/> Application Development	Installed
<input checked="" type="checkbox"/> .NET Extensibility 3.5	Installed
<input checked="" type="checkbox"/> .NET Extensibility 4.8	Installed
<input checked="" type="checkbox"/> Application Initialization	Installed
<input checked="" type="checkbox"/> ASP	Installed
<input checked="" type="checkbox"/> ASP.NET 3.5	Installed
<input checked="" type="checkbox"/> ASP.NET 4.8	Installed
<input checked="" type="checkbox"/> CGI	Installed
<input checked="" type="checkbox"/> ISAPI Extensions	Installed
<input checked="" type="checkbox"/> ISAPI Filters	Installed
<input checked="" type="checkbox"/> Server Side Includes	Installed
<input checked="" type="checkbox"/> WebSocket Protocol	Installed
<input checked="" type="checkbox"/> Common HTTP Features	Installed
<input checked="" type="checkbox"/> Default Document	Installed
<input checked="" type="checkbox"/> Directory Browsing	Installed
<input checked="" type="checkbox"/> HTTP Errors	Installed
<input checked="" type="checkbox"/> HTTP Redirection	Installed
<input checked="" type="checkbox"/> Static Content	Installed
<input checked="" type="checkbox"/> WebDAV Publishing	Installed
<input checked="" type="checkbox"/> Health and Diagnostics	Installed
<input checked="" type="checkbox"/> Custom Logging	Installed
<input checked="" type="checkbox"/> HTTP Logging	Installed
<input checked="" type="checkbox"/> Logging Tools	Installed
<input checked="" type="checkbox"/> ODBC Logging	Installed
<input checked="" type="checkbox"/> Request Monitor	Installed
<input checked="" type="checkbox"/> Tracing	Installed
<input checked="" type="checkbox"/> Performance	Installed
<input checked="" type="checkbox"/> Dynamic Content Compression	Installed
<input checked="" type="checkbox"/> Static Content Compression	Installed
<input checked="" type="checkbox"/> Security	Installed
<input checked="" type="checkbox"/> Basic Authentication	Installed
<input checked="" type="checkbox"/> Centralized SSL Certificate Support	Installed
<input checked="" type="checkbox"/> Client Certificate Mapping Authentication	Installed
<input checked="" type="checkbox"/> Digest Authentication	Installed
<input checked="" type="checkbox"/> IIS Client Certificate Mapping Authentication	Installed
<input checked="" type="checkbox"/> IP and Domain Restrictions	Installed

<input checked="" type="checkbox"/> Request Filtering	Installed
<input checked="" type="checkbox"/> URL Authorization	Installed
<input checked="" type="checkbox"/> Windows Authentication	Installed
<input type="checkbox"/> WebDAV Redirector	Available
<input type="checkbox"/> Windows Biometric Framework	Available
<input type="checkbox"/> Windows Deployment Services	Available
<input type="checkbox"/> Deployment Server	Available
<input type="checkbox"/> Transport Server	Available
<input type="checkbox"/> Windows Identity Foundation 3.5	Available
<input type="checkbox"/> Windows Internal Database	Available
<input checked="" type="checkbox"/> Windows PowerShell	Installed
<input checked="" type="checkbox"/> Windows PowerShell 2.0 Engine	Installed
<input checked="" type="checkbox"/> Windows PowerShell 5.1	Installed
<input type="checkbox"/> Windows PowerShell Desired State Configuration Service	Available
<input type="checkbox"/> Windows PowerShell Web Access	Available
<input type="checkbox"/> Windows Process Activation Service	Available
<input type="checkbox"/> .NET Environment 3.5	Available
<input type="checkbox"/> Configuration APIs	Available
<input type="checkbox"/> Process Model	Available
<input type="checkbox"/> Windows Search Service	Available
<input type="checkbox"/> Windows Server Backup	Available
<input type="checkbox"/> Windows Server Migration Tools	Available
<input type="checkbox"/> Windows Server Update Services	Available
<input type="checkbox"/> SQL Server Connectivity	Available
<input type="checkbox"/> WID Connectivity	Available
<input type="checkbox"/> WSUS Services	Available
<input type="checkbox"/> Windows Standards-Based Storage Management	Available
<input type="checkbox"/> Windows Subsystem for Linux	Available
<input type="checkbox"/> Windows TIFF IFilter	Available
<input type="checkbox"/> WinRM IIS Extension	Available
<input type="checkbox"/> WINS Server	Available
<input type="checkbox"/> Wireless LAN Service	Available
<input checked="" type="checkbox"/> WoW64 Support	Installed
<input checked="" type="checkbox"/> XPS Viewer	Installed

Server Certificates

Server certificates are the SSL digital certificates available to the web server.

 1 Server Certificates

Issued To	Store	Issued By	Friendly Name	Expiry Date
 WMSvc-SHA2-IIS-SERVER	Personal	WMSvc-SHA2-IIS-SERVER	WMSVC-SHA2	Sunday, May 28, 2034

WMSvc-SHA2-IIS-SERVER

Server certificates are the SSL digital certificates available to the web server.

General

Archived	False
Subject Name	WMSvc-SHA2-IIS-SERVER
Subject	CN=WMSvc-SHA2-IIS-SERVER
Has Private Key	True
Issuer	CN=WMSvc-SHA2-IIS-SERVER
Issuer Name	WMSvc-SHA2-IIS-SERVER
Valid From	Thursday, May 30, 2024
Expiry Date	Sunday, May 28, 2034
Key Usage	Data encipherment Digital Signature Key encipherment
Enhanced Key Usages	Server Authentication (1.3.6.1.5.5.7.3.1)

Certificate Details

Public Key	RSA (2048 Bits)
Serial Number	5066188BDBAE5E894696B838E1FEA6A5
Signature Algorithm	sha256RSA
Version	3
CRL Distribution Points	
Subject Alternative Names	

Properties

Friendly Name	WMSVC-SHA2
Thumbprint	8288C3CCB203896DA77C79EC44C325919B271033
Purposes	Enable all purposes for this certificate

Server Configuration

The server configuration is the global configuration that apply to all sites on the server unless overridden.

ASP.NET Features

The ASP.NET related features configuration.

1 .NET Authorization Rules

Mode	Users	Roles	Verbs	Entry Type
 Allow	All Users			Local

.NET Compilation > Batch

Batch Compilations	True
Maximum Batch Generated File Size (KB)	1,000
Maximum Batch Size	1,000
Batch Timeout	15 minutes

.NET Compilation > Behavior

Debug	False
Enable Prefetch	False
Enable Profiling Optimizations	All
Number Of Recompiles	15
Optimize Compilations	False
URL Line Pragmas	False
VB.NET Explicit Compile Option	True
VB.NET Strict Compile Option	False

.NET Compilation > General

Assemblies	mscorlib Microsoft.CSharp, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a *
Code Subdirectories	
Default Language	vb
Temporary Directory	

.NET Error Page Settings

Mode	Remote Only
Redirect Mode	Response Redirect
Default Redirect	
Allow Nested Errors	False

1 .NET Error Pages

Status Code	Redirect	Entry Type
-------------	----------	------------

 .NET Globalization

Culture Display Name	Invariant Language (Invariant Country)
Enable Client Based Culture	False
UI Culture Display Name	Invariant Language (Invariant Country)
File Encoding	Windows-1252
Request Encoding	utf-8
Response Header Encoding	utf-8
Response Encoding	utf-8

 .NET Trust


Trust Level	Full
-------------	------

 1 Application Settings

Name	Value	Entry Type
 appSetting	1	Local

 1 Connection Strings

Name	Provider Name	Value	Entry Type
 LocalSqlServer	System.Data.SqlClient	data source=.\SQLEXPRESS;Integrated Security=SSPI;AttachDBFilename= DataDirectory aspnetdb.mdf;User Instance=true	Inherited

 Machine Key

Validation Method	SHA1
Encryption Method	Auto
Validation Key	AutoGenerate,IsolateApps
Decryption Key	AutoGenerate,IsolateApps

 Pages and Controls > Behavior

Buffer	True
Client ID Mode	Predictable
Control Rendering Compatibility Version	4.5
Render All Hidden Fields At Top Of Form	True
Master Page File	
Style Sheet Theme	
Theme	
Enable Authenticated View State	True
Enable View State	True
Maximum Page State Field Length	-1

 Pages and Controls > Compilation


Page Base Type	System.Web.UI.Page
User Control Base Type	System.Web.UI.UserControl
Compilation Mode	Always





 Pages and Controls > General

Namespaces	<ul style="list-style-type: none"> System System.Collections System.Collections.Generic System.Collections.Specialized System.ComponentModel.DataAnnotations System.Configuration System.Linq System.Text System.Text.RegularExpressions System.Web System.Web.Caching System.Web.DynamicData System.Web.SessionState System.Web.Security System.Web.Profile System.Web.UI System.Web.UI.WebControls System.Web.UI.WebControls.WebParts System.Web.UI.HtmlControls System.Xml.Linq
------------	--

 Pages and Controls > Services


Enable Session State	True
Validate Request	True

 4 Providers

Name	Type	Type Name	Entry Type
 AspNetSqlMembershipProvider	.NET User	System.Web.Security.SqlMembershipProvider	Inherited
 AspNetSqlProfileProvider	.NET Profile	System.Web.Profile.SqlProfileProvider	Inherited
 AspNetSqlRoleProvider	.NET Role	System.Web.Security.SqlRoleProvider	Inherited
 AspNetWindowsTokenRoleProvider	.NET Role	System.Web.Security.WindowsTokenRoleProvider	Inherited

 Session State > General

Mode	In Process
Use Hosting Identity For Impersonation	True

 Session State > Cookie Settings

Cookie Mode	Use Cookies
Cookie Name	ASP.NET_SessionId
Session Timeout (Minutes)	20

 SMTP

From Address	
Delivery Method	SMTP Server
Host	
Port	25
Authentication Type	Not Required

IIS Features

The IIS related features configuration.

ASP > Behavior

Code Page	0
Enable Buffering	True
Enable Chunked Encoding	True
Enable HTML Fallback	True
Enable Parent Paths	False
Locale ID	0
Restart On Configuration Change	True

ASP > Behavior > Limits

Client Connection Test Interval	3 seconds
Maximum Requesting Entity Body Limit	200,000
Queue Length	3,000
Request Queue Timeout	{Not Configured}
Response Buffering Limit	4,194,304
Script Timeout	1 minutes and 30 seconds
Threads Per Processor Limit	25

ASP > Compilation

Script Language	VBScript
-----------------	----------

ASP > Compilation > Debugging

Calculate Line Numbers	True
Catch COM Component Exceptions	True
Enable Client Side Debugging	False
Enable Log Error Requests	True
Enable Server Side Debugging	False
Log Errors To NT Log	False
Run On End Functions Anonymously	True
Script Error Message	An error occurred on the server when processing the URL. Please contact the system administrator. <p/> If you are the system administrator please click here to find out more about this error.
Send Errors To Browser	False

ASP > Services > Cache

Cache Directory	%SystemDrive%\inetpub\temp\ASP Compiled Templates
Enable Type Library Caching	True
Maximum Disk Cached Files	2,000
Maximum Memory Cached Files	500
Maximum Script Engines Cached	250

ASP > Services > COM+

Enable Side By Side Component	False
Enable Tracker	False
Execute In MTA	False
Honor Component Threading Model	False
Partition ID	
Side By Side Component	
Use Partition	False

ASP > Services > Session

Enable Session State	True
Maximum Sessions	4,294,967,295
New ID On Secure Connection	True
Session Timeout	20 minutes

Authentication > Active Directory Client Certificate Mapping Authentication

Enabled	False
---------	-------

Authentication > Anonymous Authentication

Enabled	True
Identity	IUSR
Password	{Not Documented}

Authentication > ASP.NET Impersonation

Enabled	False
---------	-------

Authentication > Basic Authentication

Enabled	False
---------	-------

Authentication > Digest Authentication

Enabled	False
---------	-------

Authentication > Forms Authentication

Enabled False

Authentication > Windows Authentication

Enabled False

1 Authorization Rules

Mode	Users	Roles	Verbs	Entry Type
Allow	All Users			Local

CGI

Timeout 15 minutes

Use New Console For Each Invocation False

Impersonate User True

Compression (Dynamic)

Enabled True

Compression (Static)

Enabled True

Minimum File Size 2,700 bytes

Cache Directory %SystemDrive%\inetpub\temp\IIS Temporary Compressed Files

Maximum Disk Space Usage 100 MB

Default Documents

Enabled True

6 Default Documents

Name	Entry Type
Default.htm	Local
Default.asp	Local
index.htm	Local
index.html	Local
iisstart.htm	Local
default.aspx	Local











Directory Browsing

Enabled False

Error Pages Settings

Error Mode	Detailed errors for local requests and custom error pages for remote requests
Default Path	
Default Path Type	File


10 Error Pages

Status Code	Redirect	Type	Entry Type
 401	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\401.htm	File	Local
 403	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\403.htm	File	Local
 404	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\404.htm	File	Local
 405	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\405.htm	File	Local
 406	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\406.htm	File	Local
 412	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\412.htm	File	Local
 431	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\431.htm	File	Local
 500	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\500.htm	File	Local
 501	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\501.htm	File	Local
 502	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\502.htm	File	Local

1 Failed Request Tracing Rules

Path	Associated Providers	Status Codes	Time Taken	Entry Type
 *	ASP, ASPNET, ISAPI Extension, WWW Server	401.3-999 405	Not Set	Local






1 FastCGI Applications

Full Path	Maximum Instances	Instance Maximum Requests
 C:\FastCGI\FastCGI.exe arg	4	200

Handler Mappings Settings

Access Policies	Read Script
-----------------	-------------

5 Handler Mappings

Name	Path	Verbs	Entry Type
 ASPClassic	*.asp	GET, HEAD, POST	Local
 ISAPI-dll (Disabled)	*.dll	*	Local
 OPTIONSVerbHandler	*	OPTIONS	Local
 PageHandlerFactory-ISAPI-4.0_32bit	*.aspx	GET, HEAD, POST, DEBUG	Local
 WebDAV	*	PROPFIND, PROPPATCH, MKCOL, PUT, COPY, DELETE, MOVE, LOCK, UNLOCK	Local

HTTP Redirection

Enabled	False
---------	-------

HTTP Response Headers Settings

Enable HTTP Keep-Alive	True
Expire Web Content	No Control



1 HTTP Response Headers

Name	Value	Type
 X-Powered-By	ASP.NET	Local

IP and Domain Restrictions Settings

Allow Unspecified Clients	True
Enable Domain Name Restrictions	False
Enable Proxy Mode	False
Deny Action	Forbidden
Deny By Concurrent Requests	Not Enabled
Deny By Request Rate	Not Enabled
Enable Logging Only Mode	False







2 IP and Domain Restrictions

Mode	Requestor	Type
 Allow	1.1.1.1 (255.255.255.255)	Local
 Deny	1.1.1.2 (255.255.255.0)	Local

ISAPI and CGI Restrictions Settings

Allow Unspecified CGI Modules	False
Allow Unspecified ISAPI Modules	False

6 ISAPI and CGI Restrictions

Description	Allowed	Path
 Active Server Pages	True	%windir%\system32\inetsrv\asp.dll
 ASP.NET v2.0.50727	True	%windir%\Microsoft.NET\Framework64\v2.0.50727\aspnet_isapi.dll
 ASP.NET v2.0.50727	True	%windir%\Microsoft.NET\Framework\v2.0.50727\aspnet_isapi.dll
 ASP.NET v4.0.30319	True	%windir%\Microsoft.NET\Framework\v4.0.30319\aspnet_isapi.dll
 ASP.NET v4.0.30319	True	%windir%\Microsoft.NET\Framework64\v4.0.30319\aspnet_isapi.dll
 WebDAV	True	%windir%\system32\inetsrv\webdav.dll

4 ISAPI Filters

Name	Path	Type
ASP.Net_2.0.50727-64	%windir%\Microsoft.NET\Framework64\v2.0.50727\aspnet_filter.dll	Local
ASP.Net_2.0.50727.0	%windir%\Microsoft.NET\Framework\v2.0.50727\aspnet_filter.dll	Local
ASP.Net_4.0_32bit	%windir%\Microsoft.NET\Framework\v4.0.30319\aspnet_filter.dll	Local
ASP.Net_4.0_64bit	%windir%\Microsoft.NET\Framework64\v4.0.30319\aspnet_filter.dll	Local

Logging

Enabled	True
Mode	Site
Log File Format	W3C
Fields	Date Time ClientIP UserName ServerIP Method UriStem UriQuery HttpStatus Win32Status TimeTaken ServerPort UserAgent Referer HttpSubStatus
Custom Fields	
Directory	%SystemDrive%\inetpub\logs\LogFiles
Log File Encoding	UTF-8
Event Destination	Log File Only
Log File Rollover Method	Daily

2 MIME Types

Extension	MIME Type	Type
.css	text/css	Local
.html	text/html	Local

16 Modules

Name	Type Name	Module Type	Type
WebDAVModule		Native	Local
OutputCache	System.Web.Caching.OutputCacheModule	Managed	Local
Session	System.Web.SessionState.SessionStateModule	Managed	Local
WindowsAuthentication	System.Web.Security.WindowsAuthenticationModule	Managed	Local
FormsAuthentication	System.Web.Security.FormsAuthenticationModule	Managed	Local
DefaultAuthentication	System.Web.Security.DefaultAuthenticationModule	Managed	Local
RoleManager	System.Web.Security.RoleManagerModule	Managed	Local

 UrlAuthorization	System.Web.Security.UrlAuthorizationModule	Managed	Local
 FileAuthorization	System.Web.Security.FileAuthorizationModule	Managed	Local
 AnonymousIdentification	System.Web.Security.AnonymousIdentificationModule	Managed	Local
 Profile	System.Web.Profile.ProfileModule	Managed	Local
 UrlMappingsModule	System.Web.UrlMappingsModule	Managed	Local
 UrlRoutingModule-4.0	System.Web.Routing.UrlRoutingModule	Managed	Local
 ScriptModule-4.0	System.Web.Handlers.ScriptModule, System.Web.Extensions, Version=4.0.0.0, Culture=neutral, PublicKeyToken=31bf3856ad364e35	Managed	Local
 ApplicationInitializationModule		Native	Local
 WebSocketModule		Native	Local

Output Caching Settings

Enable Cache	True
Enable Kernel Cache	True
Maximum Response Size (Bytes)	262,144
Maximum Cache Size	No Limit



1 Output Caching Rules

Extension	User Mode Policy	Kernel Mode Policy	Entry Type
 .aspx	Use File Change Notifications	Use Time Intervals (00:00:30)	Local

Request Filtering Settings


Allow Unlisted File Extensions	True
Allow Unlisted Verbs	True
Allow High-Bit Characters	True
Allow Double Escaping	False
Maximum Allowed Content Length (Bytes)	30,000,000
Maximum URL Length (Bytes)	4,096
Maximum Query String (Bytes)	2,048







2 Request Filtering File Extensions

Extension	Allowed
 .rules	True
 .vb	False

1 Request Filtering Headers

Header	Size Limit
 Filtering Header	256


 8 Request Filtering Hidden Segments

Segment	State
 App_Browsers	Hidden
 App_code	Hidden
 App_Data	Hidden
 App_GlobalResources	Hidden
 App_LocalResources	Hidden
 App_WebReferences	Hidden
 bin	Hidden
 web.config	Hidden


 2 Request Filtering Query Strings

Query String	Allowed
 allowed	Always Allow
 denied	Deny



 1 Request Filtering Rules

Name	Scan URL	Scan Query String	Headers	File Extensions	Deny Strings
 Filtering Rule	True	False	header	.aspx	.vb

 1 Request Filtering URLs

URL	Allowed
 /contoso	True

 2 Request Filtering Verbs

Verb	Allowed
 GET	True
 POST	False

 WebDav Authoring Rules > Authoring Behavior


Allow Unknown MIME Types	True
Default MIME Type	application/octet-stream

 WebDav Authoring Rules > Lock Behavior

Allow Locks	True
Lock Store	webdav_simple_lock
Require Lock For Writing	False

 WebDav Authoring Rules > Property Behavior

Allow Anonymous Property Queries	False
Allow Custom Properties	True
Allow Property Queries With Infinite Depth	False
Properties	

 WebDav Authoring Rules > Request Filtering Behavior

Allow File Extension Filtering	True
Allow Hidden Segment Filtering	True
Allow Verb Filtering	True

 WebDav Authoring Rules > WebDav Behavior

Allow Hidden Files	False
Compatibility Flags	Allow Multiple Property Sections Return Compact XML Return IsCollection Property Return IsHidden Property Return MS-Author-Via Header
Require SSL	False

 1 WebDav Authoring Rules

Path	Target	Access	Entry Type
 *.bas, wsvc.axd	Roles: Admin, Guest	Read	Local

Management Features

The management related features configuration.



Centralized Certificates Settings

Enabled	False
---------	-------

Management Service

Enable Remote Management	False
Credentials Type	Windows Credentials Only
IP Address	All Unassigned
Port	8172
Certificate Name	WMSVC-SHA2
Certificate Thumbprint	8288C3CCB203896DA77C79EC44C325919B271033
Enable Logging	True
Logging Directory	%SystemDrive%\Inetpub\logs\WMSvc
Enable Failed Request Tracing	False
Allow Access For Unspecified Clients	True

2 Management Service Users


Name	Status
 asmith	Enabled
 bgates	Enabled

Shared Configuration

Enabled	False
---------	-------

Sites

A site is a container for applications and virtual directories, which can be accessed through one or more unique bindings.

 1 Sites

Name	ID	State	Path
 Default Web Site	1	Started	%SystemDrive%\inetpub\wwwroot

Default Web Site

A site is a container for applications and virtual directories, which can be accessed through one or more unique bindings.

General

Application Pool	DefaultAppPool
Enabled Protocols	http
ID	1
Preload Enabled	False
Server Auto Start	True
State	Started

Path

Physical Path	%SystemDrive%\inetpub\wwwroot
Connect As	Application user (pass-through authentication)
Authentication Logon Method	Clear Text

Failed Request Tracing

Enabled	False
---------	-------

HSTS

Enabled	False
---------	-------

Limits

Maximum Bandwidth	No Limit
Connection Timeout (Seconds)	120
Maximum Concurrent Connections	No Limit
Maximum URL Segments	32

ASP.NET Features

The ASP.NET related features configuration.

1 .NET Authorization Rules

Mode	Users	Roles	Verbs	Entry Type
 Allow	All Users			Inherited

.NET Compilation > Batch

Batch Compilations	True
Maximum Batch Generated File Size (KB)	1,000
Maximum Batch Size	1,000
Batch Timeout	15 minutes

.NET Compilation > Behavior

Debug	False
Enable Prefetch	False
Enable Profiling Optimizations	All
Number Of Recompiles	15
Optimize Compilations	False
URL Line Pragmas	False
VB.NET Explicit Compile Option	True
VB.NET Strict Compile Option	False


.NET Compilation > General

Assemblies	mscorlib Microsoft.CSharp, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a *
Code Subdirectories	
Default Language	vb
Temporary Directory	

.NET Error Page Settings

Mode	Remote Only
Redirect Mode	Response Redirect
Default Redirect	
Allow Nested Errors	False

1 .NET Error Pages

Status Code	Redirect	Entry Type
 404	https://www.contoso.com/404.aspx	Inherited

.NET Globalization

Culture Display Name	Invariant Language (Invariant Country)
Enable Client Based Culture	False
UI Culture Display Name	Invariant Language (Invariant Country)
File Encoding	Windows-1252
Request Encoding	utf-8
Response Header Encoding	utf-8
Response Encoding	utf-8

.NET Trust

Trust Level	Full
-------------	------

1 Application Settings

Name	Value	Entry Type
 appSetting	1	Inherited

1 Connection Strings

Name	Provider Name	Value	Entry Type
 LocalSqlServer	System.Data.SqlClient	data source=.\SQLEXPRESS;Integrated Security=SSPI;AttachDBFilename= DataDirectory aspnetdb.mdf;User Instance=true	Inherited

Machine Key

Validation Method	SHA1
Encryption Method	Auto
Validation Key	AutoGenerate,IsolateApps
Decryption Key	AutoGenerate,IsolateApps

Pages and Controls > Behavior

Buffer	True
Client ID Mode	Predictable
Control Rendering Compatibility Version	4.5
Render All Hidden Fields At Top Of Form	True
Master Page File	
Style Sheet Theme	
Theme	
Enable Authenticated View State	True
Enable View State	True
Maximum Page State Field Length	-1

Pages and Controls > Compilation

Page Base Type	System.Web.UI.Page
User Control Base Type	System.Web.UI.UserControl
Compilation Mode	Always

Pages and Controls > General

Namespaces	<ul style="list-style-type: none"> System System.Collections System.Collections.Generic System.Collections.Specialized System.ComponentModel.DataAnnotations System.Configuration System.Linq System.Text System.Text.RegularExpressions System.Web System.Web.Caching System.Web.DynamicData System.Web.SessionState System.Web.Security System.Web.Profile System.Web.UI System.Web.UI.WebControls System.Web.UI.WebControls.WebParts System.Web.UI.HtmlControls System.Xml.Linq
------------	--

Pages and Controls > Services

Enable Session State	True
Validate Request	True

4 Providers


Name	Type	Type Name	Entry Type
AspNetSqlMembershipProvider	.NET User	System.Web.Security.SqlMembershipProvider	Inherited
AspNetSqlProfileProvider	.NET Profile	System.Web.Profile.SqlProfileProvider	Inherited
AspNetSqlRoleProvider	.NET Role	System.Web.Security.SqlRoleProvider	Inherited
AspNetWindowsTokenRoleProvider	.NET Role	System.Web.Security.WindowsTokenRoleProvider	Inherited

Session State > General

Mode	In Process
Use Hosting Identity For Impersonation	True

Session State > Cookie Settings


Cookie Mode	Use Cookies
Cookie Name	ASP.NET_SessionId
Session Timeout (Minutes)	20



 SMTP

From Address	
Delivery Method	SMTP Server
Host	
Port	25
Authentication Type	Not Required

Bindings

A site binding is the combination of protocol, port, address, and hostname on which the site listens for requests.

 2 Bindings

Protocol	Hostname	Port	IP Address	Binding Information
 http		80	All Unassigned	
 https	contoso	443	All Unassigned	

http *:80:

A site binding is the combination of protocol, port, address, and hostname on which the site listens for requests.

General

Protocol	http
IP Address	All Unassigned
Port	80
Hostname	

https *:443:contoso

A site binding is the combination of protocol, port, address, and hostname on which the site listens for requests.

General

Protocol	https
IP Address	All Unassigned
Port	443
Hostname	contoso

HTTPS Settings

Disable HTTP/2	False
Disable Legacy TLS	False
Disable OCSP Stapling	False
Disable QUIC	False
Disable TLS 1.3 over TCP	False
Require Server Name Indication	True
Use Centralized Certificate Store	False

Certificate

Certificate Name	WMSVC-SHA2
Certificate Store Name	My
Certificate Thumbprint	8288C3CCB203896DA77C79EC44C325919B271033

IIS Features

The IIS related features configuration.

ASP > Behavior

Code Page	0
Enable Buffering	True
Enable Chunked Encoding	True
Enable HTML Fallback	True
Enable Parent Paths	False
Locale ID	0
Restart On Configuration Change	True

ASP > Behavior > Limits

Client Connection Test Interval	3 seconds
Maximum Requesting Entity Body Limit	200,000
Queue Length	3,000
Request Queue Timeout	{Not Configured}
Response Buffering Limit	4,194,304
Script Timeout	1 minutes and 30 seconds
Threads Per Processor Limit	25

ASP > Compilation

Script Language	VBScript
-----------------	----------

ASP > Compilation > Debugging

Calculate Line Numbers	True
Catch COM Component Exceptions	True
Enable Client Side Debugging	False
Enable Log Error Requests	True
Enable Server Side Debugging	False
Log Errors To NT Log	False
Run On End Functions Anonymously	True
Script Error Message	An error occurred on the server when processing the URL. Please contact the system administrator. <p/> If you are the system administrator please click here to find out more about this error.
Send Errors To Browser	False

ASP > Services > Cache

Cache Directory	%SystemDrive%\inetpub\temp\ASP Compiled Templates
Enable Type Library Caching	True
Maximum Disk Cached Files	2,000
Maximum Memory Cached Files	500
Maximum Script Engines Cached	250

ASP > Services > COM+

Enable Side By Side Component	False
Enable Tracker	False
Execute In MTA	False
Honor Component Threading Model	False
Partition ID	
Side By Side Component	
Use Partition	False

ASP > Services > Session

Enable Session State	True
Maximum Sessions	4,294,967,295
New ID On Secure Connection	True
Session Timeout	20 minutes

Authentication > Active Directory Client Certificate Mapping Authentication

Enabled	False
---------	-------

Authentication > Anonymous Authentication

Enabled	True
Identity	IUSR
Password	{Not Documented}

Authentication > ASP.NET Impersonation


Enabled	False
---------	-------

Authentication > Basic Authentication

Enabled	False
---------	-------

Authentication > Digest Authentication


Enabled	False
---------	-------


 Authentication > Forms Authentication

Enabled False

 Authentication > Windows Authentication

Enabled False

 1 Authorization Rules


Mode	Users	Roles	Verbs	Entry Type
 Allow	All Users			Inherited

 CGI


Timeout 15 minutes

Use New Console For Each Invocation False


Impersonate User True

 Compression (Dynamic)


Enabled True







 Compression (Static)

Enabled True

 Default Documents

Enabled True

 6 Default Documents


Name	Entry Type
 Default.htm	Inherited
 Default.asp	Inherited
 index.htm	Inherited
 index.html	Inherited
 iisstart.htm	Inherited
 default.aspx	Inherited

 Directory Browsing

Enabled False

 Error Pages Settings

Error Mode	Detailed errors for local requests and custom error pages for remote requests
Default Path	
Default Path Type	File

 10 Error Pages


Status Code	Redirect	Type	Entry Type
 401	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\401.htm	File	Inherited
 403	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\403.htm	File	Inherited
 404	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\404.htm	File	Inherited
 405	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\405.htm	File	Inherited
 406	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\406.htm	File	Inherited
 412	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\412.htm	File	Inherited
 431	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\431.htm	File	Inherited
 500	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\500.htm	File	Inherited
 501	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\501.htm	File	Inherited
 502	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\502.htm	File	Inherited






 1 Failed Request Tracing Rules

Path	Associated Providers	Status Codes	Time Taken	Entry Type
 *	ASP, ASPNET, ISAPI Extension, WWW Server	401.3-999 405	Not Set	Inherited

 Handler Mappings Settings

Access Policies	Read Script
-----------------	-------------

 5 Handler Mappings

Name	Path	Verbs	Entry Type
 ASPClassic	*.asp	GET, HEAD, POST	Inherited
 ISAPI-dll (Disabled)	*.dll	*	Inherited
 OPTIONSVerbHandler	*	OPTIONS	Inherited
 PageHandlerFactory-ISAPI-4.0_32bit	*.aspx	GET, HEAD, POST, DEBUG	Inherited
 WebDAV	*	PROPFIND, PROPPATCH, MKCOL, PUT, COPY, DELETE, MOVE, LOCK, UNLOCK	Inherited

 HTTP Redirection

Enabled	False
---------	-------

HTTP Response Headers Settings

Enable HTTP Keep-Alive	True
Expire Web Content	No Control



1 HTTP Response Headers

Name	Value	Type
 X-Powered-By	ASP.NET	Inherited





IP and Domain Restrictions Settings

Allow Unspecified Clients	True
Enable Domain Name Restrictions	False
Enable Proxy Mode	False
Deny Action	Forbidden
Deny By Concurrent Requests	Not Enabled
Deny By Request Rate	Not Enabled
Enable Logging Only Mode	False

2 IP and Domain Restrictions

Mode	Requestor	Type
 Allow	1.1.1.1 (255.255.255.255)	Inherited
 Deny	1.1.1.2 (255.255.255.0)	Inherited



4 ISAPI Filters

Name	Path	Type
 ASP.Net_2.0.50727-64	%windir%\Microsoft.NET\Framework64\v2.0.50727\aspnet_filter.dll	Inherited
 ASP.Net_2.0.50727.0	%windir%\Microsoft.NET\Framework\v2.0.50727\aspnet_filter.dll	Inherited
 ASP.Net_4.0_32bit	%windir%\Microsoft.NET\Framework\v4.0.30319\aspnet_filter.dll	Inherited
 ASP.Net_4.0_64bit	%windir%\Microsoft.NET\Framework64\v4.0.30319\aspnet_filter.dll	Inherited















 Logging



Enabled	True
Mode	Site
Log File Format	W3C
Fields	Date Time ClientIP UserName ServerIP Method UriStem UriQuery HttpStatus Win32Status TimeTaken ServerPort UserAgent Referer HttpSubStatus
Custom Fields	
Directory	%SystemDrive%\inetpub\logs\LogFiles
Log File Encoding	UTF-8
Event Destination	Log File Only
Log File Rollover Method	Daily

 2 MIME Types

Extension	MIME Type	Type
 .css	text/css	Inherited
 .html	text/html	Inherited

 16 Modules

Name	Type Name	Module Type	Type
 WebDAVModule		Native	Inherited
 OutputCache	System.Web.Caching.OutputCacheModule	Managed	Inherited
 Session	System.Web.SessionState.SessionStateModule	Managed	Inherited
 WindowsAuthentication	System.Web.Security.WindowsAuthenticationModule	Managed	Inherited
 FormsAuthentication	System.Web.Security.FormsAuthenticationModule	Managed	Inherited
 DefaultAuthentication	System.Web.Security.DefaultAuthenticationModule	Managed	Inherited
 RoleManager	System.Web.Security.RoleManagerModule	Managed	Inherited
 UrlAuthorization	System.Web.Security.UrlAuthorizationModule	Managed	Inherited
 FileAuthorization	System.Web.Security.FileAuthorizationModule	Managed	Inherited
 AnonymousIdentification	System.Web.Security.AnonymousIdentificationModule	Managed	Inherited
 Profile	System.Web.Profile.ProfileModule	Managed	Inherited
 UrlMappingsModule	System.Web.UrlMappingsModule	Managed	Inherited
 UrlRoutingModule-4.0	System.Web.Routing.UrlRoutingModule	Managed	Inherited
 ScriptModule-4.0	System.Web.Handlers.ScriptModule, System.Web.Extensions,	Managed	Inherited

	Version=4.0.0.0, Culture=neutral, PublicKeyToken=31bf3856ad364e35		
 ApplicationInitializationModule		Native	Inherited
 WebSocketModule		Native	Inherited

Output Caching Settings

Enable Cache	True
Enable Kernel Cache	True
Maximum Response Size (Bytes)	262,144
Maximum Cache Size	No Limit



1 Output Caching Rules

Extension	User Mode Policy	Kernel Mode Policy	Entry Type
 .aspx	Use File Change Notifications	Use Time Intervals (00:00:30)	Inherited

Request Filtering Settings

Allow Unlisted File Extensions	True
Allow Unlisted Verbs	True
Allow High-Bit Characters	True
Allow Double Escaping	False
Maximum Allowed Content Length (Bytes)	30,000,000
Maximum URL Length (Bytes)	4,096
Maximum Query String (Bytes)	2,048





2 Request Filtering File Extensions

Extension	Allowed
 .rules	True
 .vb	False

1 Request Filtering Headers

Header	Size Limit
 Filtering Header	256

8 Request Filtering Hidden Segments

Segment	State
 App_Browsers	Hidden
 App_code	Hidden
 App_Data	Hidden
 App_GlobalResources	Hidden

App_LocalResources	Hidden
App_WebReferences	Hidden
bin	Hidden
web.config	Hidden

2 Request Filtering Query Strings

Query String	Allowed
allowed	Always Allow
denied	Deny

1 Request Filtering Rules

Name	Scan URL	Scan Query String	Headers	File Extensions	Deny Strings
Filtering Rule	True	False	header	.aspx	.vb

1 Request Filtering URLs

URL	Allowed
/contoso	True

2 Request Filtering Verbs

Verb	Allowed
GET	True
POST	False

SSL Settings

Require SSL	False
Client Certificates	Ignore

WebDav Authoring Rules > Authoring Behavior


Allow Unknown MIME Types	True
Default MIME Type	application/octet-stream

WebDav Authoring Rules > Lock Behavior

Allow Locks	True
Lock Store	webdav_simple_lock
Require Lock For Writing	False

 WebDav Authoring Rules > Property Behavior

Allow Anonymous Property Queries	False
Allow Custom Properties	True
Allow Property Queries With Infinite Depth	False
Properties	

 WebDav Authoring Rules > Request Filtering Behavior

Allow File Extension Filtering	True
Allow Hidden Segment Filtering	True
Allow Verb Filtering	True

 WebDav Authoring Rules > WebDav Behavior

Allow Hidden Files	False
Compatibility Flags	Allow Multiple Property Sections Return Compact XML Return IsCollection Property Return IsHidden Property Return MS-Author-Via Header
Require SSL	False

 1 WebDav Authoring Rules

Path	Target	Access	Entry Type
 *.bas, wsvc.axd	Roles: Admin, Guest	Read	Inherited

NTFS Permissions

Provides information about the NTFS permissions assigned to the physical directory.

Security

Owner NT AUTHORITY\SYSTEM

6 NTFS Permissions


Account Name	Inherited	Action	Rights	Applies To
BUILTIN\Administrators	True	Allow	Full control	This folder, subfolders and files
BUILTIN\IS_IUSRS	False	Allow	Read & execute	This folder, subfolders and files
BUILTIN\Users	True	Allow	Read & execute	This folder, subfolders and files
CREATOR OWNER	True	Allow	Full control	Subfolders and files only
NT AUTHORITY\SYSTEM	True	Allow	Full control	This folder, subfolders and files
NT SERVICE\TrustedInstaller	True	Allow	Full control	This folder, subfolders and files


1 NTFS Audit Rules

Account Name	Inherited	Type	Rights	Applies To
CONTOSO\Administrator	False	Success	Read & execute	This folder, subfolders and files

Applications

An application is a group of files that delivers content or provides services over protocols, such as HTTP.

 1 Applications

Virtual Path	Physical Path	Application Pool
 /ContosoApp	C:\ContosoApp	DefaultAppPool

/ContosoApp

An application is a group of files that delivers content or provides services over protocols, such as HTTP.

General

Application Pool	DefaultAppPool
Enabled Protocols	http
Preload Enabled	False
Site Name	Default Web Site
Virtual Path	/ContosoApp

Path

Physical Path	C:\ContosoApp
Connect As	Application user (pass-through authentication)
Authentication Logon Method	Clear Text

ASP.NET Features

The ASP.NET related features configuration.

1 .NET Authorization Rules

Mode	Users	Roles	Verbs	Entry Type
 Allow	All Users			Inherited

.NET Compilation > Batch

Batch Compilations	True
Maximum Batch Generated File Size (KB)	1,000
Maximum Batch Size	1,000
Batch Timeout	15 minutes

.NET Compilation > Behavior

Debug	False
Enable Prefetch	False
Enable Profiling Optimizations	All
Number Of Recompiles	15
Optimize Compilations	False
URL Line Pragmas	False
VB.NET Explicit Compile Option	True
VB.NET Strict Compile Option	False


.NET Compilation > General

Assemblies	mscorlib Microsoft.CSharp, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a *
Code Subdirectories	
Default Language	vb
Temporary Directory	

.NET Error Page Settings

Mode	Remote Only
Redirect Mode	Response Redirect
Default Redirect	
Allow Nested Errors	False

1 .NET Error Pages

Status Code	Redirect	Entry Type
 404	https://www.contoso.com/404.aspx	Inherited

.NET Globalization

Culture Display Name	Invariant Language (Invariant Country)
Enable Client Based Culture	False
UI Culture Display Name	Invariant Language (Invariant Country)
File Encoding	Windows-1252
Request Encoding	utf-8
Response Header Encoding	utf-8
Response Encoding	utf-8

.NET Trust

Trust Level	Full
-------------	------

1 Application Settings

Name	Value	Entry Type
 appSetting	1	Inherited

1 Connection Strings

Name	Provider Name	Value	Entry Type
 LocalSqlServer	System.Data.SqlClient	data source=.\SQLEXPRESS;Integrated Security=SSPI;AttachDBFilename= DataDirectory aspnetdb.mdf;User Instance=true	Inherited

Machine Key

Validation Method	SHA1
Encryption Method	Auto
Validation Key	AutoGenerate,IsolateApps
Decryption Key	AutoGenerate,IsolateApps

Pages and Controls > Behavior

Buffer	True
Client ID Mode	Predictable
Control Rendering Compatibility Version	4.5
Render All Hidden Fields At Top Of Form	True
Master Page File	
Style Sheet Theme	
Theme	
Enable Authenticated View State	True
Enable View State	True
Maximum Page State Field Length	-1

 Pages and Controls > Compilation

Page Base Type	System.Web.UI.Page
User Control Base Type	System.Web.UI.UserControl
Compilation Mode	Always





 Pages and Controls > General

Namespaces	<ul style="list-style-type: none"> System System.Collections System.Collections.Generic System.Collections.Specialized System.ComponentModel.DataAnnotations System.Configuration System.Linq System.Text System.Text.RegularExpressions System.Web System.Web.Caching System.Web.DynamicData System.Web.SessionState System.Web.Security System.Web.Profile System.Web.UI System.Web.UI.WebControls System.Web.UI.WebControls.WebParts System.Web.UI.HtmlControls System.Xml.Linq
------------	--

 Pages and Controls > Services


Enable Session State	True
Validate Request	True

 4 Providers

Name	Type	Type Name	Entry Type
 AspNetSqlMembershipProvider	.NET User	System.Web.Security.SqlMembershipProvider	Inherited
 AspNetSqlProfileProvider	.NET Profile	System.Web.Profile.SqlProfileProvider	Inherited
 AspNetSqlRoleProvider	.NET Role	System.Web.Security.SqlRoleProvider	Inherited
 AspNetWindowsTokenRoleProvider	.NET Role	System.Web.Security.WindowsTokenRoleProvider	Inherited

 Session State > General

Mode	In Process
Use Hosting Identity For Impersonation	True

 Session State > Cookie Settings

Cookie Mode	Use Cookies
Cookie Name	ASP.NET_SessionId
Session Timeout (Minutes)	20

 SMTP

From Address	
Delivery Method	SMTP Server
Host	
Port	25
Authentication Type	Not Required

IIS Features

The IIS related features configuration.

ASP > Behavior

Code Page	0
Enable Buffering	True
Enable Chunked Encoding	True
Enable HTML Fallback	True
Enable Parent Paths	False
Locale ID	0
Restart On Configuration Change	True

ASP > Behavior > Limits

Client Connection Test Interval	3 seconds
Maximum Requesting Entity Body Limit	200,000
Queue Length	3,000
Request Queue Timeout	{Not Configured}
Response Buffering Limit	4,194,304
Script Timeout	1 minutes and 30 seconds
Threads Per Processor Limit	25

ASP > Compilation

Script Language	VBScript
-----------------	----------

ASP > Compilation > Debugging

Calculate Line Numbers	True
Catch COM Component Exceptions	True
Enable Client Side Debugging	False
Enable Log Error Requests	True
Enable Server Side Debugging	False
Log Errors To NT Log	False
Run On End Functions Anonymously	True
Script Error Message	An error occurred on the server when processing the URL. Please contact the system administrator. <p/> If you are the system administrator please click here to find out more about this error.
Send Errors To Browser	False

ASP > Services > Cache

Cache Directory	%SystemDrive%\inetpub\temp\ASP Compiled Templates
Enable Type Library Caching	True
Maximum Disk Cached Files	2,000
Maximum Memory Cached Files	500
Maximum Script Engines Cached	250

ASP > Services > COM+

Enable Side By Side Component	False
Enable Tracker	False
Execute In MTA	False
Honor Component Threading Model	False
Partition ID	
Side By Side Component	
Use Partition	False

ASP > Services > Session

Enable Session State	True
Maximum Sessions	4,294,967,295
New ID On Secure Connection	True
Session Timeout	20 minutes

Authentication > Active Directory Client Certificate Mapping Authentication

Enabled	False
---------	-------

Authentication > Anonymous Authentication

Enabled	True
Identity	IUSR
Password	{Not Documented}

Authentication > ASP.NET Impersonation

Enabled	False
---------	-------

Authentication > Basic Authentication

Enabled	False
---------	-------

Authentication > Digest Authentication

Enabled	False
---------	-------

Authentication > Forms Authentication

Enabled False

Authentication > Windows Authentication

Enabled False

1 Authorization Rules

Mode	Users	Roles	Verbs	Entry Type
Allow	All Users			Inherited

CGI

Timeout 15 minutes

Use New Console For Each Invocation False

Impersonate User True

Compression (Dynamic)

Enabled True

Compression (Static)

Enabled True

Default Documents

Enabled True

6 Default Documents


Name	Entry Type
Default.htm	Inherited
Default.asp	Inherited
index.htm	Inherited
index.html	Inherited
iisstart.htm	Inherited
default.aspx	Inherited


Directory Browsing

Enabled False

 Error Pages Settings

Error Mode	Detailed errors for local requests and custom error pages for remote requests
Default Path	
Default Path Type	File

 10 Error Pages


Status Code	Redirect	Type	Entry Type
 401	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\401.htm	File	Inherited
 403	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\403.htm	File	Inherited
 404	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\404.htm	File	Inherited
 405	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\405.htm	File	Inherited
 406	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\406.htm	File	Inherited
 412	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\412.htm	File	Inherited
 431	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\431.htm	File	Inherited
 500	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\500.htm	File	Inherited
 501	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\501.htm	File	Inherited
 502	%SystemDrive%\inetpub\custerr\<LANGUAGE-TAG>\502.htm	File	Inherited






 1 Failed Request Tracing Rules

Path	Associated Providers	Status Codes	Time Taken	Entry Type
 *	ASP, ASPNET, ISAPI Extension, WWW Server	401.3-999 405	Not Set	Inherited

 Handler Mappings Settings

Access Policies	Read Script
-----------------	-------------

 5 Handler Mappings

Name	Path	Verbs	Entry Type
 ASPClassic	*.asp	GET, HEAD, POST	Inherited
 ISAPI-dll (Disabled)	*.dll	*	Inherited
 OPTIONSVerbHandler	*	OPTIONS	Inherited
 PageHandlerFactory-ISAPI-4.0_32bit	*.aspx	GET, HEAD, POST, DEBUG	Inherited
 WebDAV	*	PROPFIND, PROPPATCH, MKCOL, PUT, COPY, DELETE, MOVE, LOCK, UNLOCK	Inherited

 HTTP Redirection

Enabled	False
---------	-------

HTTP Response Headers Settings

Enable HTTP Keep-Alive	True
Expire Web Content	No Control


1 HTTP Response Headers

Name	Value	Type
 X-Powered-By	ASP.NET	Inherited





IP and Domain Restrictions Settings

Allow Unspecified Clients	True
Enable Domain Name Restrictions	False
Enable Proxy Mode	False
Deny Action	Forbidden
Deny By Concurrent Requests	Not Enabled
Deny By Request Rate	Not Enabled
Enable Logging Only Mode	False

2 IP and Domain Restrictions

Mode	Requestor	Type
 Allow	1.1.1.1 (255.255.255.255)	Inherited
 Deny	1.1.1.2 (255.255.255.0)	Inherited



4 ISAPI Filters

Name	Path	Type
 ASP.Net_2.0.50727-64	%windir%\Microsoft.NET\Framework64\v2.0.50727\aspnet_filter.dll	Inherited
 ASP.Net_2.0.50727.0	%windir%\Microsoft.NET\Framework\v2.0.50727\aspnet_filter.dll	Inherited
 ASP.Net_4.0_32bit	%windir%\Microsoft.NET\Framework\v4.0.30319\aspnet_filter.dll	Inherited
 ASP.Net_4.0_64bit	%windir%\Microsoft.NET\Framework64\v4.0.30319\aspnet_filter.dll	Inherited















 Logging



Enabled	True
Mode	Site
Log File Format	W3C
Fields	Date Time ClientIP UserName ServerIP Method UriStem UriQuery HttpStatus Win32Status TimeTaken ServerPort UserAgent Referer HttpSubStatus
Custom Fields	
Directory	%SystemDrive%\inetpub\logs\LogFiles
Log File Encoding	UTF-8
Event Destination	Log File Only
Log File Rollover Method	Daily

 2 MIME Types

Extension	MIME Type	Type
 .css	text/css	Inherited
 .html	text/html	Inherited

 16 Modules

Name	Type Name	Module Type	Type
 WebDAVModule		Native	Inherited
 OutputCache	System.Web.Caching.OutputCacheModule	Managed	Inherited
 Session	System.Web.SessionState.SessionStateModule	Managed	Inherited
 WindowsAuthentication	System.Web.Security.WindowsAuthenticationModule	Managed	Inherited
 FormsAuthentication	System.Web.Security.FormsAuthenticationModule	Managed	Inherited
 DefaultAuthentication	System.Web.Security.DefaultAuthenticationModule	Managed	Inherited
 RoleManager	System.Web.Security.RoleManagerModule	Managed	Inherited
 UrlAuthorization	System.Web.Security.UrlAuthorizationModule	Managed	Inherited
 FileAuthorization	System.Web.Security.FileAuthorizationModule	Managed	Inherited
 AnonymousIdentification	System.Web.Security.AnonymousIdentificationModule	Managed	Inherited
 Profile	System.Web.Profile.ProfileModule	Managed	Inherited
 UrlMappingsModule	System.Web.UrlMappingsModule	Managed	Inherited
 UrlRoutingModule-4.0	System.Web.Routing.UrlRoutingModule	Managed	Inherited
 ScriptModule-4.0	System.Web.Handlers.ScriptModule, System.Web.Extensions,	Managed	Inherited

	Version=4.0.0.0, Culture=neutral, PublicKeyToken=31bf3856ad364e35		
 ApplicationInitializationModule		Native	Inherited
 WebSocketModule		Native	Inherited

Output Caching Settings

Enable Cache	True
Enable Kernel Cache	True
Maximum Response Size (Bytes)	262,144
Maximum Cache Size	No Limit



1 Output Caching Rules

Extension	User Mode Policy	Kernel Mode Policy	Entry Type
 .aspx	Use File Change Notifications	Use Time Intervals (00:00:30)	Inherited

Request Filtering Settings

Allow Unlisted File Extensions	True
Allow Unlisted Verbs	True
Allow High-Bit Characters	True
Allow Double Escaping	False
Maximum Allowed Content Length (Bytes)	30,000,000
Maximum URL Length (Bytes)	4,096
Maximum Query String (Bytes)	2,048





2 Request Filtering File Extensions

Extension	Allowed
 .rules	True
 .vb	False

1 Request Filtering Headers

Header	Size Limit
 Filtering Header	256

8 Request Filtering Hidden Segments

Segment	State
 App_Browsers	Hidden
 App_code	Hidden
 App_Data	Hidden
 App_GlobalResources	Hidden

App_LocalResources	Hidden
App_WebReferences	Hidden
bin	Hidden
web.config	Hidden

2 Request Filtering Query Strings

Query String	Allowed
allowed	Always Allow
denied	Deny

1 Request Filtering Rules

Name	Scan URL	Scan Query String	Headers	File Extensions	Deny Strings
Filtering Rule	True	False	header	.aspx	.vb

1 Request Filtering URLs

URL	Allowed
/contoso	True

2 Request Filtering Verbs

Verb	Allowed
GET	True
POST	False

SSL Settings

Require SSL	False
Client Certificates	Ignore

WebDav Authoring Rules > Authoring Behavior


Allow Unknown MIME Types	True
Default MIME Type	application/octet-stream

WebDav Authoring Rules > Lock Behavior

Allow Locks	True
Lock Store	webdav_simple_lock
Require Lock For Writing	False

 WebDav Authoring Rules > Property Behavior

Allow Anonymous Property Queries	False
Allow Custom Properties	True
Allow Property Queries With Infinite Depth	False
Properties	

 WebDav Authoring Rules > Request Filtering Behavior

Allow File Extension Filtering	True
Allow Hidden Segment Filtering	True
Allow Verb Filtering	True

 WebDav Authoring Rules > WebDav Behavior

Allow Hidden Files	False
Compatibility Flags	Allow Multiple Property Sections Return Compact XML Return IsCollection Property Return IsHidden Property Return MS-Author-Via Header
Require SSL	False

 1 WebDav Authoring Rules

Path	Target	Access	Entry Type
 *.bas, wsvc.axd	Roles: Admin, Guest	Read	Inherited






NTFS Permissions

Provides information about the NTFS permissions assigned to the physical directory.

Security

Owner BUILTIN\Administrators

5 NTFS Permissions


Account Name	Inherited	Action	Rights	Applies To
 BUILTIN\Administrators	True	Allow	Full control	This folder, subfolders and files
 BUILTIN\Users	True	Allow	Read & execute	This folder, subfolders and files
 BUILTIN\Users	True	Allow	Create files / write data Create folders / append data	This folder and subfolders
 CREATOR OWNER	True	Allow	Full control	Subfolders and files only
 NT AUTHORITY\SYSTEM	True	Allow	Full control	This folder, subfolders and files

0 NTFS Audit Rules

There are no audit rules found.

Version History

The version history displays the changes that have been made to the documentation of this item over time - either automatically when a change has been detected, or manually by users of the system.

 3 versions

Version	Username	Date	Time	Description
 1.02	CONTOSO\sysadmin	Friday, February 14, 2025	4:48 PM	Added custom item details
 1.01	CONTOSO\sysadmin	Friday, February 14, 2025	4:47 PM	Added primary owner
 1.00	CONTOSO\sysadmin	Friday, February 14, 2025	4:40 PM	Item created.