

Exchange Online Documentation

centrelsolutionsdemo.onmicrosoft.com

Company Confidential

Document Properties

Author	CENTREL-WS01\XiaAdmin
Product	XIA Configuration Server [18.1.5.0]
Date	Tuesday, September 8, 2026 11:32:18 AM
Version	1.13



Table of Contents

General Information.....	3
Client Information.....	4
Relationships.....	5
Relationships Visualization.....	7
Organization Summary.....	8
Compliance Management.....	9
Journal Rules.....	10
Retention Policies.....	11
Default MRM Policy.....	12
Retention Policy Tags.....	13
Mail Flow.....	14
Accepted Domains.....	15
centrelsolutionsdemo.com.....	16
centrelsolutionsdemo.mail.onmicrosoft.com.....	17
centrelsolutionsdemo.onmicrosoft.com.....	18
Inbound Connectors.....	19
Demonstration Inbound Connector 1.....	20
Demonstration Inbound Connector 2.....	21
Demonstration Inbound Connector 3.....	22
Demonstration Inbound Connector 4.....	23
Inbound from 1594abbd-9de4-4330-b1c7-fcf0036c8e6d.....	24
Outbound Connectors.....	25
Demonstration Outbound Connector 1.....	26
Demonstration Outbound Connector 2.....	27
Outbound to 1594abbd-9de4-4330-b1c7-fcf0036c8e6d.....	28
Remote Domains.....	29
Default.....	30
Transport Configuration.....	31
Transport Rules.....	32
Mobile.....	33
Mobile Mailbox Policies.....	34
Default.....	35
Organization Configuration.....	36
Add-Ins.....	37
Action Items.....	38
Bing Maps.....	39
My Templates.....	40
Unsubscribe.....	41

Viva Insights.....	42
Hybrid Configuration.....	43
Intra-Organization Connectors.....	44
HybridIOC - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d.....	45
Organization Relationships.....	46
O365 to On-premises - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d.....	47
Sharing Policies.....	49
Default Sharing Policy.....	50
Demonstration Policy.....	51
Permissions.....	52
Admin Roles.....	53
Communication Compliance.....	55
Communication Compliance Administrators.....	56
Communication Compliance Investigators.....	57
Compliance Administrator.....	58
Compliance Management.....	59
Discovery Management.....	60
GlobalReaders_1101547655.....	61
Help Desk.....	62
Hygiene Management.....	63
Information Protection.....	64
Information Protection Admins.....	65
Information Protection Analysts.....	66
Information Protection Investigators.....	67
Information Protection Readers.....	68
Insider Risk Management.....	69
Insider Risk Management Admins.....	70
Insider Risk Management Investigators.....	71
Organization Management.....	72
Places Administrator.....	75
Privacy Management.....	76
Privacy Management Administrators.....	77
Privacy Management Investigators.....	78
Recipient Management.....	79
Records Management.....	80
RIM-MailboxAdminsa7a1e6f5f3ff40d3902ef64f0b74e596.....	81
Security Administrator.....	82
Security Operator.....	83
Security Reader.....	84
SecurityAdmins_1942666338.....	85
TenantAdmins_-1118979700.....	86
View-Only Organization Management.....	87

Outlook Web App Policies.....	88
OwaMailboxPolicy-Default.....	89
User Roles.....	91
Default Role Assignment Policy.....	92
Protection.....	93
Connection Filter.....	94
Malware Filters.....	95
Standard Preset Security Policy1706870866827.....	96
Strict Preset Security Policy1706871023969.....	99
Default.....	102
Outbound Spam.....	103
Spam Filters.....	104
Standard Preset Security Policy1706870865735.....	105
Strict Preset Security Policy1706871023133.....	107
Default.....	109
Public Folders.....	111
Public Folders.....	112
\.....	113
\Demonstration Public Folder 1.....	114
Public Folder Mailboxes.....	115
Recipients.....	116
Mailboxes.....	117
Mailboxes - D.....	118
Discovery Search Mailbox.....	119
Mailboxes - T.....	120
Test.....	121
Mailboxes - X.....	122
XIA.....	123
Distribution Groups.....	124
Demonstration Distribution Group.....	125
Demonstration Security Group.....	126
Demonstration Security Group.....	127
Dynamic Distribution Groups.....	128
Microsoft 365 Groups.....	129
All Company.....	130
All Company.....	131
Deprecated - All Company.....	132
Group for Answers in Viva Engage – DO NOT DELETE 59131330561.....	133
Group for Answers in Viva Engage – DO NOT DELETE 63717335041.....	134
IT.....	135
TestSite.....	136
Business Impact / Criticality.....	137

Support Provisions.....138
 24 x 7 Premium Support..... 139
Version History..... 140



General Information

Provides general information for this item.



General Information

Name	centrelsolutionsdemo.onmicrosoft.com
Description	Exchange Online (15.21.382.9)
Primary Owner Name	IT Services
Primary Owner Contact	itservices@centrelsolutionsdemo.onmicrosoft.com



System Information

Item Path	Demonstration Company
Identifier	dac00177-0c5b-47e9-bcb6-ec4553a0e2ce
Item ID	1154
Version ID	1.13
Check Out Status	Available



Custom Item Details

This is an example Exchange Online organization.



Client Information

Provides information about the client that was used to generate the information and the data used by the client to uniquely identify this item.

Item Identifiers

Primary Identifier	centrelsolutionsdemo.onmicrosoft.com
Secondary Identifier	15bf43b0-a628-4e42-8935-cb6788b511fd
Tertiary Identifier	
Environment Identifier	

Client Information

Client Machine Name	CSDEMO-DC01
Client Identifier	af48e157-5fef-4c7c-9075-62cccc1e0ea6
Client IP Address	192.168.176.132
Client Scan Date	07 September 2026 13:47 (1 days ago)
Client Service Username	CSDEMO\XiaClient
Client Version	18.1.5.0

Scan Profile

Target	centrelsolutionsdemo.onmicrosoft.com
Profile Name	Demonstration Live
Profile Identifier	8a36ee71-f8de-4499-b78e-f2c0a6e96281



Relationships

Provides a summary of the relationships between this item and other items in the environment.


17 Relationships

Direction	Managed	Name	Type	Parent	Relationship Type
 Outbound	True	Demonstration Company	Container	centrelsolutionsdemo.onmicrosoft.com	Contained Within
 Outbound	False	24 x 7 Premium Support	Support Provision	centrelsolutionsdemo.onmicrosoft.com	Is Supported By
 Outbound	True	centrelsolutionsdemo.onmicrosoft.com	Entra Directory	centrelsolutionsdemo.onmicrosoft.com	Requires Entra Directory
 Outbound	True	Inbound Connectors	Exchange Inbound Connectors	centrelsolutionsdemo.onmicrosoft.com	Has Exchange Inbound Connectors
 Outbound	True	Demonstration Inbound Connector 1	Exchange Inbound Connector	Inbound Connectors	Has Exchange Inbound Connector
 Outbound	True	Demonstration Inbound Connector 2	Exchange Inbound Connector	Inbound Connectors	Has Exchange Inbound Connector
 Outbound	True	Demonstration Inbound Connector 3	Exchange Inbound Connector	Inbound Connectors	Has Exchange Inbound Connector
 Outbound	True	Demonstration Inbound Connector 4	Exchange Inbound Connector	Inbound Connectors	Has Exchange Inbound Connector
 Outbound	True	Inbound from 1594abbd-9de4-4330-b1c7-fcf0036c8e6d	Exchange Inbound Connector	Inbound Connectors	Has Exchange Inbound Connector
 Outbound	True	Outbound Connectors	Exchange Outbound Connectors	centrelsolutionsdemo.onmicrosoft.com	Has Exchange Outbound Connectors
 Outbound	True	Demonstration Outbound Connector 1	Exchange Outbound Connector	Outbound Connectors	Has Exchange Outbound Connector
 Outbound	True	Demonstration Outbound Connector 2	Exchange Outbound Connector	Outbound Connectors	Has Exchange Outbound Connector
 Outbound	True	Outbound to 1594abbd-9de4-4330-b1c7-fcf0036c8e6d	Exchange Outbound Connector	Outbound Connectors	Has Exchange Outbound Connector

 Outbound	True	Accepted Domains	Exchange Accepted Domains	centrelsolutionsdemo.onmicrosoft.com	Has Exchange Accepted Domains
 Outbound	True	centrelsolutionsdemo.com	Exchange Accepted Domain	Accepted Domains	Has Exchange Accepted Domain
 Outbound	True	centrelsolutionsdemo.mail.onmicrosoft.com	Exchange Accepted Domain	Accepted Domains	Has Exchange Accepted Domain
 Outbound	True	centrelsolutionsdemo.onmicrosoft.com	Exchange Accepted Domain	Accepted Domains	Has Exchange Accepted Domain

Relationships Visualization

This section provides a visualization of the relationships between this item and other items in the system.



Organization Summary

Microsoft Exchange is an enterprise-class email and calendaring system, available either as a cloud-based solution, or as an on-premises installation.

 General Settings

Name	centrelsolutionsdemo.onmicrosoft.com
Identifier	15bf43b0-a628-4e42-8935-cb6788b511fd
Organization Type	Exchange Online
RBAC Configuration Version	15.21.382.9
Version	15.21.382.9

Compliance Management

Compliance Management functionality provides the ability to create policies to manage email lifecycle, retain messages for the length of time based on business, legal, and regulatory requirements, and preserve email records for litigation and investigation purposes.

Journal Rules

Journaling is the ability to record all communications, including email communications, in an organization for use in the organization's email retention or archival strategy. To meet an increasing number of regulatory and compliance requirements, many organizations must maintain records of communications that occur when employees perform daily business tasks.

 General Settings

Undeliverable Report Address	
------------------------------	--

 0 Journal Rules

There are no journal rules configured for this organization.

Retention Policies

Retention policies help organizations to manage email lifecycle and reduce legal risks associated with email and other communications.

 1 Retention Policies

Name	Tags
 Default MRM Policy	1 Month Delete 1 Week Delete 1 Year Delete 5 Year Delete 6 Month Delete Default 2 year move to archive Junk Email Never Delete Personal 1 year move to archive Personal 5 year move to archive Personal never move to archive Recoverable Items 14 days move to archive

Default MRM Policy

Retention policies help organizations to manage email lifecycle and reduce legal risks associated with email and other communications.

General Settings

Name	Default MRM Policy
Identifier	6a984f3a-9a5c-4175-948d-2ad0fda4e68c
Last Updated	Friday, August 23, 2024 3:58:20 PM

12 Retention Policy Tags

Name	Type	Retention Period	Retention Action
 1 Month Delete	Personal	When the item reaches 30 days old	Delete and allow recovery
 1 Week Delete	Personal	When the item reaches 7 days old	Delete and allow recovery
 1 Year Delete	Personal	When the item reaches 365 days old	Delete and allow recovery
 5 Year Delete	Personal	When the item reaches 1825 days old	Delete and allow recovery
 6 Month Delete	Personal	When the item reaches 180 days old	Delete and allow recovery
 Default 2 year move to archive	Default	When the item reaches 730 days old	Move to archive
 Junk Email	Junk Email	When the item reaches 30 days old	Delete and allow recovery
 Never Delete	Personal	Never	Delete and allow recovery
 Personal 1 year move to archive	Personal	When the item reaches 365 days old	Move to archive
 Personal 5 year move to archive	Personal	When the item reaches 1825 days old	Move to archive
 Personal never move to archive	Personal	Never	Move to archive
 Recoverable Items 14 days move to archive	Recoverable Items	When the item reaches 14 days old	Move to archive

Retention Policy Tags

Retention tags are used to apply retention settings to folders and individual items such as email messages and voice mail. These settings specify how long a message remains in a mailbox and the action to take when the message reaches the specified retention age.

16 Retention Policy Tags

Name	Type	Retention Period	Retention Action
 1 Month Delete	Personal	When the item reaches 30 days old	Delete and allow recovery
 1 Week Delete	Personal	When the item reaches 7 days old	Delete and allow recovery
 1 Year Delete	Personal	When the item reaches 365 days old	Delete and allow recovery
 5 Year Delete	Personal	When the item reaches 1825 days old	Delete and allow recovery
 6 Month Delete	Personal	When the item reaches 180 days old	Delete and allow recovery
 AsyncOperationNotification	Personal	When the item reaches 30 days old	Delete and allow recovery
 AutoGroup	Personal	When the item reaches 30 days old	Delete and allow recovery
 Default 2 year move to archive	Default	When the item reaches 730 days old	Move to archive
 Deleted Items	Deleted Items	When the item reaches 30 days old	Delete and allow recovery
 Junk Email	Junk Email	When the item reaches 30 days old	Delete and allow recovery
 ModeratedRecipients	Personal	When the item reaches 2 days old	Delete and allow recovery
 Never Delete	Personal	Never	Delete and allow recovery
 Personal 1 year move to archive	Personal	When the item reaches 365 days old	Move to archive
 Personal 5 year move to archive	Personal	When the item reaches 1825 days old	Move to archive
 Personal never move to archive	Personal	Never	Move to archive
 Recoverable Items 14 days move to archive	Recoverable Items	When the item reaches 14 days old	Move to archive

Mail Flow

This section describes the configuration of the mail flow within the organization including the address policies, send and receive connectors and transport rules.

Accepted Domains

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

 3 Accepted Domains

Name	Domain Name	Type
 centrelsolutionsdemo.com	centrelsolutionsdemo.com	Authoritative
 centrelsolutionsdemo.mail.onmicrosoft.com	centrelsolutionsdemo.mail.onmicrosoft.com	Authoritative
 centrelsolutionsdemo.onmicrosoft.com	centrelsolutionsdemo.onmicrosoft.com	Authoritative

centrelsolutionsdemo.com

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

General Settings

Name	centrelsolutionsdemo.com
Identifier	34b69cbb-c43d-4f35-9191-9881887df200
Last Updated	Thursday, July 23, 2026 3:47:58 PM

Accepted Domain Settings

Domain Name	centrelsolutionsdemo.com
Domain Type	Authoritative
Default	False
Accept Subdomains	False

DKIM Configuration

Enabled	False
---------	-------

centrelsolutionsdemo.mail.onmicrosoft.com

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

General Settings

Name	centrelsolutionsdemo.mail.onmicrosoft.com
Identifier	c88d9034-bebe-410b-a165-7153c2bc3188
Last Updated	Monday, December 29, 2025 3:11:06 PM

Accepted Domain Settings

Domain Name	centrelsolutionsdemo.mail.onmicrosoft.com
Domain Type	Authoritative
Default	False
Accept Subdomains	False

DKIM Configuration

Enabled	True
Body Canonicalization	Relaxed
Header Canonicalization	Relaxed
Selector 1 CNAME	selector1-centrelsolutionsdemo-mail-onmicrosoft-com._domainkey.centrelsolutionsdemo.onmicrosoft.com
Selector 1 Key Size	2048
Selector 2 CNAME	selector2-centrelsolutionsdemo-mail-onmicrosoft-com._domainkey.centrelsolutionsdemo.onmicrosoft.com
Selector 2 Key Size	2048
DKIM Status	Valid

centrelsolutionsdemo.onmicrosoft.com

An accepted domain is any SMTP namespace for which Microsoft Exchange sends or receives emails.

General Settings

Name	centrelsolutionsdemo.onmicrosoft.com
Identifier	a39b3291-bdb1-4803-b1d4-7d872976d82b
Last Updated	Friday, August 23, 2024 3:57:44 PM

Accepted Domain Settings

Domain Name	centrelsolutionsdemo.onmicrosoft.com
Domain Type	Authoritative
Default	True
Accept Subdomains	False

DKIM Configuration

Enabled	True
Body Canonicalization	Relaxed
Header Canonicalization	Relaxed
Selector 1 CNAME	selector1-centrelsolutionsdemo-onmicrosoft-com._domainkey.centrelsolutionsdemo.onmicrosoft.com
Selector 1 Key Size	2048
Selector 2 CNAME	selector2-centrelsolutionsdemo-onmicrosoft-com._domainkey.centrelsolutionsdemo.onmicrosoft.com
Selector 2 Key Size	2048
DKIM Status	Valid

Inbound Connectors

Inbound connectors in Exchange Online define who is allowed to send mail into the tenant and under what conditions. Each connector acts as a controlled entry point, specifying the external domains or IP addresses permitted to deliver messages, and enforcing security requirements such as TLS, certificate matching, or IP/domain restrictions.

5 Inbound Connectors

Name	Enabled	Type
 Demonstration Inbound Connector 1	False	On-Premises
 Demonstration Inbound Connector 2	True	On-Premises
 Demonstration Inbound Connector 3	True	Partner
 Demonstration Inbound Connector 4	False	Partner
 Inbound from 1594abbd-9de4-4330-b1c7-fcf0036c8e6d	True	On-Premises

Demonstration Inbound Connector 1

An inbound connector defines a trusted entry point for mail entering the tenant and enforces the conditions under which that mail is accepted.

General Settings

Connector Source	Admin UI
Connector Type	On-Premises
Creation Date	Friday, July 10, 2026 9:55:01 AM
Last Modified Date	Tuesday, July 14, 2026 3:35:41 PM
Description	This is a demonstration connector.
Enabled	False
Identifier	1cb1560b-cf77-4f30-ad7e-e1663cb9bdfd
Retain Internal Exchange Email Headers	False

Security & Validation

Require TLS	True
Sender Certificate Name	contoso.com
Require Certificate Domain Validation	False
Restrict Domains To IP Addresses	False

Mail Flow Rules

Associated Accepted Domains	
Sender Domains	*
Sender IP Addresses	

Demonstration Inbound Connector 2

An inbound connector defines a trusted entry point for mail entering the tenant and enforces the conditions under which that mail is accepted.

General Settings

Connector Source	Admin UI
Connector Type	On-Premises
Creation Date	Tuesday, July 14, 2026 10:03:05 AM
Last Modified Date	Tuesday, July 14, 2026 3:36:44 PM
Description	This is a demonstration connector.
Enabled	True
Identifier	f7ea4c16-05ea-44fe-9627-121d246c9c2c
Retain Internal Exchange Email Headers	False

Security & Validation

Require TLS	False
Sender Certificate Name	
Require Certificate Domain Validation	False
Restrict Domains To IP Addresses	False

Mail Flow Rules

Associated Accepted Domains	
Sender Domains	*
Sender IP Addresses	200.100.1.0/24 200.100.0.0/24

Demonstration Inbound Connector 3

An inbound connector defines a trusted entry point for mail entering the tenant and enforces the conditions under which that mail is accepted.

General Settings

Connector Source	Admin UI
Connector Type	Partner
Creation Date	Tuesday, July 14, 2026 3:37:17 PM
Last Modified Date	Thursday, July 23, 2026 3:28:19 PM
Description	This is a demonstration connector.
Enabled	True
Identifier	cd7ba1b8-d69e-4926-b8d0-0d4baf9944a8
Retain Internal Exchange Email Headers	False

Security & Validation

Require TLS	True
Sender Certificate Name	
Require Certificate Domain Validation	False
Restrict Domains To IP Addresses	True

Mail Flow Rules

Associated Accepted Domains	
Sender Domains	* contoso.com
Sender IP Addresses	200.100.100.100

Demonstration Inbound Connector 4

An inbound connector defines a trusted entry point for mail entering the tenant and enforces the conditions under which that mail is accepted.

General Settings

Connector Source	Admin UI
Connector Type	Partner
Creation Date	Friday, October 20, 2023 11:40:06 AM
Last Modified Date	Thursday, July 23, 2026 3:28:26 PM
Description	This is a demonstration connector.
Enabled	False
Identifier	cb1daaa1-a659-40f3-ad66-2888975aacd9
Retain Internal Exchange Email Headers	False

Security & Validation

Require TLS	True
Sender Certificate Name	
Require Certificate Domain Validation	False
Restrict Domains To IP Addresses	True

Mail Flow Rules

Associated Accepted Domains	centrelsolutionsdemo.onmicrosoft.com
Sender Domains	*.contoso.com *.demonstration.int
Sender IP Addresses	150.150.150.150

Inbound from 1594abbd-9de4-4330-b1c7-fcf0036c8e6d

An inbound connector defines a trusted entry point for mail entering the tenant and enforces the conditions under which that mail is accepted.

General Settings

Connector Source	Microsoft Hybrid Configuration Wizard (HCW)
Connector Type	On-Premises
Creation Date	Friday, July 17, 2026 6:12:34 PM
Last Modified Date	Thursday, July 23, 2026 3:49:53 PM
Description	
Enabled	True
Identifier	673f710b-d759-4f7c-a520-044478432ef0
Retain Internal Exchange Email Headers	True

Security & Validation

Require TLS	True
Sender Certificate Name	CSDEMO-EX01
Require Certificate Domain Validation	False
Restrict Domains To IP Addresses	False

Mail Flow Rules

Associated Accepted Domains	
Sender Domains	*
Sender IP Addresses	

Outbound Connectors

Outbound connectors define how mail leaves the tenant, specifying the external systems, partners, or on-premises servers that Exchange Online is allowed to deliver messages to. They control the routing method, security requirements, and validation behavior for outbound traffic.

3 Outbound Connectors

Name	Enabled	Type
 Demonstration Outbound Connector 1	False	On-Premises
 Demonstration Outbound Connector 2	False	Partner
 Outbound to 1594abbd-9de4-4330-b1c7-fcf0036c8e6d	True	On-Premises

Demonstration Outbound Connector 1

An outbound connector defines a trusted route for mail leaving the tenant and enforces the conditions under which that mail is sent.

General Settings

Connector Source	Admin UI
Connector Type	On-Premises
Creation Date	Monday, July 13, 2026 10:07:59 AM
Last Modified Date	Monday, July 13, 2026 4:17:03 PM
Description	This is a demonstration outbound connector.
Enabled	False
Identifier	1e457a8a-f4d9-4bdd-89d6-e8513dc760d8

Mail Flow Rules

Recipient Domains	centrelolutions.com
Scope	Only to the specified recipient domains

Security & Routing

Cloud Services Mail Enabled	True
DANE Mode	Opportunistic
MTA-STX Mode	Opportunistic
Route All Mail Via On-Premises	False
Routing Type	Route email through smart hosts
Sender Rewriting (SRS)	False
Smart Hosts	smtp.centrel-solutions.com
Transport Security Mode	Trusted certificate authority (CA)

Testing

Test Mode	False
-----------	-------

Validation

Validation Recipients	dhomer@centrel-solutions.com
Validated	False
Last Validation Attempt	[Not Configured]

Demonstration Outbound Connector 2

An outbound connector defines a trusted route for mail leaving the tenant and enforces the conditions under which that mail is sent.

General Settings

Connector Source	Admin UI
Connector Type	Partner
Creation Date	Friday, July 10, 2026 9:59:13 AM
Last Modified Date	Monday, July 13, 2026 5:00:58 PM
Description	This is a demonstration outbound connector.
Enabled	False
Identifier	89a87cf9-4cd9-4408-b3cd-b62aef3beed2

Mail Flow Rules

Recipient Domains	
Scope	Only when a transport rule routes messages to this connector

Security & Routing

Cloud Services Mail Enabled	False
DANE Mode	Opportunistic
MTA-STX Mode	Opportunistic
Route All Mail Via On-Premises	False
Routing Type	Use the MX record
Sender Rewriting (SRS)	True
Smart Hosts	
Transport Security Mode	Opportunistic TLS

Testing

Test Mode	False
-----------	-------

Validation

Validation Recipients	dhomer@centrel-solutions.com
Validated	False
Last Validation Attempt	Monday, July 13, 2026 3:29:05 PM

Outbound to 1594abbd-9de4-4330-b1c7-fcf0036c8e6d

An outbound connector defines a trusted route for mail leaving the tenant and enforces the conditions under which that mail is sent.

General Settings

Connector Source	Microsoft Hybrid Configuration Wizard (HCW)
Connector Type	On-Premises
Creation Date	Friday, July 17, 2026 6:12:34 PM
Last Modified Date	Thursday, July 23, 2026 3:49:53 PM
Description	
Enabled	True
Identifier	adf383c9-7494-466b-97df-99e0b552784a

Mail Flow Rules

Recipient Domains	centresolutionsdemo.com
Scope	Only to the specified recipient domains

Security & Routing

Cloud Services Mail Enabled	True
DANE Mode	Opportunistic
MTA-STS Mode	Opportunistic
Route All Mail Via On-Premises	False
Routing Type	Route email through smart hosts
Sender Rewriting (SRS)	False
Smart Hosts	centresolutionsdemo.int
Transport Security Mode	Trusted CA with matching domain
TLS Domain	CSDEMO-EX01

Testing

Test Mode	False
-----------	-------

Validation

Validation Recipients	
Validated	False
Last Validation Attempt	[Not Configured]

Remote Domains

Remote domains define how Exchange handles message formatting, automatic replies, and non-delivery behavior for specific external SMTP domains.

 1 Remote Domains

Name	Domain Name
 Default	*

Default

Remote domains define how Exchange handles message formatting, automatic replies, and non-delivery behavior for specific external SMTP domains.



General Settings

Name	Default
Identifier	8b550c3d-9ee0-4651-8589-30229280486a
Last Updated	Friday, August 23, 2024 3:57:44 PM



Remote Domain Settings

Domain Name	*
Out of Office Automatic Reply Types	Allow only external Out of Office replies
Use Rich-Text Format	Follow user settings



Automatic Replies

Allow Automatic Replies	True
Allow Automatic Forwarding	True



Message Reporting

Allow Delivery Reports	True
Allow Non-delivery Reports	True
Allow Meeting Forward Notifications	False



Supported Character Set

MIME Character Set	Western European (ISO)
Non-MIME Character Set	Western European (ISO)

Transport Configuration

The transport configuration section provides information about the organization-wide mail flow behaviors

General Settings

External Postmaster Address	
Turn Off Plus Addressing	True
Turn On Send From Alias	False

Message Limits

Maximum Send Size	Unlimited
Maximum Receive Size	Unlimited
Maximum Recipient Envelope Limit	Unlimited

Message Recall

Cloud-Based Message Recall Enabled	True
Alert Type	Read Recipients Only
Allow Recall Of Read Messages	False
Maximum Recallable Age	362 days

Security Settings

Allow Legacy TLS Clients	False
Turn Off SMTP Client Authentication	True

Reply-All Storm Protection

Enabled	True
Minimum Recipients	0
Minimum Reply Alls	10
Block Duration (Hours)	6

Transport Rules

Mail flow rules, also known as transport rules, are used to identify and take action on messages that flow through an Exchange organization.



0 Transport Rules

There are no transport (mail flow) rules configured for this organization.

Mobile

This section provides configuration settings for mobile devices.

Mobile Mailbox Policies

Mobile device mailbox policies allow a common set of policies and security settings to be applied to a collection of ActiveSync users.

 1 Mobile Device Mailbox Policies

Name	Default	Last Modified
 Default	True	Friday, August 23, 2024 3:57:44 PM

Default

Mobile device mailbox policies allow a common set of policies and security settings to be applied to a collection of ActiveSync users.

General Settings

Name	Default
Default	True
Allow Non-Provisionable Devices	True
Identifier	fdc4cf97-df15-45d8-99de-93bf83058b42
Last Updated	Friday, August 23, 2024 3:57:44 PM

Security

Require Password	False
------------------	-------

Device

Allow Removable Storage	True
Allow Camera	True
Allow Wi-Fi	True
Allow Infrared	True
Allow Internet Sharing	True
Allow Remote Desktop	True
Allow Bluetooth	Allow

Sync Settings

Include Past Calendar Items	All
Include Past Email Items	All
Limit Email Size	Unlimited
Allow Direct Push When Roaming	True
Allow HTML Email	True
Allow Attachments	True
Maximum Attachment Size	Unlimited

Organization Configuration

This section provides organization level configuration settings.

Add-Ins

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

 5 Add-Ins

Name	Provider	Enabled	Default State
 Action Items	Microsoft	True	Enabled
 Bing Maps	Microsoft	True	Enabled
 My Templates	Microsoft	True	Enabled
 Unsubscribe	Microsoft	True	Enabled
 Viva Insights	Microsoft	True	Enabled

Action Items

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

 General Settings

Name	Action Items
Description	Shows Action Item suggestions from your email. This add-in will not share your data with any third-party service.

 Add-In Settings

Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	1.0

Bing Maps

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

General Settings

Name	Bing Maps
Description	Map addresses found in your email. This add-in will send addresses to Bing but will not share your data with any third-party service.

Add-In Settings

Enabled	True
Default State	Enabled
Permissions	Restricted
Provider Name	Microsoft
Version	1.1

My Templates

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

 General Settings

Name	My Templates
Description	

 Add-In Settings

Enabled	True
Default State	Enabled
Permissions	Read\write item
Provider Name	Microsoft
Version	1.0

Unsubscribe

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

General Settings

Name	Unsubscribe
Description	This add-in is triggered by messages from subscription email feeds, and allows you to block the sender or unsubscribe from the source. This add-in will not share your data with any third-party service.

Add-In Settings

Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	1.0

Viva Insights

Add-ins are applications that extend the functionality of Outlook clients by adding information or tools that users can access without having to leave Outlook.

General Settings

Name	Viva Insights
Description	Insights to help you protect time to get work done, automatic to dos, and more.

Add-In Settings

Enabled	True
Default State	Enabled
Permissions	Read\write mailbox
Provider Name	Microsoft
Version	3.14.0.0

Hybrid Configuration

Exchange Hybrid Configuration connects an on-premises Exchange Server with Microsoft 365, creating a unified email environment with shared cross-premises features such as free/busy calendar lookups and seamless user authentication.

General Settings

Enabled	True
Hybrid Domains	centrelsolutionsdemo.com
Creation Date	Friday, July 17, 2026 5:55:54 PM
Last Modified Date	Thursday, July 23, 2026 3:49:55 PM

On-Premises Organization

On-Premises Organization Name	CENTREL Solutions Demo
On-Premises Organization Identifier	1594abbd-9de4-4330-b1c7-fcf0036c8e6d
Organization Relationship	O365 to On-premises - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d

Connectors

Inbound Connector	Inbound from 1594abbd-9de4-4330-b1c7-fcf0036c8e6d
Outbound Connector	Outbound to 1594abbd-9de4-4330-b1c7-fcf0036c8e6d

Intra-Organization Connectors

Intra-Organization connectors define how two Exchange organizations communicate for cross-forest features. They are created automatically by Exchange (on-prem or Online) whenever hybrid or cross-forest functionality is configured.

 1 Intra-Organization Connectors

Name	Enabled	Remote Organization Domains
 HybridIOC - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d	True	centrelsolutionsdemo.com

HybridIOC - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d

An Intra-Organization connector defines how two Exchange organizations communicate for cross-forest features.

General Settings

Identifier	01665de9-da27-4122-8b64-5a22f6aa0836
Identity	HybridIOC - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d
Enabled	True
Is Valid	True
Creation Date	Friday, July 17, 2026 6:12:37 PM
Last Modified Date	Thursday, July 23, 2026 3:49:53 PM

Remote Organization Domains

Remote Organization Domains	centrelsolutionsdemo.com
-----------------------------	--------------------------

Endpoints

Discovery Endpoint	https://csdemo-ex01.centrelsolutionsdemo.int/autodiscover/autodiscover.svc
Target Sharing URL	

Organization Relationships

Organization Relationships in Exchange establish a secure, federated trust between two separate Microsoft 365 or Exchange on-premises environments to enable seamless cross-tenant collaboration.

 1 Organization Relationships

Name		Enabled	Domain Names
 O365 to On-premises - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d		False	centrelsolutionsdemo.com

O365 to On-premises - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d

An Organization Relationship establishes a secure, federated trust between two separate Microsoft 365 or Exchange on-premises environments to enable seamless cross-tenant collaboration.

⬇ General Settings

Enabled	False
Domain Names	centrelsolutionsdemo.com
Identifier	05a7f832-0137-4c7f-9ca3-251216d545ba
Identity	O365 to On-premises - 1594abbd-9de4-4330-b1c7-fcf0036c8e6d
Is Valid	True
Creation Date	Friday, July 17, 2026 6:12:29 PM
Last Modified Date	Thursday, July 23, 2026 4:14:07 PM
Organization Contact	

🌐 Endpoints

Application URI	
Autodiscover Endpoint	
Target OWA URL	
Target Sharing URL	

🔑 Federation & Authentication Settings

OAuth Application Identifier	
------------------------------	--

📅 Free/Busy Sharing Settings

Enable Calendar Free/Busy Information Sharing	True
Free/Busy Access Level	None
Free/Busy Access Scope	Demonstration Security Group20260721075252

✉ Mailbox Move Settings

Mailbox Move Enabled	True
Mailbox Move Capability	Inbound Outbound
Mailbox Move Published Scopes	

 MailTips Sharing Settings

MailTips Access Enabled	True
MailTips Access Level	All
MailTips Access Scope	Demonstration Security Group20260721075252

 Additional Features

Archive Access Enabled	False
Delivery Reports Enabled	True
Photos Enabled	True

Sharing Policies

Exchange Sharing Policies define how calendar information can be shared with external recipients across the organization.

 2 Sharing Policies

Name	Enabled	Domain Names
 Default Sharing Policy	True	1 Domains
 Demonstration Policy	True	4 Domains

Default Sharing Policy

An Exchange Sharing Policy defines how calendar information can be shared with external recipients across the organization.

 General Settings

Enabled	True
Default	True
Creation Date	Tuesday, September 26, 2023 7:09:45 PM
Last Modified Date	Monday, July 27, 2026 10:45:34 AM

 1 Domains

Domain Name	Policy Action
 Sharing With Everyone	None

Demonstration Policy

An Exchange Sharing Policy defines how calendar information can be shared with external recipients across the organization.

 General Settings

Enabled	True
Default	False
Creation Date	Monday, July 27, 2026 10:34:19 AM
Last Modified Date	Monday, July 27, 2026 11:21:01 AM

 4 Domains

Domain Name	Policy Action
 Sharing With Everyone	Calendar free/busy information with time only Share the contacts folder
 Anonymous	Calendar free/busy information with time only
 CalendarTest	Calendar free/busy information with time, subject, and location Share the contacts folder
 Demonstration	Calendar free/busy information with time, subject, and location

Permissions

Microsoft Exchange provides permissions based on the Role Based Access Control (RBAC) permissions model, which can be used to grant permissions to administrators and users.

Admin Roles

Admin role groups combine together permissions that can be assigned to administrators in the organization.

31 Admin Roles

Name	Description
 Communication Compliance	Viewer of communication compliance that can access the available reports and widgets.
 Communication Compliance Administrators	Investigators of insider risk management that can triage alerts, investigate and action on cases as well as explore content.
 Communication Compliance Investigators	Analysts of communication compliance that can investigate policy matches, view messages meta data, and take remediation actions.
 Compliance Administrator	Manage settings for device management, data loss prevention, reports, and preservation.
 Compliance Management	This role group will allow a specified user, responsible for compliance, to properly configure and manage compliance settings within Exchange in accordance with their policy.
 Discovery Management	Members of this management role group can perform searches of mailboxes in the Exchange organization for data that meets specific criteria.
 GlobalReaders_1101547655	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include auditor. By default, this group is not assigned any roles. However, it will be a member of the View-Only Organization Management role group and will inherit the rights of that group.
 Help Desk	Members of this management role group can view and manage the configuration for individual recipients and view recipients in an Exchange organization. Members of this role group can only manage the configuration each user can manage on his or her own mailbox. Additional permissions can be added by assigning additional management roles to this role group.
 Hygiene Management	Members of this management role group can manage Exchange anti-spam features and grant permissions for antivirus products to integrate with Exchange.
 Information Protection	For internal approval use only.
 Information Protection Admins	Full control over all information protection features, including sensitivity labels and their policies, DLP, all classifier types, activity and content explorers, and all related reports.
 Information Protection Analysts	Create, edit, and delete DLP policies, sensitivity labels and their policies, and all classifier types. Manage endpoint DLP settings and simulation mode for auto-labeling policies.
 Information Protection Investigators	Access and manage DLP alerts and activity explorer. View-only access to DLP policies, sensitivity labels and their policies, and all classifier types.
 Information Protection Readers	Access and manage DLP alerts, activity explorer, and content explorer. View-only access to DLP policies, sensitivity labels and their policies, and all classifier types.
 Insider Risk Management	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include auditor. By default, this group is not assigned any roles. However, it will be a member of the Places Administrator role group and will inherit the rights of that group.
 Insider Risk Management Admins	Manage contributor access for Insider risk management.
 Insider Risk Management Investigators	Analysts of insider risk management that can triage alerts, investigate and action on cases (but cannot explore content).
 Organization Management	Members of this management role group have permissions to manage Exchange objects and their properties in the Exchange organization. Members can also delegate role groups and management roles in the organization. This role group shouldn't be deleted.
 Places Administrator	Has access to deploy the Purview agents and perform the content analysis.
 Privacy Management	View all Compliance Manager content except for administrator functions.

 Privacy Management Administrators	Manage access control for Privacy Management solution in the Microsoft 365 Compliance Center.
 Privacy Management Investigators	Analysts of privacy management solution that can investigate policy matches, view messages meta data, and take remediation actions.
 Recipient Management	Members of this management role group have rights to create, manage, and remove Exchange recipient objects in the Exchange organization.
 Records Management	Members of this management role group have permissions to manage and dispose record content.
 RIM-MailboxAdminsa7a1e6f5f3ff40d3902ef64f0b74e596	
 Security Administrator	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Administrators role groups and will inherit the capabilities of that role group.
 Security Operator	Manage security alerts, and also view reports and settings of security features.
 Security Reader	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Reader role groups and will inherit the capabilities of that role group.
 SecurityAdmins_1942666338	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Administrators role groups and will inherit the capabilities of that role group.
 TenantAdmins_-1118979700	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Organization Management role group and will inherit the capabilities of that role group.
 View-Only Organization Management	Members of this management role group can view recipient and configuration objects and their properties in the Exchange organization.

Communication Compliance

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Communication Compliance
Description	Viewer of communication compliance that can access the available reports and widgets.
Identifier	ed61c845-dddb-4797-a312-ed2323cb0014
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Communication Compliance Admin Communication Compliance Investigation
Write Scope	Default

Communication Compliance Administrators

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Communication Compliance Administrators
Description	Investigators of insider risk management that can triage alerts, investigate and action on cases as well as explore content.
Identifier	0c6f95b6-ea12-4f79-8d4c-4d375abf4eb5
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Communication Compliance Admin
Write Scope	Default

Communication Compliance Investigators

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Communication Compliance Investigators
Description	Analysts of communication compliance that can investigate policy matches, view messages meta data, and take remediation actions.
Identifier	55852018-c3dc-4f7f-9c76-e2460921ff01
Last Updated	Thursday, May 29, 2025 11:34:37 AM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	
Write Scope	Default

Compliance Administrator

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Compliance Administrator
Description	Manage settings for device management, data loss prevention, reports, and preservation.
Identifier	578c534a-6841-46d5-b0ee-deed7d6884af
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Communication Compliance Admin Insider Risk Management Admin
Write Scope	Default

Compliance Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Compliance Management
Description	This role group will allow a specified user, responsible for compliance, to properly configure and manage compliance settings within Exchange in accordance with their policy.
Identifier	8dbea18c-34e7-495e-a082-f35b96576416
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Audit Logs Compliance Admin Data Loss Prevention Information Rights Management Journaling Message Tracking Retention Management Transport Rules View-Only Audit Logs View-Only Configuration View-Only Recipients
Write Scope	Default

Discovery Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Discovery Management
Description	Members of this management role group can perform searches of mailboxes in the Exchange organization for data that meets specific criteria.
Identifier	411d8e49-f322-4c1a-847f-367c99cf5cc6
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Legal Hold Mailbox Search
Write Scope	Default

GlobalReaders_1101547655

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	GlobalReaders_1101547655
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include auditor. By default, this group is not assigned any roles. However, it will be a member of the View-Only Organization Management role group and will inherit the rights of that group.
Identifier	1c03688b-9c25-440c-806f-9e99d24fadf5
Last Updated	Friday, August 23, 2024 5:03:55 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	
Write Scope	Default

Help Desk

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Help Desk
Description	Members of this management role group can view and manage the configuration for individual recipients and view recipients in an Exchange organization. Members of this role group can only manage the configuration each user can manage on his or her own mailbox. Additional permissions can be added by assigning additional management roles to this role group.
Identifier	baf7d141-5666-4123-88e7-95c6c40e3489
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Reset Password User Options View-Only Recipients
Write Scope	Default

Hygiene Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Hygiene Management
Description	Members of this management role group can manage Exchange anti-spam features and grant permissions for antivirus products to integrate with Exchange.
Identifier	d7f7d307-3c64-4808-b185-634225fb9b0c
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Transport Hygiene View-Only Configuration View-Only Recipients
Write Scope	Default

Information Protection

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Information Protection
Description	For internal approval use only.
Identifier	4af55bc9-ab52-4d2d-b86d-d96ed0475c3a
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Information Protection Admin Information Protection Analyst Information Protection Investigator Information Protection Reader
Write Scope	Default

Information Protection Admins

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Information Protection Admins
Description	Full control over all information protection features, including sensitivity labels and their policies, DLP, all classifier types, activity and content explorers, and all related reports.
Identifier	bd98e374-884c-4daf-8b84-e809bd04d9e6
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Information Protection Admin
Write Scope	Default

Information Protection Analysts

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Information Protection Analysts
Description	Create, edit, and delete DLP policies, sensitivity labels and their policies, and all classifier types. Manage endpoint DLP settings and simulation mode for auto-labeling policies.
Identifier	0d26c175-625f-41f2-9a38-58d063c7f8f9
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Information Protection Analyst
Write Scope	Default

Information Protection Investigators

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Information Protection Investigators
Description	Access and manage DLP alerts and activity explorer. View-only access to DLP policies, sensitivity labels and their policies, and all classifier types.
Identifier	e97112d1-ad7d-4ca8-b0ab-43947daa7124
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Information Protection Investigator
Write Scope	Default

Information Protection Readers

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Information Protection Readers
Description	Access and manage DLP alerts, activity explorer, and content explorer. View-only access to DLP policies, sensitivity labels and their policies, and all classifier types.
Identifier	54da4233-ffda-449e-a2d0-60a95481a290
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Information Protection Reader
Write Scope	Default

Insider Risk Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Insider Risk Management
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include auditor. By default, this group is not assigned any roles. However, it will be a member of the Places Administrator role group and will inherit the rights of that group.
Identifier	e67192c9-6ade-4e19-82b8-d0b95d3def5d
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Insider Risk Management Admin Insider Risk Management Investigation
Write Scope	Default

Insider Risk Management Admins

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Insider Risk Management Admins
Description	Manage contributor access for Insider risk management.
Identifier	7bea9c9a-17f4-4084-8eb5-332fec83e895
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Insider Risk Management Admin
Write Scope	Default

Insider Risk Management Investigators

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Insider Risk Management Investigators
Description	Analysts of insider risk management that can triage alerts, investigate and action on cases (but cannot explore content).
Identifier	be72cbf8-a2d8-413c-b2f6-cf113a5fa527
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Insider Risk Management Investigation
Write Scope	Default

Organization Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

 General Settings

Name	Organization Management
Description	Members of this management role group have permissions to manage Exchange objects and their properties in the Exchange organization. Members can also delegate role groups and management roles in the organization. This role group shouldn't be deleted.
Identifier	5acc951-7265-4d86-8e8f-40404984da64
Last Updated	Friday, August 23, 2024 3:58:20 PM

Role Group Settings

Managers	Organization Management
Member Names	ad45c596-19d3-4cd5-a11b-c6096b1ce89d TenantAdmins_-1118979700
Role Names	Address Lists Application Calendars.Read Application Calendars.ReadWrite Application Contacts.Read Application Contacts.ReadWrite Application EWS.AccessAsApp Application Exchange Full Access Application Mail Full Access Application Mail.Read Application Mail.ReadBasic Application Mail.ReadWrite Application Mail.Send Application Mail-Advanced.ReadWrite.All Application MailboxConfigItem.Read Application MailboxConfigItem.ReadWrite Application MailboxFolder.Read Application MailboxFolder.ReadWrite Application MailboxItem.Export Application MailboxItem.ImportExport Application MailboxItem.Read Application MailboxItem.ReadWrite Application MailboxSettings.Read Application MailboxSettings.ReadWrite Application MailTips.ReadBasic.All Application SMTP.SendAsApp ApplicationImpersonation ArchiveApplication Audit Logs Communication Compliance Admin Communication Compliance Investigation Compliance Admin Data Loss Prevention Distribution Groups E-Mail Address Policies Federated Sharing Information Protection Admin Information Protection Analyst Information Protection Investigator Information Protection Reader Information Rights Management Insider Risk Management Admin Insider Risk Management Investigation Journaling Legal Hold LegalHoldApplication Mail Enabled Public Folders Mail Recipient Creation Mail Recipients Mail Tips Mailbox Import Export

	Mailbox Search MailboxSearchApplication MeetingGraphApplication Message Tracking Migration Move Mailboxes My Custom Apps My Marketplace Apps My ReadWriteMailbox Apps MyBaseOptions MyContactInformation MyDistributionGroupMembership MyDistributionGroups MyMailboxDelegation MyMailSubscriptions MyProfileInformation MyRetentionPolicies MyTextMessaging MyVoiceMail OfficeExtensionApplication Org Custom Apps Org Marketplace Apps Organization Client Access Organization Configuration Organization Transport Settings PlacesBuildingManagement PlacesDeskManagement Privacy Management Admin Privacy Management Investigation Public Folders Recipient Policies Remote and Accepted Domains Reset Password Retention Management Role Management Security Admin Security Group Creation and Membership Security Reader SendMailApplication SensitivityLabelAdministrator TeamMailboxLifecycleApplication Tenant AllowBlockList Manager TenantPlacesManagement Transport Hygiene Transport Rules User Options UserApplication View-Only Audit Logs View-Only Configuration View-Only Recipients
Write Scope	Default

Places Administrator

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Places Administrator
Description	Has access to deploy the Purview agents and perform the content analysis.
Identifier	f61048fd-0e39-4785-834b-9b5bfd3c60e3
Last Updated	Thursday, May 29, 2025 11:34:39 AM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	TenantPlacesManagement
Write Scope	Default

Privacy Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Privacy Management
Description	View all Compliance Manager content except for administrator functions.
Identifier	c1f3cf9f-ff7f-431b-be7b-5c92c67e5fae
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Privacy Management Admin Privacy Management Investigation
Write Scope	Default

Privacy Management Administrators

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Privacy Management Administrators
Description	Manage access control for Privacy Management solution in the Microsoft 365 Compliance Center.
Identifier	8693782d-d542-4ff5-9d6f-26569077ea9d
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Privacy Management Admin
Write Scope	Default

Privacy Management Investigators

Admin role groups combine together permissions that can be assigned to administrators in the organization.

 General Settings

Name	Privacy Management Investigators
Description	Analysts of privacy management solution that can investigate policy matches, view messages meta data, and take remediation actions.
Identifier	0163b9b2-761b-451f-ad2b-962d774e77e9
Last Updated	Friday, August 23, 2024 3:57:44 PM

 Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Privacy Management Investigation
Write Scope	Default

Recipient Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Recipient Management
Description	Members of this management role group have rights to create, manage, and remove Exchange recipient objects in the Exchange organization.
Identifier	d5d1e9ea-bf12-485b-a1bb-96e159ce0fbf
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Distribution Groups Mail Recipient Creation Mail Recipients Message Tracking Migration Move Mailboxes Recipient Policies Reset Password
Write Scope	Default

Records Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Records Management
Description	Members of this management role group have permissions to manage and dispose record content.
Identifier	de15c39e-b31a-4bf1-9304-26485de4512a
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Audit Logs Journaling Message Tracking Retention Management Transport Rules
Write Scope	Default

RIM-MailboxAdminsa7a1e6f5f3ff40d3902ef64f0b74e596

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	RIM-MailboxAdminsa7a1e6f5f3ff40d3902ef64f0b74e596
Description	
Identifier	bbfeb4ca-1fba-449b-b343-72ace3830fc6
Last Updated	Friday, August 23, 2024 3:58:19 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	ApplicationImpersonation
Write Scope	Default

Security Administrator

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Security Administrator
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Administrators role groups and will inherit the capabilities of that role group.
Identifier	f00f49e0-3164-4e06-a179-31470b25d536
Last Updated	Tuesday, December 2, 2025 12:28:57 PM

Role Group Settings

Managers	Organization Management
Member Names	SecurityAdmins_1942666338
Role Names	Security Admin SensitivityLabelAdministrator
Write Scope	Default

Security Operator

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Security Operator
Description	Manage security alerts, and also view reports and settings of security features.
Identifier	a7822b8a-a29d-42c0-bdbf-db11f3dad96
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Tenant AllowBlockList Manager
Write Scope	Default

Security Reader

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	Security Reader
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Reader role groups and will inherit the capabilities of that role group.
Identifier	f1efa7ec-87f1-4b9a-a1ab-08f68f292c1d
Last Updated	Friday, August 23, 2024 3:57:44 PM

Role Group Settings

Managers	Organization Management
Member Names	
Role Names	Security Reader
Write Scope	Default

SecurityAdmins_1942666338

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	SecurityAdmins_1942666338
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through the administrator portals. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Security Administrators role groups and will inherit the capabilities of that role group.
Identifier	f725b416-366a-421b-8305-28705bcce90d
Last Updated	Tuesday, December 2, 2025 12:28:57 PM

Role Group Settings

Managers	Organization Management
Member Names	ad45c596-19d3-4cd5-a11b-c6096b1ce89d
Role Names	
Write Scope	Default

TenantAdmins_-1118979700

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	TenantAdmins_-1118979700
Description	Membership in this role group is synchronized across services and managed centrally. This role group is not manageable through Microsoft Exchange. Members of this role group may include cross-service administrators, as well as external partner groups and Microsoft Support. By default, this group may not be assigned any roles. However, it will be a member of the Organization Management role group and will inherit the capabilities of that role group.
Identifier	b469bfca-bdb9-4843-ba2a-57189dddf25c
Last Updated	Wednesday, January 28, 2026 10:34:28 AM

Role Group Settings

Managers	Organization Management
Member Names	9ddb867d-4d7c-42f9-9777-4222d1b3c281 ad45c596-19d3-4cd5-a11b-c6096b1ce89d
Role Names	
Write Scope	Default

View-Only Organization Management

Admin role groups combine together permissions that can be assigned to administrators in the organization.

General Settings

Name	View-Only Organization Management
Description	Members of this management role group can view recipient and configuration objects and their properties in the Exchange organization.
Identifier	fe6f735c-3c2e-4ea2-a8d1-1538fb1d7e35
Last Updated	Friday, August 23, 2024 3:58:21 PM

Role Group Settings

Managers	Organization Management
Member Names	GlobalReaders_1101547655
Role Names	View-Only Configuration View-Only Recipients
Write Scope	Default

Outlook Web App Policies

The Outlook Web App policies allow a common set of policy settings, such as feature availability and file access settings to be applied to Outlook Web App users.

 1 Outlook Web App Policies

Name		Last Modified
 OwaMailboxPolicy-Default		Friday, July 11, 2025 11:22:40 AM

OwaMailboxPolicy-Default

The Outlook Web App policies allow a common set of policy settings, such as feature availability and file access settings to be applied to Outlook Web App users.

General Settings

Name	OwaMailboxPolicy-Default
Identifier	4593fb02-d1e4-4009-9235-4d75036f350e
Offline Access	Always
Last Updated	Friday, July 11, 2025 11:22:40 AM

Communication Management

All Address Lists	True
Contacts	True
Exchange ActiveSync	True
Instant Messaging	True
LinkedIn Contact Sync	True
Mobile Device Contact Sync	True
Text Messaging	True
Unified Messaging	True

Information Management

Inbox Rules	True
Journaling	True
Notes	True
Recover Deleted Items	True

Security

Change Password	True
Junk Email Filtering	True

User Experience

Email Signature	True
Interesting Calendars	True
Local Events	False
Places	True
Premium Client	True
Themes	True
Weather	True

Time Management

Calendar	True
Reminders and Notifications	True
Tasks	True

File Access

Direct File Access (Private)	True
Direct File Access (Public)	True

User Roles

User roles are policies that control what settings users can configure on their own mailboxes and on distribution groups they own. These settings include their display name, contact information, voice mail settings, and distribution group membership.

 1 User Roles

Name	Description
 Default Role Assignment Policy	This policy grants end users the permission to set their options in Outlook on the web and perform other self-administration tasks.

Default Role Assignment Policy

A user role is a policy that controls what settings users can configure on their own mailboxes and on distribution groups they own.

 General Settings

Name	Default Role Assignment Policy
Description	This policy grants end users the permission to set their options in Outlook on the web and perform other self-administration tasks.
Identifier	9ef9f1b7-5d25-4868-ae9f-08974f4f72e6
Last Updated	Friday, August 23, 2024 3:58:19 PM
Assigned Roles	My Custom Apps My Marketplace Apps My ReadWriteMailbox Apps MyBaseOptions MyContactInformation MyDistributionGroupMembership MyDistributionGroups MyMailSubscriptions MyProfileInformation MyRetentionPolicies MyTextMessaging MyVoiceMail

Protection

Microsoft Exchange Protection provides malware filtering for Exchange On-Premises and a cloud-based email filtering service for Exchange Online. These help protect the organization against spam and malware.

Connection Filter

The connection filter allows the creation of a safe sender list and block list of IP addresses.



Default

Description	
Allowed Addresses	
Blocked Addresses	
Enable Safe List	False
Last Updated	Friday, August 23, 2024 3:58:19 PM

Malware Filters

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

3 Malware Filters

Name	Enabled	Priority
 Standard Preset Security Policy1706870866827	True	-
 Strict Preset Security Policy1706871023969	False	-
 Default	True	Lowest

Standard Preset Security Policy1706870866827

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

 General Settings

Name	Standard Preset Security Policy1706870866827
Description	
Priority	-
Enabled	True
Default	False
Last Updated	Saturday, August 24, 2024 3:51:14 AM

Common Attachment Filter	True
Filtered File Types	ace
	apk
	app
	appx
	ani
	arj
	bat
	cab
	cmd
	com
	deb
	dex
	dll
	docm
	elf
	exe
	hta
	img
	iso
	jar
	jnlp
	kext
	lha
	lib
	library
	lnk
	lzh
	macho
	msc
	msi
	msix
	msp
	mst
	pif
	ppa
	ppam
	reg
	rev
	scf
	scr
	sct
	sys
	uif
	vb
	vbe
	vbs
	vxd
	wsc
	wsf
	wsh
	xll
	xz

	z
Notify Internal Senders	False
Notify External Senders	False
Notify Administrators (Internal Senders)	False
Notify Administrators (External Senders)	False



Custom Notification Settings

Use Customized Notification Text	False
---	-------



Applied To

Applied To	Take the following actions: Apply hosted content filter policy "Standard Preset Security Policy1706870865735". Apply AntiPhish policy "Standard Preset Security Policy1706870864392". Apply malware filter policy "Standard Preset Security Policy1706870866827".
-------------------	---

Strict Preset Security Policy1706871023969

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.

⌵ General Settings

Name	Strict Preset Security Policy1706871023969
Description	
Priority	-
Enabled	False
Default	False
Last Updated	Saturday, August 24, 2024 3:51:16 AM

Common Attachment Filter	True
Filtered File Types	ace
	apk
	app
	appx
	ani
	arj
	bat
	cab
	cmd
	com
	deb
	dex
	dll
	docm
	elf
	exe
	hta
	img
	iso
	jar
	jnlp
	kext
	lha
	lib
	library
	lnk
	lzh
	macho
	msc
	msi
	msix
	msp
	mst
	pif
	ppa
	ppam
	reg
	rev
	scf
	scr
	sct
	sys
	uif
	vb
	vbe
	vbs
	vsd
	wsc
	wsf
	wsh
	xll
	xz

	z
Notify Internal Senders	False
Notify External Senders	False
Notify Administrators (Internal Senders)	False
Notify Administrators (External Senders)	False



Custom Notification Settings

Use Customized Notification Text	False
---	-------



Applied To

Applied To	Take the following actions: Apply hosted content filter policy "Strict Preset Security Policy1706871023133". Apply AntiPhish policy "Strict Preset Security Policy1706871022225". Apply malware filter policy "Strict Preset Security Policy1706871023969".
-------------------	---

Default

The malware filters are an anti-malware protection feature that helps to combat malware in the email messaging environment. Malware is comprised of viruses and spyware.



General Settings

Name	Default
Description	
Priority	Lowest
Enabled	True
Default	True
Last Updated	Friday, August 23, 2024 3:58:19 PM



Settings

Common Attachment Filter	False
Notify Internal Senders	False
Notify External Senders	False
Notify Administrators (Internal Senders)	False
Notify Administrators (External Senders)	False



Custom Notification Settings

Use Customized Notification Text	False
---	-------

Outbound Spam

Outbound spam filtering is always enabled if you use the service for sending outbound email, thereby protecting organizations using the service and their intended recipients.

 Default

Description	
Bcc Suspicious Messages	False
Send Notification When a Sender is Blocked	False
Last Updated	Friday, August 23, 2024 3:58:19 PM

Spam Filters

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

 3 Spam Filters

Name	Enabled	Priority
 Standard Preset Security Policy1706870865735	True	0
 Strict Preset Security Policy1706871023133	False	0
 Default	True	Lowest

Standard Preset Security Policy1706870865735

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

General Settings

Name	Standard Preset Security Policy1706870865735
Description	
Priority	0
Enabled	True
Default	False
Last Updated	Saturday, August 24, 2024 3:51:14 AM

Spam And Bulk Actions

Spam Action	Move message to Junk Email folder
High Confidence Spam Action	Quarantine message
Mark Bulk Email as Spam	On
Bulk Threshold	6
Retain Spam for (Days)	30

Block Lists

Blocked Senders	
Blocked Sender Domains	

Allow Lists

Allowed Senders	
Allowed Sender Domains	

International Spam

Filter Messages by Language	False
Filter Messages by Country or Region	False

Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	Off
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score

URL Redirect to .biz or .info Web Sites	Off
Image Links to Remote Sites	Off
Numeric IP Addresses in URL	Off
URL Redirect to Other Port	Off

Test Mode

Test Mode Action	None
------------------	------

Applied To

Applied To	Take the following actions: Apply hosted content filter policy "Standard Preset Security Policy1706870865735". Apply AntiPhish policy "Standard Preset Security Policy1706870864392". Apply malware filter policy "Standard Preset Security Policy1706870866827".
------------	---

Strict Preset Security Policy1706871023133

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

 General Settings

Name	Strict Preset Security Policy1706871023133
Description	
Priority	0
Enabled	False
Default	False
Last Updated	Saturday, August 24, 2024 3:51:16 AM

 Spam And Bulk Actions

Spam Action	Quarantine message
High Confidence Spam Action	Quarantine message
Mark Bulk Email as Spam	On
Bulk Threshold	5
Retain Spam for (Days)	30

 Block Lists

Blocked Senders	
Blocked Sender Domains	

 Allow Lists

Allowed Senders	
Allowed Sender Domains	

 International Spam

Filter Messages by Language	False
Filter Messages by Country or Region	False

Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	Off
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score

URL Redirect to .biz or .info Web Sites	Off
Image Links to Remote Sites	Off
Numeric IP Addresses in URL	Off
URL Redirect to Other Port	Off

Test Mode

Test Mode Action	None
------------------	------

Applied To

Applied To	Take the following actions: Apply hosted content filter policy "Strict Preset Security Policy1706871023133". Apply AntiPhish policy "Strict Preset Security Policy1706871022225". Apply malware filter policy "Strict Preset Security Policy1706871023969".
------------	--

Default

Spam filters allow the ability to take an action on inbound messages identified as spam including whether to filter messages written in a specific language, or sent from specific countries or regions.

General Settings

Name	Default
Description	
Priority	Lowest
Enabled	True
Default	True
Last Updated	Friday, August 23, 2024 3:58:19 PM

Spam And Bulk Actions

Spam Action	Move message to Junk Email folder
High Confidence Spam Action	Move message to Junk Email folder
Mark Bulk Email as Spam	On
Bulk Threshold	7
Retain Spam for (Days)	15

Block Lists

Blocked Senders	
Blocked Sender Domains	

Allow Lists

Allowed Senders	
Allowed Sender Domains	

International Spam

Filter Messages by Language	False
Filter Messages by Country or Region	False

Mark As Spam

Embed tags in HTML	Off
Empty Messages	Off
Form tags in HTML	Off
Frame or IFrame tags in HTML	Off
Conditional Sender ID Filtering: Hard Fail	Off
JavaScript or VBScript in HTML	Off
NDR Backscatter	Off
Object tags in HTML	Off
Sensitive Word List	Off
SPF Record: Hard Fail	Off
Web bugs in HTML	Off

Increase Spam Score

URL Redirect to .biz or .info Web Sites	Off
Image Links to Remote Sites	Off
Numeric IP Addresses in URL	Off
URL Redirect to Other Port	Off

Test Mode

Test Mode Action	None
------------------	------

Public Folders

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

Public Folders

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

 2 Public Folders

Path	Mail Enabled	Mailbox Name
 \	False	Demonstration Public Folder Mailbox 1
 \Demonstration Public Folder 1	False	Demonstration Public Folder Mailbox 1



Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

 General Settings

Mail Enabled	False
Mailbox Name	Demonstration Public Folder Mailbox 1
Has Subfolders	True
Maintain Per-user Information	True

 Statistics

Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	Monday, July 20, 2026 12:55:46 PM

 Limits

Use Organization Quota Defaults	True
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

 2 Client Permissions

Name	Access Rights
 Anonymous	None
 Default	Author

\Demonstration Public Folder 1

Public folders are designed for shared access and provide an easy and effective way to collect, organize, and share information with other people in a workgroup or organization.

General Settings

Mail Enabled	False
Mailbox Name	Demonstration Public Folder Mailbox 1
Has Subfolders	False
Maintain Per-user Information	True

Statistics

Associated Item Count	0
Contact Count	0
Deleted Item Count	0
Owner Count	0
Total Items	0
Total Item Size	0 B (0 bytes)
Total Associated Item Size	0 B (0 bytes)
Total Deleted Item Size	0 B (0 bytes)
Last Updated	Monday, July 20, 2026 1:06:36 PM

Limits

Use Organization Quota Defaults	True
Use Organization Retention Defaults	True
Use Organization Age Limit Defaults	True

2 Client Permissions

Name	Access Rights
 Anonymous	None
 Default	Author

Public Folder Mailboxes

The Exchange public folder architecture uses specially designed mailboxes to store both the public folder hierarchy and the content.

 1 Public Folder Mailboxes

Name	Database	Contains
 Demonstration Public Folder Mailbox 1	GBRP123.PROD.OUTLOOK.COM/2291d86b-a1c3-435d-860b-af6e7f941464	Primary Hierarchy

Recipients

This section provides information about the recipients configured within the organization.

Mailboxes

Exchange mailboxes are the core containers that store a user's email, calendar, contacts, tasks, and other messaging data. Each mailbox belongs to an identity in the organization and may represent real users, shared mailboxes, meeting rooms, equipment booking resources, or internal system functions.

3 Mailboxes

First Letter	Count
 #	0
 A	0
 B	0
 C	0
 D	1
 E	0
 F	0
 G	0
 H	0
 I	0
 J	0
 K	0
 L	0
 M	0
 N	0
 O	0
 P	0
 Q	0
 R	0
 S	0
 T	1
 U	0
 V	0
 W	0
 X	1
 Y	0
 Z	0

Mailboxes - D

Provides information about the mailboxes defined in the organization with the specified first letter.

1 Mailboxes

Display Name	Type	Primary SMTP Address	Last Logon Time
 Discovery Search Mailbox	Discovery Mailbox	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}@centrelsolutionsdemo.onmicrosoft.com	{Never Logged In}

Discovery Search Mailbox

An Exchange mailbox is the core container that store a user's email, calendar, contacts, tasks, and other messaging data.

General Settings

Alias	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}
Identifier	01d8720c-efbf-4f0a-82a2-a1ae4932e850
Identity	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}
Mailbox Type	Discovery Mailbox
Primary SMTP Address	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}@centrelsolutionsdemo.onmicrosoft.com
User Logon Name	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}@centrelsolutionsdemo.onmicrosoft.com

Mailbox Archive

Enabled	False
---------	-------

1 Email Addresses

Type	Address
 SMTP	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}@centrelsolutionsdemo.onmicrosoft.com

Mailbox Statistics

Item Count	3
Last Logon Time	[Not Configured]
Mailbox Usage	24.93 KB

0 Custom Attributes

There are no custom attributes found.

Mailboxes - T

Provides information about the mailboxes defined in the organization with the specified first letter.

1 Mailboxes

Display Name	Type	Primary SMTP Address	Last Logon Time
 Test	Shared	test@centrelsolutionsdemo.com	{Never Logged In}

Test

An Exchange mailbox is the core container that store a user's email, calendar, contacts, tasks, and other messaging data.

General Settings

Alias	test
Identifier	251ad71e-4d83-4522-82fe-1a4eb11dec9b
Identity	Test
Mailbox Type	Shared
Primary SMTP Address	test@centrelsolutionsdemo.com
User Logon Name	test@centrelsolutionsdemo.onmicrosoft.com

Mailbox Archive

Enabled	False
---------	-------

2 Email Addresses

Type	Address
 SMTP	test@centrelsolutionsdemo.com
 smtp	test@centrelsolutionsdemo.onmicrosoft.com

Mailbox Statistics

Item Count	16
Last Logon Time	[Not Configured]
Mailbox Usage	161.74 KB

0 Custom Attributes

There are no custom attributes found.

Mailboxes - X

Provides information about the mailboxes defined in the organization with the specified first letter.

1 Mailboxes

Display Name	Type	Primary SMTP Address	Last Logon Time
 XIA	User	xia@centrelsolutionsdemo.onmicrosoft.com	{Never Logged In}

XIA

An Exchange mailbox is the core container that store a user's email, calendar, contacts, tasks, and other messaging data.

General Settings

Alias	xia
Identifier	6b9209cd-faff-49ca-8aaf-0286dda5b001
Identity	ad45c596-19d3-4cd5-a11b-c6096b1ce89d
Mailbox Type	User
Primary SMTP Address	xia@centrelsolutionsdemo.onmicrosoft.com
User Logon Name	xia@centrelsolutionsdemo.onmicrosoft.com

Mailbox Archive

Enabled	True
Archive Names	Demonstration Archive

3 Email Addresses

Type	Address
 smtp	demonstration@centrelsolutionsdemo.mail.onmicrosoft.com
 SMTP	xia@centrelsolutionsdemo.onmicrosoft.com
 SPO	SPO_558fa176-c264-4f9f-9efa-720572e3f05c@SPO_157f8a9e-052c-4fc2-8b9f-11e8ccc55e96

Mailbox Statistics

Item Count	243
Last Logon Time	[Not Configured]
Mailbox Usage	19.9 MB

1 Custom Attributes

Name	Value
 Custom Attribute 1	Example attribute

Distribution Groups

Distribution groups allow the sending of emails to collections of users.

3 Distribution Groups

Display Name	Alias	Primary SMTP Address
 Demonstration Distribution Group	DemonstrationDistributionGroup	DemonstrationDistributionGroup@centrelsolutionsdemo.onmicrosoft.com
 Demonstration Security Group	demonstrationsecuritygroup	demonstrationsecuritygroup@centrelsolutionsdemo.onmicrosoft.com
 Demonstration Security Group	DemonstrationSecurityGroup	DemonstrationSecurityGroup0348@centrelsolutionsdemo.onmicrosoft.com

Demonstration Distribution Group

Distribution groups allow the sending of emails to collections of users.

General Settings

Display Name	Demonstration Distribution Group
Alias	DemonstrationDistributionGroup
Email Addresses	SMTP:DemonstrationDistributionGroup@centrelsolutionsdemo.onmicrosoft.com X500:/o=CENTREL Solutions Demo/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=bf85b1277ac24f2e9f9e175dc231a5a4-D
Automatically Update Email Addresses	False
MailTip	
Notes	This is a demonstration distribution group.
Hide From Address Lists	False
Last Updated	Monday, April 20, 2026 12:22:33 PM

Ownership

Owners	Organization Management
--------	-------------------------

Membership

Members	
Joining	Closed: Members can be added only by the group owners. All requests to join will be rejected automatically
Leaving	Closed: Members can only be removed by the group owners. All requests to leave the group will be rejected automatically.

Delivery Management

Accepted Sender Type	Senders inside and outside of my organization
Accepted Senders	All senders can send messages to this group

Moderation

Messages Must Be Approved	False
---------------------------	-------

Delegation

Send As	
Send On Behalf	

Demonstration Security Group

Distribution groups allow the sending of emails to collections of users.

General Settings

Display Name	Demonstration Security Group
Alias	demonstrationsecuritygroup
Email Addresses	SMTP:demonstrationsecuritygroup@centrelsolutionsdemo.onmicrosoft.com
Automatically Update Email Addresses	False
MailTip	
Notes	
Hide From Address Lists	False
Last Updated	Thursday, July 23, 2026 4:14:09 PM

Ownership

Owners	ad45c596-19d3-4cd5-a11b-c6096b1ce89d
--------	--------------------------------------

Membership

Members	
Joining	Closed: Members can be added only by the group owners. All requests to join will be rejected automatically
Leaving	Closed: Members can only be removed by the group owners. All requests to leave the group will be rejected automatically.

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accepted Senders	All senders can send messages to this group

Moderation

Messages Must Be Approved	False
---------------------------	-------

Delegation

Send As	
Send On Behalf	

Demonstration Security Group

Distribution groups allow the sending of emails to collections of users.

General Settings

Display Name	Demonstration Security Group
Alias	DemonstrationSecurityGroup
Email Addresses	SMTP:DemonstrationSecurityGroup0348@centrelsolutionsdemo.onmicrosoft.com X500:/o=CENTREL Solutions Demo/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=00ee46052d1d4db3a6d90a43b6025cbc-D
Automatically Update Email Addresses	False
MailTip	
Notes	This is a demonstration security group.
Hide From Address Lists	False
Last Updated	Thursday, August 27, 2026 5:16:35 PM

Ownership

Owners	Organization Management
--------	-------------------------

Membership

Members	
Joining	Closed: Members can be added only by the group owners. All requests to join will be rejected automatically
Leaving	Closed: Members can only be removed by the group owners. All requests to leave the group will be rejected automatically.

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accepted Senders	All senders can send messages to this group

Moderation

Messages Must Be Approved	False
---------------------------	-------

Delegation

Send As	
Send On Behalf	

Dynamic Distribution Groups

Dynamic distribution groups are mail-enabled Active Directory group objects within a Microsoft Exchange organization. The membership of the group is determined automatically by filters and conditions.



0 Dynamic Distribution Groups

There are no dynamic distribution groups configured for this organization.

Microsoft 365 Groups

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

7 Microsoft 365 Groups

Display Name	Alias
 All Company	allcompany
 All Company	allcompany107
 Deprecated - All Company	AllCompany.63717335041.nqmosuyc
 Group for Answers in Viva Engage – DO NOT DELETE 59131330561	groupforanswersinvivaengagedonotdelete59131330561118
 Group for Answers in Viva Engage – DO NOT DELETE 63717335041	groupforanswersinvivaengagedonotdelete63717335041744
 IT	IT
 TestSite	TestSite

All Company

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	All Company
Group Email Address	allcompany@centrelsolutionsdemo.onmicrosoft.com
Description	This is the default group for everyone in the network
Privacy	Public - anyone can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	XIA
--------	-----

Membership

Members	XIA
---------	-----

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accept Messages From	All senders
Reject Messages From	No senders

Delegation

Send As	
Send On Behalf	

All Company

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	All Company
Group Email Address	allcompany107@centrelsolutionsdemo.onmicrosoft.com
Description	This is the default group for everyone in the network
Privacy	Public - anyone can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	XIA
--------	-----

Membership

Members	XIA
---------	-----

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accept Messages From	All senders
Reject Messages From	No senders

Delegation

Send As	
Send On Behalf	

Deprecated - All Company

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	Deprecated - All Company
Group Email Address	AllCompany.63717335041.nqmosuyc@centrelsolutionsdemo.onmicrosoft.com
Description	All Company
Privacy	Public - anyone can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	9ddb867d-4d7c-42f9-9777-4222d1b3c281 XIA
--------	---

Membership

Members	
---------	--

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accept Messages From	All senders
Reject Messages From	No senders

Delegation

Send As	
Send On Behalf	

Group for Answers in Viva Engage – DO NOT DELETE 59131330561

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	Group for Answers in Viva Engage – DO NOT DELETE 59131330561
Group Email Address	groupforanswersinvivaengagedonotdelete59131330561118@centrelsolutionsdemo.onmicrosoft.com
Description	Group that stores content and metadata for Answers in Viva Engage in network 59131330561. Deleting this this group will disrupt Answers in Viva Engage.
Privacy	Public - anyone can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	XIA
--------	-----

Membership

Members	
---------	--

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accept Messages From	All senders
Reject Messages From	No senders

Delegation

Send As	
Send On Behalf	

Group for Answers in Viva Engage – DO NOT DELETE 63717335041

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	Group for Answers in Viva Engage – DO NOT DELETE 63717335041
Group Email Address	groupforanswersinvivaengagedonotdelete63717335041744@centrelsolutionsdemo.onmicrosoft.com
Description	Group that stores content and metadata for Answers in Viva Engage in network 63717335041. Deleting this this group will disrupt Answers in Viva Engage.
Privacy	Public - anyone can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	XIA
--------	-----

Membership

Members	
---------	--

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accept Messages From	All senders
Reject Messages From	No senders

Delegation

Send As	
Send On Behalf	

IT

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	IT
Group Email Address	IT@centrelsolutionsdemo.onmicrosoft.com
Description	Support for the IT team!
Privacy	Private - only members can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	Demonstration User XIA
--------	---------------------------

Membership

Members	Test XIA
---------	-------------

Delivery Management

Accepted Sender Type	Senders inside and outside of my organization
Accept Messages From	XIA
Reject Messages From	AllCompany.63717335041.nqmo_67476002-a533-4dec-9363-8f2fd76e0382

Delegation

Send As	DemoMailbox@centrelsolutionsdemo.onmicrosoft.com
Send On Behalf	Demonstration User

TestSite

Microsoft 365 Groups apply only to Exchange Online, and allow a set of people to collaborate and share a collection of resources.

General Settings

Group Name	TestSite
Group Email Address	TestSite@centrelsolutionsdemo.onmicrosoft.com
Description	This is a test
Privacy	Private - only members can see content
Language	English (United States)
Subscribe New Members	False

Ownership

Owners	XIA
--------	-----

Membership


Members	XIA
---------	-----

Delivery Management

Accepted Sender Type	Only senders inside my organization
Accept Messages From	All senders
Reject Messages From	No senders

Delegation

Send As	
Send On Behalf	



Business Impact / Criticality

Provides business impact and criticality information.



Business Impact / Criticality

Criticality	High
Recovery Priority	P1
Impact Information	This provides cloud based email accounts.

Support Provisions

This section provides information about the support provisions associated with this item.

 1 Support Provisions

Name	Relationship Type	Hours	Start Date	Expiry Date
 24 x 7 Premium Support	Technical Support	24 x 7 x 365	Friday, April 17, 2026	Thursday, April 17, 2036

24 x 7 Premium Support

This section provides information about the support provisions associated with this item.



Relationship Information

Relationship Type	Technical Support
-------------------	-------------------



Support Provision Details

Support Hours	24 x 7 x 365
Reference Number	SPE
Self Service Web Site	https://www.centrelsolutionsdemo.onmicrosoft.com/support
Email Address	support@centrelsolutionsdemo.onmicrosoft.com
Telephone Number	+44 1865 123123



Validity Period

Start Date	Friday, April 17, 2026
Expiry Date	Thursday, April 17, 2036



Version History

The version history displays the changes that have been made to the documentation of the item over time - either automatically when a change has been detected, or manually by users of the system.

 **2 versions**

Version	Username	Date	Time	Description
 1.13	CENTREL-WS01\XiaConfiguration	Monday, September 7, 2026	1:48 PM	Updated by XIA Configuration Client Data
 1.12	CENTREL-WS01\XiaAdmin	Thursday, July 9, 2026	10:18 AM	Updated descriptions.

About XIA Configuration

XIA Configuration is an IT infrastructure audit and documentation tool that automates the process of collecting and documenting network configurations.