

# Citrix XenDesktop Site Report

Site76



# Table of Contents

Disclaimer

XenDesktop Site Information

|                  |   |
|------------------|---|
| Item Properties  | 5 |
| Relationships    | 5 |
| Relationship Map | 6 |

Site76

|                          |    |
|--------------------------|----|
| Administrators           | 8  |
| DEMOXENAPP\Administrator | 9  |
| DEMOXENAPP\ksmith        | 10 |
| DEMOXENAPP\ppurvis       | 11 |
| DEMOXENAPP\smartin       | 12 |

Applications

|                                  |    |
|----------------------------------|----|
| Microsoft Office\Access 2013     | 14 |
| Microsoft Office\Excel 2013      | 15 |
| Microsoft Office\OneNote 2013    | 16 |
| Microsoft Office\Outlook 2013    | 17 |
| Microsoft Office\PowerPoint 2013 | 18 |
| Microsoft Office\Publisher 2013  | 19 |
| Microsoft Office\Word 2013       | 20 |

App-V Publishing

Controllers

|                             |    |
|-----------------------------|----|
| DEMO-XA76-01.demoxenapp.int | 23 |
| DEMO-XA76-02.demoxenapp.int | 24 |

Delivery Groups

|                              |    |
|------------------------------|----|
| HR Users Delivery Group      | 26 |
| Remote PCs Delivery Group    | 29 |
| Windows 7 VDI Delivery Group | 32 |

Hosting

|                   |    |
|-------------------|----|
| DEMO-XEN01        | 36 |
| Default Resources | 38 |

|                               |    |
|-------------------------------|----|
| PVSTest                       | 39 |
| Licensing                     | 41 |
| Machine Catalogs              | 43 |
| PVS Catalog                   | 44 |
| Remote PCs                    | 46 |
| DEMOXENAPP\DEMO-DHCP-WIN7     | 48 |
| Terminal Servers              | 50 |
| DEMOXENAPP\DEMO-XA76-VDA01    | 52 |
| Windows 7 VDI                 | 54 |
| DEMOXENAPP\DEMO-PC01          | 56 |
| DEMOXENAPP\DEMO-PC02          | 58 |
| DEMOXENAPP\DEMO-PC03          | 60 |
| Logging                       | 62 |
| Policies                      | 64 |
| Unfiltered                    | 65 |
| HR Staff                      | 66 |
| Roles                         | 71 |
| Delivery Group Administrator  | 72 |
| Full Administrator            | 73 |
| Help Desk Administrator       | 75 |
| Host Administrator            | 76 |
| Machine Catalog Administrator | 77 |
| Read Only Administrator       | 78 |
| Senior Technician             | 79 |
| Scopes                        | 80 |
| All                           | 81 |
| Catalogs                      | 82 |
| Xen Hypervisor Scope          | 83 |
| StoreFront                    | 84 |
| Version History               |    |

# Disclaimer

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.

# XenDesktop Site Information

This is an example XenDesktop 7.6 site connected to a XenServer hypervisor with Microsoft Office 2013 published as individual applications.


## Item Properties

|                       |                                     |
|-----------------------|-------------------------------------|
| Description           | Sample XenDesktop 7.6 site          |
| Item Name             | Site76                              |
| Item ID               | 12047                               |
| Primary Owner Name    | Technical Services                  |
| Primary Owner Contact | technicalservices@demonstration.int |
| Scanned on Date       | Wednesday, August 12, 2015          |
| Client Version        | 7.1.1                               |

## Relationships

| Item ID   | Direction | Name              | Type                  | Relationship Type            |
|---|-----------|-------------------|-----------------------|------------------------------|
|  4750     | Outbound  | DEMO-XA76-01      | Windows Server        | Contains Delivery Controller |
|  12048    | Outbound  | DEMO-XA76-02      | Windows Server        | Contains Delivery Controller |
|  1000     | Outbound  | Demonstration Inc | Container             | Contained Within             |
|  Internal | Outbound  | Access 2013       | Published Application | Hosts Published Application  |
|  Internal | Outbound  | Excel 2013        | Published Application | Hosts Published Application  |
|  Internal | Outbound  | OneNote 2013      | Published Application | Hosts Published Application  |
|  Internal | Outbound  | Outlook 2013      | Published Application | Hosts Published Application  |
|  Internal | Outbound  | PowerPoint 2013   | Published Application | Hosts Published Application  |
|  Internal | Outbound  | Publisher 2013    | Published Application | Hosts Published Application  |
|  Internal | Outbound  | Word 2013         | Published Application | Hosts Published Application  |

# Relationship Map



# Site76

Citrix XenDesktop delivers virtualized desktop infrastructure (VDI) to users. As of XenDesktop 7.0 the application virtualization capabilities of XenApp have been incorporated into the product.

---

## General Settings

|                 |                                      |
|-----------------|--------------------------------------|
| Site Name       | Site76                               |
| Site GUID       | 1c1de453-5cc7-4f37-a924-fb2584cd4af7 |
| Edition         | Platinum                             |
| Product Code    | XenDesktop                           |
| Product Version | 7.6.0.0                              |

---

## Site Database

|                        |                         |
|------------------------|-------------------------|
| Database Instance Name | DEMO-XA76-01\SQLEXPRESS |
| Database Name          | CitrixSite76            |

---

## Logging Configuration

|                   |  |
|-------------------|--|
| Enabled           | True   |
| State             | Enabled  |
| Connection String | Server=DEMO-XA76-01\SQLEXPRESS;Initial Catalog=log3;Integrated Security=True |
| Database Name     | log3   |
| Instance Name     | DEMO-XA76-01\SQLEXPRESS  |

# Administrators

Administrators have been delegated access rights for the purposes of administration activities, using role and object-based control.

| Name  | Status  |
|---|---------|
|  DEMOXENAPP\Administrator | Enabled |
|  DEMOXENAPP\ksmith        | Enabled |
|  DEMOXENAPP\ppurvis       | Enabled |
|  DEMOXENAPP\smartin       | Enabled |

## DEMOXENAPP\Administrator

Administrators have been delegated access rights for the purposes of administration activities, using role and object-based control.

---

### General Settings

|                |   |
|----------------|---|
| Name           | DEMOXENAPP\Administrator                      |
| Account Status | Enabled                                       |
| SID            | S-1-5-21-1119390013-2107715993-1139858522-500 |

---

### Administrator Rights

| Scope  | Role               |
|--|--------------------|
|  All | Full Administrator |

## DEMOXENAPP\ksmith

Administrators have been delegated access rights for the purposes of administration activities, using role and object-based control.

---

### General Settings

|                |  |
|----------------|--|
| Name           | DEMOXENAPP\ksmith                              |
| Account Status | Enabled  |
| SID            | S-1-5-21-1119390013-2107715993-1139858522-1124 |

---

### Administrator Rights

| Scope   | Role                          |
|---|-------------------------------|
|  Catalogs | Machine Catalog Administrator |

## DEMOXENAPP\ppurvis

Administrators have been delegated access rights for the purposes of administration activities, using role and object-based control.

---

### General Settings

|                |  |
|----------------|--|
| Name           | DEMOXENAPP\ppurvis                             |
| Account Status | Enabled  |
| SID            | S-1-5-21-1119390013-2107715993-1139858522-1114 |

---

### Administrator Rights

| Scope   | Role               |
|---|--------------------|
|  Xen Hypervisor Scope | Host Administrator |

## DEMOXENAPP\smartin

Administrators have been delegated access rights for the purposes of administration activities, using role and object-based control.

---

### General Settings

|                |  |
|----------------|--|
| Name           | DEMOXENAPP\smartin                             |
| Account Status | Enabled  |
| SID            | S-1-5-21-1119390013-2107715993-1139858522-1113 |

---

### Administrator Rights

| Scope   | Role               |
|---|--------------------|
|  Xen Hypervisor Scope | Host Administrator |


# Applications

Provides details of the applications that have been virtualized and made available (published) to users.

| Name   | Application Type  | Status  | Description |
|--|-------------------|---------|-------------|
|  Access 2013     | Hosted on Desktop | Enabled |             |
|  Excel 2013      | Hosted on Desktop | Enabled |             |
|  OneNote 2013    | Hosted on Desktop | Enabled |             |
|  Outlook 2013    | Hosted on Desktop | Enabled |             |
|  PowerPoint 2013 | Hosted on Desktop | Enabled |             |
|  Publisher 2013  | Hosted on Desktop | Enabled |             |
|  Word 2013       | Hosted on Desktop | Enabled |             |

# Microsoft Office\Access 2013

Provides details of the applications that have been virtualized and made available (published) to users.



## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | Access 2013  |
| Application name (for administrators) | Access 2013  |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | dec436ea-d505-4a1d-9655-33f4f82e5ca5               |
| UID                                   | 10   |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# Microsoft Office\Excel 2013

Provides details of the applications that have been virtualized and made available (published) to users.



64x64



32x32



16x16

## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | Excel 2013   |
| Application name (for administrators) | Excel 2013   |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | d5397e6c-d961-4077-b651-ea690202db8d               |
| UID                                   | 9  |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# Microsoft Office\OneNote 2013

Provides details of the applications that have been virtualized and made available (published) to users.



64x64



32x32



16x16

## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | OneNote 2013                                       |
| Application name (for administrators) | OneNote 2013                                       |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | 0f3830f4-2827-4e33-8797-a7ae863a0f70               |
| UID                                   | 12   |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# Microsoft Office\Outlook 2013

Provides details of the applications that have been virtualized and made available (published) to users.



64x64



32x32



16x16

## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | Outlook 2013                                       |
| Application name (for administrators) | Outlook 2013                                       |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | 59c8dd6f-bd06-46b0-99a0-ce2fce652ca0               |
| UID                                   | 13   |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# Microsoft Office\PowerPoint 2013

Provides details of the applications that have been virtualized and made available (published) to users.



64x64



32x32



16x16

## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | PowerPoint 2013                                    |
| Application name (for administrators) | PowerPoint 2013                                    |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | 07638dc8-9c29-4d36-ab5f-d5d07e821639               |
| UID                                   | 14   |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# Microsoft Office\Publisher 2013

Provides details of the applications that have been virtualized and made available (published) to users.



64x64



32x32



16x16

## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | Publisher 2013                                     |
| Application name (for administrators) | Publisher 2013                                     |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | 86cb26ae-2b75-4bd6-af58-855707c340b5               |
| UID                                   | 11   |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# Microsoft Office\Word 2013

Provides details of the applications that have been virtualized and made available (published) to users.



64x64



32x32



16x16

## General Settings

|                                       |  |
|---------------------------------------|--|
| Application Type                      | Hosted on Desktop                                  |
| Application name (for users)          | Word 2013  |
| Application name (for administrators) | Word 2013  |
| CPU Priority Level                    | Normal   |
| Description                           |  |
| Tags                                  |  |
| UUID                                  | 33a4e473-5c9f-488d-bbbb-eb1ec1b35558               |
| UID                                   | 15   |
| Limit visibility                      | Show this application to the entire Delivery Group |
| Visible                               | True   |
| Wait for printer creation             | False  |

## Delivery

|                                 |       |
|---------------------------------|-------|
| Enabled                         | True  |
| Application category (optional) |       |
| Add shortcut to user's desktop  | False |
| Add Shortcut to StartMenu       | False |
| Start menu folder               |       |

## Delivery Groups

|      |                         |
|------|-------------------------|
| Name | HR Users Delivery Group |
|------|-------------------------|

## File Type Associations

There are no file type associations configured for this application.

# App-V Publishing

The App-V publishing settings allow the configuration of an App-V server allowing App-V applications to be published to Delivery Groups within the site.

---

## App-V Configuration

|                         |                            |
|-------------------------|----------------------------|
| Configuration Name      | AppV1                      |
| App-V management server | http://demo-xa76-appv:8000 |
| App-V publishing server | http://demo-xa76-appv:8001 |
| Identifier              | 3                          |


# Controllers

Delivery Controllers are the central management component of a XenDesktop site and provide communication with hypervisors to distribute applications and desktops, authenticate and manages user access as well as brokering connections between users and their virtual desktops and applications.

## Delivery Controller Operating System Breakdown

Microsoft Windows Server 2012 R2 Datacenter

2



Microsoft Windows Server 2012 R2 Datacenter

| Name                        | Version    | Operating System                            |
|-----------------------------|------------|---|
| DEMO-XA76-01.demoxenapp.int | 7.6.0.5024 | Microsoft Windows Server 2012 R2 Datacenter |
| DEMO-XA76-02.demoxenapp.int | 7.6.0.5024 | Microsoft Windows Server 2012 R2 Datacenter |

## DEMO-XA76-01.demoxenapp.int

Delivery Controllers are the central management component of a XenDesktop site and provide communication with hypervisors to distribute applications and desktops, authenticate and manages user access as well as brokering connections between users and their virtual desktops and applications.

### General Settings

|                        |  |
|------------------------|--|
| DNS Name               | DEMO-XA76-01.demoxenapp.int  |
| Active Site Services   | AccountNameCacheRefresh<br>AddressNameResolver<br>BrokerReaper<br>ControllerNameCacheRefresh<br>ControllerReaper<br>DEMO-XEN01<br>FeatureChecks<br>GroupUsage<br>IdleSessionManager<br>LeaseReaper<br>Licensing<br>PowerPolicy<br>PVSTest<br>RebootCycleManager<br>RebootScheduleManager<br>RegistrationHardening<br>RemotePC<br>ScopeNamesRefresh<br>WorkerNameCacheRefresh |
| Controller Version     | 7.6.0.5024   |
| Licensing Server State | OK   |
| Machine Name           | DEMOXENAPP\DEMO-XA76-01  |
| SID                    | S-1-5-21-1119390013-2107715993-1139858522-1108   |
| State                  | Active   |
| UID                    | 1  |
| UUID                   | 6571e1ac-8013-47b9-8926-cb9952c30da3   |

### Host Information

|                       |  |
|-----------------------|--|
| Manufacturer          | VMware, Inc.   |
| Model                 | VMware Virtual Platform                                |
| Operating System Name | Microsoft Windows Server 2012 R2 Datacenter            |
| Processors            | Intel(R) Core(TM) i7-4710MQ CPU @ 2.50GHz              |
| Serial Number         | VMware-56 4d 4d ae 87 21 c3 ea-61 2c b3 cb 56 dd 9f 04 |
| Service Pack          | [None Installed]                                       |

## DEMO-XA76-02.demoxenapp.int

Delivery Controllers are the central management component of a XenDesktop site and provide communication with hypervisors to distribute applications and desktops, authenticate and manages user access as well as brokering connections between users and their virtual desktops and applications.

### General Settings

|                        |  |
|------------------------|--|
| DNS Name               | DEMO-XA76-02.demoxenapp.int  |
| Active Site Services   | AccountNameCacheRefresh<br>AddressNameResolver<br>BrokerReaper<br>ControllerNameCacheRefresh<br>ControllerReaper<br>DEMO-XEN01<br>FeatureChecks<br>GroupUsage<br>IdleSessionManager<br>LeaseReaper<br>Licensing<br>PowerPolicy<br>PVSTest<br>RebootCycleManager<br>RebootScheduleManager<br>RegistrationHardening<br>RemotePC<br>ScopeNamesRefresh<br>WorkerNameCacheRefresh |
| Controller Version     | 7.6.0.5024   |
| Licensing Server State | OK   |
| Machine Name           | DEMOMUXENAPP\DEMO-XA76-02  |
| SID                    | S-1-5-21-1119390013-2107715953-1139858522-1108   |
| State                  | Active   |
| UID                    | 1  |
| UUID                   | 6571e1ac-8013-47b9-8926-cb9952c30da3   |

### Host Information

|                       |  |
|-----------------------|--|
| Manufacturer          | VMware, Inc.   |
| Model                 | VMware Virtual Platform                                |
| Operating System Name | Microsoft Windows Server 2012 R2 Datacenter            |
| Processors            | Intel(R) Core(TM) i7-4710MQ CPU @ 2.50GHz              |
| Serial Number         | VMware-56 4d 4d ae 87 22 c3 ea-61 2c b3 cb 56 dd 9f 04 |
| Service Pack          | [None Installed]                                       |

# Delivery Groups

Delivery groups are collections of Active Directory users with access to a common group of resources within the site.

| Name  | Delivery Type     | Enabled |
|---|-------------------|---------|
|  HR Users Delivery Group      | Desktops and Apps | True    |
|  Remote PCs Delivery Group    | Desktops Only     | True    |
|  Windows 7 VDI Delivery Group | Desktops Only     | True    |

## HR Users Delivery Group

Delivery groups are collections of Active Directory users with access to a common group of resources within the site.

### General Settings

|   |  |
|---|--|
| Name  | HR Users Delivery Group                          |
| Published Name                                    | HR Applications                                  |
| Automatic Power On For Assigned                   | True   |
| Automatic Power On For Assigned During Peak Times | False  |
| Color Depth                                       | 24bit  |
| Delivery Type                                     | Desktops and Apps                                |
| Desktop Kind                                      | Shared   |
| Functional Level                                  | 7.6 (recommended, to access the latest features) |
| Maintenance Mode                                  | False  |
| Is Remote PC                                      | False  |
| Protocols   |  |
| Session Support                                   | Multi Session                                    |
| Shutdown Desktops After Use                       | False  |
| Tags  |  |
| Turn On Added Machine                             | True   |
| UID   | 4  |
| UUID  | c37a7f45-7303-4839-b21d-e719db162ab4             |

### User Settings

|                     |   |
|---------------------|---|
| Description         | This is an example delivery group for HR staff. |
| Desktops per user   | 0   |
| TimeZone            | GMT Standard Time                               |
| Enabled             | True  |
| Secure ICA Required | True  |

### Access Policy

|   |                            |
|---|----------------------------|
| Allow connections not through Netscaler Gateway | True                       |
| Allow connections through Netscaler Gateway     | True                       |
| Allow connectiong meeting the specified filters | True                       |
| Specified filters                               | Site76:*                   |
| Assigned Users                                  | DEMOXENAPP\Citrix HR Users |
| Allow Anonymous                                 | True                       |

### Power Management (Peak Hours)

|  |         |
|--|---------|
| When off-peak and disconnected for (minutes) | 0       |
| Offpeak Disconnection Action                 | Nothing |
| When off-peak and logged off for (minutes)   | 0       |
| Offpeak Logoff Action                        | Nothing |

### Power Management (Off-Peak Hours)

|  |         |
|--|---------|
| When in peak time and disconnected for (minutes) | 0       |
| Peak Disconnection Action                        | Nothing |
| When in peak time and logged off for (minutes)   | 0       |
| Peak Log Off Action                              | Nothing |

### Application Prelaunch

|   |   |
|---|---|
| Mode  | Prelaunch when any user in the Delivery Group logs onto Receiver for Windows  |
| Associated User Names   |   |
| If no application is started terminate the session on the following | After the specified time 2 hours<br>When the average load on all machines exceeds 70%<br>When the average load on any machine exceeds 70% |

### Application Lingering

|                            |         |
|----------------------------|---------|
| Enabled                    | True    |
| Keep sessions active until | 8 hours |

### Restart Schedule

|                                   |   |
|-----------------------------------|---|
| Mode                              | Restart Daily                           |
| Restart first group at            | 1:0                                     |
| Restart additional groups         | Restart all machines at once            |
| Send restart notification to user | 5 minute(s) before a user is logged off |
| Warning Message                   | This is a sample restart notification   |

### StoreFront

| Name   | Receiver StoreFront URL                                | Description              |
|--|--|--------------------------|
|  demo-xa76-sf01.demoxenapp.int | https://demo-xa76-sf01.demoxenapp.int/citrix/mainstore | Demonstration StoreFront |

### Scopes

| Name   | Description |
|--|-------------|
|  All | All Objects |

---

 **Administrators**

| Name  | Role               | Enabled |
|---|--------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator | True    |

# Remote PCs Delivery Group

Delivery groups are collections of Active Directory users with access to a common group of resources within the site.

## General Settings

|   |  |
|---|--|
| Name  | Remote PCs Delivery Group                        |
| Published Name                                    | Remote PCs Delivery Group                        |
| Automatic Power On For Assigned                   | True   |
| Automatic Power On For Assigned During Peak Times | False  |
| Color Depth                                       | 24bit  |
| Delivery Type                                     | Desktops Only                                    |
| Desktop Kind                                      | Private  |
| Functional Level                                  | 7.6 (recommended, to access the latest features) |
| Maintenance Mode                                  | False  |
| Is Remote PC                                      | True   |
| Protocols   |  |
| Session Support                                   | Single Session                                   |
| Shutdown Desktops After Use                       | False  |
| Tags  |  |
| Turn On Added Machine                             | False  |
| UID   | 3  |
| UUID  | e41d4362-21c4-4669-9cb9-2448d8e8f370             |

## User Settings

|                     |                   |
|---------------------|-------------------|
| Description         |                   |
| Desktops per user   | 11                |
| TimeZone            | GMT Standard Time |
| Enabled             | True              |
| Secure ICA Required | False             |

## Access Policy

|   |  |
|---|--|
| Allow connections not through Netscaler Gateway | True   |
| Allow connections through Netscaler Gateway     | True   |
| Allow connectiong meeting the specified filters | True   |
| Specified filters                               | farmy:policy   |
| Assigned Users                                  | DEMOXENAPP\Domain Users<br>DEMOXENAPP\smartin<br>DEMOXENAPP\App-V Managers |
| Allow Anonymous                                 | False  |

### Power Management (Peak Hours)

|  |         |
|--|---------|
| When off-peak and disconnected for (minutes) | 0       |
| Offpeak Disconnection Action                 | Nothing |
| When off-peak and logged off for (minutes)   | 0       |
| Offpeak Logoff Action                        | Nothing |


### Power Management (Off-Peak Hours)

|  |         |
|--|---------|
| When in peak time and disconnected for (minutes) | 0       |
| Peak Disconnection Action                        | Nothing |
| When in peak time and logged off for (minutes)   | 0       |
| Peak Log Off Action                              | Nothing |

### Peak Hours (Weekdays)



### Peak Hours (Weekends)



### Restart Schedule

|      |          |
|------|----------|
| Mode | Disabled |
|------|----------|

### StoreFront

| Name   | Receiver StoreFront URL                                | Description              |
|--|--|--------------------------|
|  demo-xa76-sf01.demoxenapp.int | https://demo-xa76-sf01.demoxenapp.int/citrix/mainstore | Demonstration StoreFront |

### Scopes

| Name   | Description |
|--|-------------|
|  All | All Objects |

### Administrators

| Name | Role | Enabled |
|------|------|---------|
|------|------|---------|



DEMOXENAPP\Administrator

Full Administrator

True

# Windows 7 VDI Delivery Group

Delivery groups are collections of Active Directory users with access to a common group of resources within the site.

## General Settings

|   |  |
|---|--|
| Name  | Windows 7 VDI Delivery Group                     |
| Published Name                                    | Windows 7 VDI Delivery Group                     |
| Automatic Power On For Assigned                   | True   |
| Automatic Power On For Assigned During Peak Times | False  |
| Color Depth                                       | 24bit  |
| Delivery Type                                     | Desktops Only                                    |
| Desktop Kind                                      | Private  |
| Functional Level                                  | 7.6 (recommended, to access the latest features) |
| Maintenance Mode                                  | False  |
| Is Remote PC                                      | False  |
| Protocols   |  |
| Session Support                                   | Single Session                                   |
| Shutdown Desktops After Use                       | False  |
| Tags  |  |
| Turn On Added Machine                             | False  |
| UID   | 2  |
| UUID  | ecd65cfb-91fa-446d-a60d-0c2f94c4ecc5             |

## User Settings

|                     |   |
|---------------------|---|
| Description         | Delivers Windows 7 desktops to domain users |
| Desktops per user   | 1   |
| TimeZone            | GMT Standard Time                           |
| Enabled             | True  |
| Secure ICA Required | False                                       |

## Access Policy

|   |                         |
|---|-------------------------|
| Allow connections not through Netscaler Gateway | True                    |
| Allow connections through Netscaler Gateway     | True                    |
| Allow connectiong meeting the specified filters | True                    |
| Specified filters                               |                         |
| Assigned Users                                  | DEMOXENAPP\Domain Users |
| Allow Anonymous                                 | False                   |

### Power Management (Peak Hours)

|  |         |
|--|---------|
| When off-peak and disconnected for (minutes) | 0       |
| Offpeak Disconnection Action                 | Nothing |
| When off-peak and logged off for (minutes)   | 0       |
| Offpeak Logoff Action                        | Nothing |


### Power Management (Off-Peak Hours)

|  |          |
|--|----------|
| When in peak time and disconnected for (minutes) | 715      |
| Peak Disconnection Action                        | Suspend  |
| When in peak time and logged off for (minutes)   | 444      |
| Peak Log Off Action                              | Shutdown |

### Peak Hours (Weekdays)



### Peak Hours (Weekends)



### Restart Schedule

|      |          |
|------|----------|
| Mode | Disabled |
|------|----------|

### StoreFront

| Name   | Receiver StoreFront URL                                | Description              |
|--|--|--------------------------|
|  demo-xa76-sf01.demoxenapp.int | https://demo-xa76-sf01.demoxenapp.int/citrix/mainstore | Demonstration StoreFront |

### Scopes

| Name   | Description |
|--|-------------|
|  All | All Objects |

### Administrators

| Name | Role | Enabled |
|------|------|---------|
|------|------|---------|



DEMOXENAPP\Administrator

Full Administrator

True

# Hosting

Hosting provides the connection details of the hypervisors to which the site is connected.

| Name  | Type              | Address               | State |
|---|-------------------|-----------------------|-------|
|  DEMO-XEN01 | Citrix XenServer® | http://192.168.89.129 | On    |
|  PVSTest    | Citrix XenServer® | http://192.168.89.129 | On    |

# DEMO-XEN01

Hosting provides the connection details of the hypervisors to which the site is connected.

## General Settings

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| Name                                  | DEMO-XEN01                           |
| Connection Type                       | Citrix XenServer®                    |
| Hypervisor Addresses                  | http://192.168.89.129                |
| Machine Count                         | 3                                    |
| Persistent                            | True                                 |
| Plugin Id                             | XenFactory                           |
| Preferred Controller                  | DEMOXENAPP\DEMO-XA76-01              |
| Revision                              | f949a461-40a0-49b1-8bdd-2551906cf648 |
| State                                 | On                                   |
| Supports Local Storage Caching        | True                                 |
| Supports Citrix Provisioning Services | True                                 |
| UID                                   | 0                                    |
| User Name                             | root                                 |
| Uses Cloud Infrastructure             | False                                |
| UUID                                  | 72d29912-45e0-4603-b75c-dbb7237fec5a |

## Advanced Settings

|   |    |
|---|----|
| Maximum simultaneous actions (all types)                | 88 |
| Maximum new actions per minute                          | 11 |
| Maximum simultaneous personal vDisk inventory updates   | 0  |
| Maximum % simultaneous actions (all types)              | 20 |
| Maximum % simultaneous personal vDisk inventory updates | 21 |
| Connection Options                                      |    |

## Resources

| Name   | Network Name | IntelliCache |
|--|--------------|--------------|
|  Default Resources | Network 0    | False        |

## Scopes

| Name  | Description                        |
|---|------------------------------------|
|  All                  | All Objects                        |
|  Xen Hypervisor Scope | Provides access to all Xen servers |

---

 **Administrators**

| Name  | Role               | Enabled |
|---|--------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator | True    |
|  DEMOXENAPP\ppurvis       | Host Administrator | True    |
|  DEMOXENAPP\smartin       | Host Administrator | True    |

## Default Resources

Resources are the hypervisor network connections and storage that are made available to XenDesktop through hosting connections.

---

### General Settings

|                    |                                      |
|--------------------|--------------------------------------|
| Name               | Default Resources                    |
| Network Identifier | b11bd14a-2176-36df-79b1-62be653e8c26 |
| Network Name       | Network 0                            |
| Permitted Networks | Network 0                            |
| Uuid               | 1d1eed17-4ea7-4dab-bfc4-f59bcdf47fe1 |
| VM Tagging Enabled | True                                 |

---

### Storage

|                              |                             |
|------------------------------|-----------------------------|
| Personal vDisk Storage Names | Local storage on DEMO-XEN01 |
| Storage Names                | Local storage on DEMO-XEN01 |
| IntelliCache                 | False                       |

# PVSTest

Hosting provides the connection details of the hypervisors to which the site is connected.

## General Settings

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| Name                                  | PVSTest                              |
| Connection Type                       | Citrix XenServer®                    |
| Hypervisor Addresses                  | http://192.168.89.129                |
| Machine Count                         | 0                                    |
| Persistent                            | True                                 |
| Plugin Id                             | XenFactory                           |
| Preferred Controller                  | DEMOXENAPP\DEMO-XA76-01              |
| Revision                              | 1e6a7301-816d-45da-a80a-29da8e214677 |
| State                                 | On                                   |
| Supports Local Storage Caching        | True                                 |
| Supports Citrix Provisioning Services | True                                 |
| UID                                   | 0                                    |
| User Name                             | root                                 |
| Uses Cloud Infrastructure             | False                                |
| UUID                                  | 3695b858-a351-47b5-a3fa-b32d30e16223 |

## Advanced Settings

|   |     |
|---|-----|
| Maximum simultaneous actions (all types)                | 100 |
| Maximum new actions per minute                          | 10  |
| Maximum simultaneous personal vDisk inventory updates   | 0   |
| Maximum % simultaneous actions (all types)              | 20  |
| Maximum % simultaneous personal vDisk inventory updates | 25  |
| Connection Options                                      |     |

## Resources

There are no resources configured for this hosting connection.

## Scopes

| Name  | Description                        |
|---|------------------------------------|
|  All                  | All Objects                        |
|  Xen Hypervisor Scope | Provides access to all Xen servers |

---

 **Administrators**

| Name  | Role               | Enabled |
|---|--------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator | True    |
|  DEMOXENAPP\ppurvis       | Host Administrator | True    |
|  DEMOXENAPP\smartin       | Host Administrator | True    |

# Licensing

This section provides information about the licensing configuration for the site.

## Licensing

|                            |  |
|----------------------------|--|
| License Server Name        | DEMO-XA76-01.demoxenapp.int              |
| License Server Port        | 27000                                    |
| License Server URI         | https://DEMO-XA76-01.demoxenapp.int:8083 |
| Administration Console URL | http://DEMO-XA76-01.demoxenapp.int:8082  |
| Licensing BurnIn Date      | 8/15/2014 1:00:00 AM                     |
| Licensing Model            | Concurrent Licensing                     |
| Version                    | v11.12.1.0 build 146690 (ipv6) i86_n3    |
| Web Service Version        | 3.0                                      |

## Licenses

| Name   | Permission Level    | Type              | Subscription Advantage Date | Quantity |
|--|---------------------|-------------------|-----------------------------|----------|
|  Citrix EdgeSight for Endpoints            | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix License Server Diagnostics License | Server              | System            | Friday, January 1, 2038     | 10000    |
|  Citrix Provisioning Server for Desktops  | Concurrent          | Evaluation        | Friday, June 5, 2015        | 198      |
|  Citrix Provisioning Services            | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix Start-up License                 | Server              | System            | Friday, January 1, 2038     | 10000    |
|  Citrix StorageLink Enterprise           | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenApp Advanced                  | Server              | Developer Edition | Sunday, March 6, 2016       | 1        |
|  Citrix XenApp Enterprise                | Server              | Developer Edition | Sunday, March 6, 2016       | 1        |
|  Citrix XenApp Enterprise                | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenApp Platinum                  | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenApp Platinum                  | Server              | Developer Edition | Sunday, March 6, 2016       | 1        |
|  Citrix XenApp Standard                  | Server              | Developer Edition | Sunday, March 6, 2016       | 1        |
|  Citrix XenDesktop Enterprise            | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop Enterprise            | Concurrent (Legacy) | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop Enterprise            | User/Device         | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop Platinum              | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop Platinum              | Concurrent (Legacy) | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop Platinum              | User/Device         | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop VDI                   | User/Device         | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop VDI                   | Concurrent (Legacy) | Evaluation        | Friday, June 5, 2015        | 99       |
|  Citrix XenDesktop VDI                   | Concurrent          | Evaluation        | Friday, June 5, 2015        | 99       |

---

 **License Administrators**

| Name   | Permission Level | Type  |
|--|------------------|-------|
|  BUILTINADMINISTRATORS   | Full             | Group |
|  DEMOXENAPPADMINISTRATOR | Full             | User  |
|  DEMOXENAPPKSMITH        | Read Only        | User  |
|  DEMOXENAPPSMARTIN       | Full             | User  |
|  \TestAdmin              | Full             | User  |

# Machine Catalogs

Machine catalogs are collections of virtual or physical machines that can be managed as a single entity. Each machine in the catalog must have the same operating system and virtual delivery agent (VDA) installed.

| Name  | Provisioning Type            | Machine Count | Allocated Machines |
|---|------------------------------|---------------|--------------------|
|  PVS Catalog      | Citrix provisioning services | 0             | 0                  |
|  Remote PCs       | Manual                       | 1             | 1                  |
|  Terminal Servers | Manual                       | 1             | 0                  |
|  Windows 7 VDI    | Machine creation services    | 3             | 2                  |

# PVS Catalog

Machine catalogs are collections of virtual or physical machines that can be managed as a single entity. Each machine in the catalog must have the same operating system and virtual delivery agent (VDA) installed.

## General Settings

|                                      |  |
|--------------------------------------|--|
| Name                                 | PVS Catalog                            |
| Allocation Type                      | Random                                 |
| Description                          | Updated description                    |
| Functional Level                     | 5.6 FP1 (Windows XP and Windows Vista) |
| Is Remote PC                         | False                                  |
| Machines Are Physical                | False                                  |
| Persist User Changes                 | Discard                                |
| Provisioning Type                    | Citrix provisioning services           |
| Provisioning Services Server Address | demo-xa-dc01                           |
| Provisioning Services Server Domain  | demoxenapp.int                         |
| Session Support                      | Multi Session                          |
| UID                                  | 6                                      |
| UUID                                 | 345d30d3-9df3-4d61-8684-7d1606a7c62a   |

## Machine Information

|                  |         |
|------------------|---------|
| VDA Version      | Unknown |
| Operating System | Unknown |

## Machine Count

|                  |   |
|------------------|---|
| Machine Count    | 0 |
| Assigned Count   | 0 |
| Unassigned Count | 0 |
| Used Count       | 0 |

## Scopes

| Name  | Description                             |
|---|---|
|  All      | All objects                             |
|  Catalogs | Provides access to all machine catalogs |

## Administrators

| Name  | Role                          | Enabled |
|---|-------------------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator            | True    |
|  DEMOXENAPP\ksmith        | Machine Catalog Administrator | True    |



## Machines

There are no machines documented.

## Remote PCs

Machine catalogs are collections of virtual or physical machines that can be managed as a single entity. Each machine in the catalog must have the same operating system and virtual delivery agent (VDA) installed.

### General Settings

|                       |  |
|-----------------------|--|
| Name                  | Remote PCs                                       |
| Allocation Type       | Static   |
| Description           |  |
| Functional Level      | 7.6 (recommended, to access the latest features) |
| Is Remote PC          | True   |
| Machines Are Physical | True   |
| Persist User Changes  | On Local   |
| Provisioning Type     | Manual   |
| Session Support       | Single Session                                   |
| UID                   | 5  |
| UUID                  | 4be6ef6e-a5b1-4885-8b14-5e7d7183bf96             |

### Machine Information

|                  |                          |
|------------------|--------------------------|
| VDA Version      | Windows 7 Service Pack 1 |
| Operating System | 7.6.0.5026               |

### Machine Count

|                  |   |
|------------------|---|
| Machine Count    | 1 |
| Assigned Count   | 1 |
| Unassigned Count | 0 |
| Used Count       | 1 |

### Scopes

| Name  | Description                             |
|---|---|
|  All      | All objects                             |
|  Catalogs | Provides access to all machine catalogs |

### Administrators

| Name  | Role                          | Enabled |
|---|-------------------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator            | True    |
|  DEMOXENAPP\ksmith        | Machine Catalog Administrator | True    |

---

 **Machines**

| Name   | Operating System         | Associated User Names                          |
|--|--------------------------|--|
|  DEMOXENAPP\DEMO-DHCP-WIN7 | Windows 7 Service Pack 1 | DEMOXENAPP\Administrator<br>DEMOXENAPP\smartin |

## DEMOXENAPP\DEMO-DHCP-WIN7

XenDesktop machines are physical or virtual workstation or server systems running the Virtual Delivery Agent (VDA) software that provide services to the end users of the site.

### General Settings

|                          |  |
|--------------------------|--|
| Machine Name             | DEMOXENAPP\DEMO-DHCP-WIN7                        |
| DNS Name                 | DEMO-DHCP-WIN7.demoxenapp.int                    |
| Browser Name             | Remote PCs Delivery Group \$P5                   |
| Published Name           | DEMO-DHCP-WIN7                                   |
| Catalog Name             | Remote PCs                                       |
| Agent Version            | 7.6.0.5026                                       |
| Allocation Type          | Static   |
| Assigned Client Name     |  |
| Assigned IP Address      |  |
| Associated User Names    | DEMOXENAPP\Administrator<br>DEMOXENAPP\smartin   |
| Color Depth              | Unknown  |
| Controller DNS Name      |  |
| Delivery Group Name      | Remote PCs Delivery Group                        |
| Delivery Type            | Desktops Only                                    |
| Description              |  |
| Functional Level         | 7.6 (recommended, to access the latest features) |
| Maintenance Mode         | False  |
| IP Address               |  |
| Is Assigned              | True   |
| Is Physical              | True   |
| Operating System Type    | Windows 7 Service Pack 1                         |
| Operating System Version | Microsoft Windows NT 6.1.7601 Service Pack 1     |
| Persist User Changes     | On Local   |
| Power State              | Unmanaged  |
| Provisioning Type        | Manual   |
| Personal vDisk Stage     | None   |
| Registration State       | Unregistered                                     |
| Enable Secure ICA        | Unknown  |
| Session Support          | Single Session                                   |
| SID                      | S-1-5-21-1119390013-2107715993-1139858522-1130   |
| Supported Power Actions  |  |
| Tags                     |  |
| Tools State              | Unknown  |
| UID                      | 6  |
| UUID                     | 840e1347-e237-4c55-b022-48e4f0c52595             |

|                            |              |
|----------------------------|--------------|
| Will Shutdown After Use    | False        |
| Windows Connection Setting | LogonEnabled |

## Terminal Servers

Machine catalogs are collections of virtual or physical machines that can be managed as a single entity. Each machine in the catalog must have the same operating system and virtual delivery agent (VDA) installed.

### General Settings

|                       |  |
|-----------------------|--|
| Name                  | Terminal Servers                                 |
| Allocation Type       | Random   |
| Description           |  |
| Functional Level      | 7.6 (recommended, to access the latest features) |
| Is Remote PC          | False  |
| Machines Are Physical | True   |
| Persist User Changes  | On Local   |
| Provisioning Type     | Manual   |
| Session Support       | Multi Session                                    |
| UID                   | 1  |
| UUID                  | b7d0cec0-8806-4abf-88ab-597728fe49c7             |

### Machine Information

|                  |                 |
|------------------|-----------------|
| VDA Version      | Windows 2012 R2 |
| Operating System | 7.6.0.5026      |

### Machine Count

|                  |   |
|------------------|---|
| Machine Count    | 1 |
| Assigned Count   | 0 |
| Unassigned Count | 1 |
| Used Count       | 1 |

### Scopes

| Name  | Description                             |
|---|---|
|  All      | All objects                             |
|  Catalogs | Provides access to all machine catalogs |

### Administrators

| Name  | Role                          | Enabled |
|---|-------------------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator            | True    |
|  DEMOXENAPP\ksmith        | Machine Catalog Administrator | True    |

---

 **Machines**

| Name  | Operating System | Associated User Names |
|---|------------------|-----------------------|
|  DEMOXENAPP\DEMO-XA76-VDA01 | Windows 2012 R2  |                       |

## DEMOXENAPP\DEMO-XA76-VDA01

XenDesktop machines are physical or virtual workstation or server systems running the Virtual Delivery Agent (VDA) software that provide services to the end users of the site.

### General Settings

|                          |  |
|--------------------------|--|
| Machine Name             | DEMOXENAPP\DEMO-XA76-VDA01                       |
| DNS Name                 | DEMO-XA76-VDA01.demoxenapp.int                   |
| Browser Name             |  |
| Published Name           |  |
| Catalog Name             | Terminal Servers                                 |
| Agent Version            | 7.6.0.5026                                       |
| Allocation Type          | Random   |
| Assigned Client Name     |  |
| Assigned IP Address      |  |
| Associated User Names    |  |
| Color Depth              | Unknown  |
| Controller DNS Name      |  |
| Delivery Group Name      | HR Users Delivery Group                          |
| Delivery Type            | Desktops and Apps                                |
| Description              |  |
| Functional Level         | 7.6 (recommended, to access the latest features) |
| Maintenance Mode         | False  |
| IP Address               |  |
| Is Assigned              | False  |
| Is Physical              | True   |
| Operating System Type    | Windows 2012 R2                                  |
| Operating System Version | Microsoft Windows NT 6.2.9200.0                  |
| Persist User Changes     | On Local   |
| Power State              | Unmanaged  |
| Provisioning Type        | Manual   |
| Personal vDisk Stage     | None   |
| Registration State       | Unregistered                                     |
| Enable Secure ICA        | Unknown  |
| Session Support          | Multi Session                                    |
| SID                      | S-1-5-21-1119390013-2107715993-1139858522-1111   |
| Supported Power Actions  |  |
| Tags                     |  |
| Tools State              | Unknown  |
| UID                      | 1  |
| UUID                     | e09ff99e-df64-40c0-ae59-d236acabd3a7             |
| Will Shutdown After Use  | False  |



## Windows 7 VDI

Machine catalogs are collections of virtual or physical machines that can be managed as a single entity. Each machine in the catalog must have the same operating system and virtual delivery agent (VDA) installed.

### General Settings

|                       |  |
|-----------------------|--|
| Name                  | Windows 7 VDI                                    |
| Allocation Type       | Static   |
| Description           | Windows 7 Professional VDI machines. Updated.    |
| Functional Level      | 7.6 (recommended, to access the latest features) |
| Is Remote PC          | False  |
| Machines Are Physical | False  |
| Persist User Changes  | On personal vDisk                                |
| Provisioning Type     | Machine creation services                        |
| Session Support       | Single Session                                   |
| UID                   | 4  |
| UUID                  | 6a4a9929-cd5a-406f-872c-54447980e8a0             |

### Machine Information

|                  |                          |
|------------------|--------------------------|
| VDA Version      | Windows 7 Service Pack 1 |
| Operating System | 7.6.0.5026               |

### Machine Count

|                  |   |
|------------------|---|
| Machine Count    | 3 |
| Assigned Count   | 2 |
| Unassigned Count | 1 |
| Used Count       | 3 |

### Scopes

| Name  | Description                             |
|---|---|
|  All      | All objects                             |
|  Catalogs | Provides access to all machine catalogs |

### Administrators

| Name  | Role                          | Enabled |
|---|-------------------------------|---------|
|  DEMOXENAPP\Administrator | Full Administrator            | True    |
|  DEMOXENAPP\ksmith        | Machine Catalog Administrator | True    |

---

 **Machines**

| Name  | Operating System         | Associated User Names    |
|---|--------------------------|--------------------------|
|  DEMOXENAPP\DEMO-PC01 | Windows 7 Service Pack 1 | DEMOXENAPP\Administrator |
|  DEMOXENAPP\DEMO-PC02 | Windows 7 Service Pack 1 | DEMOXENAPP\smartin       |
|  DEMOXENAPP\DEMO-PC03 | Windows 7 Service Pack 1 |                          |

## DEMOXENAPP\DEMO-PC01

XenDesktop machines are physical or virtual workstation or server systems running the Virtual Delivery Agent (VDA) software that provide services to the end users of the site.

### General Settings

|                          |  |
|--------------------------|--|
| Machine Name             | DEMOXENAPP\DEMO-PC01   |
| DNS Name                 | DEMO-PC01.demoxenapp.int   |
| Browser Name             | Windows 7 VDI Deli \$A2-1-7CE9651A-0001                                |
| Published Name           |  |
| Catalog Name             | Windows 7 VDI  |
| Agent Version            | 7.6.0.5026   |
| Allocation Type          | Static   |
| Assigned Client Name     |  |
| Assigned IP Address      |  |
| Associated User Names    | DEMOXENAPP\Administrator   |
| Color Depth              | Unknown  |
| Controller DNS Name      |  |
| Delivery Group Name      | Windows 7 VDI Delivery Group   |
| Delivery Type            | Desktops Only  |
| Description              | Delivers Windows 7 desktops to domain users                            |
| Functional Level         | 7.6 (recommended, to access the latest features)                       |
| Maintenance Mode         | False  |
| IP Address               |  |
| Is Assigned              | True   |
| Is Physical              | False  |
| Operating System Type    | Windows 7 Service Pack 1   |
| Operating System Version | Microsoft Windows NT 6.1.7601 Service Pack 1                           |
| Persist User Changes     | On personal vDisk  |
| Power State              | Off  |
| Provisioning Type        | Machine creation services  |
| Personal vDisk Stage     | None   |
| Registration State       | Unregistered   |
| Enable Secure ICA        | Unknown  |
| Session Support          | Single Session   |
| SID                      | S-1-5-21-1119390013-2107715993-1139858522-1126                         |
| Supported Power Actions  | Reset<br>Restart<br>Resume<br>Shutdown<br>Suspend<br>TurnOff<br>TurnOn |
| Tags                     | CORP-TAG01<br>CORP-TAG02   |

|                            |                                      |
|----------------------------|--------------------------------------|
| Tools State                | Unknown                              |
| UID                        | 3                                    |
| UUID                       | e9c2fbe4-59d0-4865-b974-099360680c11 |
| Will Shutdown After Use    | False                                |
| Windows Connection Setting | LogonEnabled                         |

---

 **Hosting**

|                            |            |
|----------------------------|------------|
| Hosted Machine Name        | DEMO-PC01  |
| Hosting Server Name        |            |
| Hypervisor Connection Name | DEMO-XEN01 |

## DEMOXENAPP\DEMO-PC02

XenDesktop machines are physical or virtual workstation or server systems running the Virtual Delivery Agent (VDA) software that provide services to the end users of the site.

### General Settings

|                          |  |
|--------------------------|--|
| Machine Name             | DEMOXENAPP\DEMO-PC02   |
| DNS Name                 | DEMO-PC02.demoxenapp.int   |
| Browser Name             | Windows 7 VDI Deli \$A2-1-7CE960B7-0001                                |
| Published Name           |  |
| Catalog Name             | Windows 7 VDI  |
| Agent Version            | 7.6.0.5026   |
| Allocation Type          | Static   |
| Assigned Client Name     |  |
| Assigned IP Address      |  |
| Associated User Names    | DEMOXENAPP\smartin   |
| Color Depth              | Unknown  |
| Controller DNS Name      |  |
| Delivery Group Name      | Windows 7 VDI Delivery Group   |
| Delivery Type            | Desktops Only  |
| Description              | Delivers Windows 7 desktops to domain users                            |
| Functional Level         | 7.6 (recommended, to access the latest features)                       |
| Maintenance Mode         | False  |
| IP Address               |  |
| Is Assigned              | True   |
| Is Physical              | False  |
| Operating System Type    | Windows 7 Service Pack 1   |
| Operating System Version | Microsoft Windows NT 6.1.7601 Service Pack 1                           |
| Persist User Changes     | On personal vDisk  |
| Power State              | Off  |
| Provisioning Type        | Machine creation services  |
| Personal vDisk Stage     | None   |
| Registration State       | Unregistered   |
| Enable Secure ICA        | Unknown  |
| Session Support          | Single Session   |
| SID                      | S-1-5-21-1119390013-2107715993-1139858522-1127                         |
| Supported Power Actions  | Reset<br>Restart<br>Resume<br>Shutdown<br>Suspend<br>TurnOff<br>TurnOn |
| Tags                     |  |
| Tools State              | Unknown  |

|                            |                                      |
|----------------------------|--------------------------------------|
| UID                        | 4                                    |
| UUID                       | ad2c7a58-a0f5-48d9-8bf8-2f73a6941456 |
| Will Shutdown After Use    | False                                |
| Windows Connection Setting | LogonEnabled                         |

---

 **Hosting**

|                            |            |
|----------------------------|------------|
| Hosted Machine Name        | DEMO-PC02  |
| Hosting Server Name        |            |
| Hypervisor Connection Name | DEMO-XEN01 |

## DEMOXENAPP\DEMO-PC03

XenDesktop machines are physical or virtual workstation or server systems running the Virtual Delivery Agent (VDA) software that provide services to the end users of the site.

### General Settings

|                          |  |
|--------------------------|--|
| Machine Name             | DEMOXENAPP\DEMO-PC03   |
| DNS Name                 | DEMO-PC03.demoxenapp.int   |
| Browser Name             |  |
| Published Name           |  |
| Catalog Name             | Windows 7 VDI  |
| Agent Version            | 7.6.0.5026   |
| Allocation Type          | Static   |
| Assigned Client Name     |  |
| Assigned IP Address      |  |
| Associated User Names    |  |
| Color Depth              | Unknown  |
| Controller DNS Name      | DEMO-XA76-01.demoxenapp.int  |
| Delivery Group Name      | Windows 7 VDI Delivery Group   |
| Delivery Type            | Desktops Only  |
| Description              |  |
| Functional Level         | 7.6 (recommended, to access the latest features)                       |
| Maintenance Mode         | False  |
| IP Address               | 192.168.89.214   |
| Is Assigned              | False  |
| Is Physical              | False  |
| Operating System Type    | Windows 7 Service Pack 1   |
| Operating System Version | Microsoft Windows NT 6.1.7601 Service Pack 1                           |
| Persist User Changes     | On personal vDisk  |
| Power State              | On   |
| Provisioning Type        | Machine creation services  |
| Personal vDisk Stage     | None   |
| Registration State       | Registered   |
| Enable Secure ICA        | Unknown  |
| Session Support          | Single Session   |
| SID                      | S-1-5-21-1119390013-2107715993-1139858522-1128                         |
| Supported Power Actions  | Reset<br>Restart<br>Resume<br>Shutdown<br>Suspend<br>TurnOff<br>TurnOn |
| Tags                     |  |
| Tools State              | Unknown  |

|                            |                                      |
|----------------------------|--------------------------------------|
| UID                        | 5                                    |
| UUID                       | 89dca27d-1a69-40b5-a9dc-d18fa5b46f2f |
| Will Shutdown After Use    | False                                |
| Windows Connection Setting | LogonEnabled                         |

---

 **Hosting**

|                            |            |
|----------------------------|------------|
| Hosted Machine Name        | DEMO-PC03  |
| Hosting Server Name        | DEMO-XEN01 |
| Hypervisor Connection Name | DEMO-XEN01 |

# Logging

The logging section provides information about the site logging configuration and the log entries written for the site at the time of the scan.

## Logging Configuration

|                   |  |
|-------------------|--|
| Enabled           | True   |
| State             | Enabled  |
| Connection String | Server=DEMO-XA76-01\SQLEXPRESS;Initial Catalog=log3;Integrated Security=True |
| Database Name     | log3   |
| Instance Name     | DEMO-XA76-01\SQLEXPRESS  |

## Log Entries

| Administrator   | Description   | Start                 | End                   | Successful |
|---|---|-----------------------|-----------------------|------------|
|  DEMOXENAPP\Administrator   | Modify Licensing Service administrator<br>DEMOXENAPP\KSMITH | 8/12/2015 11:11:37 AM | 8/12/2015 11:11:37 AM | True       |
|  DEMOXENAPP\Administrator   | Modify Licensing Service administrator \TestAdmin           | 8/12/2015 11:11:33 AM | 8/12/2015 11:11:33 AM | False      |
|  DEMOXENAPP\Administrator   | Modify Licensing Service administrator \TestAdmin           | 8/12/2015 11:10:50 AM | 8/12/2015 11:10:50 AM | False      |
|  DEMOXENAPP\Administrator | Modify Licensing Service administrator \TestAdmin           | 8/12/2015 11:10:46 AM | 8/12/2015 11:10:46 AM | False      |
|  DEMOXENAPP\Administrator | Delete Resources 'Super resource'                           | 8/12/2015 11:10:38 AM | 8/12/2015 11:10:38 AM | True       |
|  DEMOXENAPP\Administrator | Delete Resources 'Neg1'                                     | 8/12/2015 11:10:35 AM | 8/12/2015 11:10:35 AM | True       |
|  DEMOXENAPP\Administrator | Delete Resources 'Another resource'                         | 8/12/2015 11:09:00 AM | 8/12/2015 11:09:00 AM | True       |
|  DEMOXENAPP\Administrator | Modify Administrator 'DEMOXENAPP\ksmith'                    | 8/12/2015 11:08:52 AM | 8/12/2015 11:08:52 AM | True       |
|  DEMOXENAPP\Administrator | Add Administrator Scope 'Catalogs'                          | 8/12/2015 11:08:46 AM | 8/12/2015 11:08:46 AM | True       |
|  DEMOXENAPP\Administrator | Modify Administrator 'DEMOXENAPP\Administrator'             | 8/12/2015 11:08:31 AM | 8/12/2015 11:08:31 AM | True       |
|  DEMOXENAPP\Administrator | Modify Administrator 'DEMOXENAPP\smartin'                   | 8/12/2015 11:08:27 AM | 8/12/2015 11:08:27 AM | True       |
|  DEMOXENAPP\Administrator | Modify Administrator 'DEMOXENAPP\ppurvis'                   | 8/12/2015 11:08:22 AM | 8/12/2015 11:08:22 AM | True       |
|  DEMOXENAPP\Administrator | Delete Scope 'Catalogs Scope'                               | 8/12/2015 11:08:09 AM | 8/12/2015 11:08:09 AM | True       |
|  DEMOXENAPP\Administrator | Delete Scope 'Quick scope'                                  | 8/12/2015 11:08:07 AM | 8/12/2015 11:08:07 AM | True       |
|  DEMOXENAPP\Administrator | Modify Administrator Scope 'Xen Scope'                      | 8/12/2015 11:08:06 AM | 8/12/2015 11:08:06 AM | True       |
|  DEMOXENAPP\Administrator | Modify Administrator Role 'Senior Technician'               | 8/12/2015 11:07:50 AM | 8/12/2015 11:07:50 AM | True       |
|  DEMOXENAPP\Administrator | Delete Role 'Host Administrator-copy'                       | 8/12/2015 11:07:40 AM | 8/12/2015 11:07:40 AM | True       |
|  DEMOXENAPP\Administrator | Delete Role 'Sample host'                                   | 8/12/2015 11:07:35 AM | 8/12/2015 11:07:35 AM | True       |
|  DEMOXENAPP\Administrator | Delete Role 'CatAdmin'                                      | 8/12/2015 11:07:34 AM | 8/12/2015 11:07:34 AM | True       |

|  |                          |                                    |                       |                       |      |
|--|--------------------------|------------------------------------|-----------------------|-----------------------|------|
|   | DEMOXENAPP\Administrator | Delete Role 'App Admin'            | 8/12/2015 11:07:33 AM | 8/12/2015 11:07:33 AM | True |
|  | DEMOXENAPP\Administrator | Delete Role 'Cat Admin'            | 8/12/2015 11:07:31 AM | 8/12/2015 11:07:31 AM | True |
|  | DEMOXENAPP\Administrator | Update Connection 'DEMO-XEN01'     | 8/12/2015 11:07:27 AM | 8/12/2015 11:07:27 AM | True |
|  | DEMOXENAPP\Administrator | Delete Connection 'vCenter Server' | 8/12/2015 11:07:18 AM | 8/12/2015 11:07:18 AM | True |
|  | DEMOXENAPP\Administrator | Remove Machine Configuration '4'   | 8/12/2015 11:02:42 AM | 8/12/2015 11:02:42 AM | True |
|  | DEMOXENAPP\Administrator | Delete Configuration Logs          | 8/12/2015 11:02:03 AM | 8/12/2015 11:02:03 AM | True |

# Policies

Policies are groups of settings that define how sessions, bandwidth, and security are managed for a group of users, devices, or connection types.

| Name  | Description  | Priority | Enabled |
|---|--|----------|---------|
|  Unfiltered | This is the system-created default policy, it cannot be deleted. Note that its settings will apply to all connections. | 1        | False   |
|  HR Staff   | Sample policy for HR users   | 2        | True    |

## Unfiltered

Policies are groups of settings that define how sessions, bandwidth, and security are managed for a group of users, devices, or connection types.

---

### General Settings

|                 |  |
|-----------------|--|
| Description     | This is the system-created default policy, it cannot be deleted. Note that its settings will apply to all connections. |
| Enabled         | False  |
| Merged Priority | 1  |
| Policy Type     | Merged   |

---

### Policy Filters

The policy is assigned to all objects in the site.

## HR Staff

Policies are groups of settings that define how sessions, bandwidth, and security are managed for a group of users, devices, or connection types.

### General Settings

|                 |                            |
|-----------------|----------------------------|
| Description     | Sample policy for HR users |
| Enabled         | True                       |
| Merged Priority | 2                          |
| Policy Type     | Merged                     |

### Policy Filters

| Type   | Mode  | Enabled | Value   |
|--|-------|---------|---|
|  Client IP address | Allow | True    | 192.168.1.1   |
|  Delivery Group    | Allow | True    | Windows 7 VDI Delivery Group (ecd65cfb-91fa-446d-a60d-0c2f94c4ecc5) |
|  Delivery Group    | Allow | True    | Windows 7 VDI Delivery Group (ecd65cfb-91fa-446d-a60d-0c2f94c4ecc5) |

### Audio redirection bandwidth limit percent

|                  |                 |
|------------------|-----------------|
| Display Path     | ICA > Bandwidth |
| Setting Type     | User            |
| State            | Enabled         |
| Configured Value | 0               |

### Auto connect client COM ports

|              |                        |
|--------------|------------------------|
| Display Path | ICA > Port Redirection |
| Setting Type | User                   |
| State        | Disabled               |

### Auto-create generic universal printer

|              |                                  |
|--------------|----------------------------------|
| Display Path | ICA > Printing > Client Printers |
| Setting Type | User                             |
| State        | Disabled                         |

### Disconnected session timer limit

|                  |                      |
|------------------|----------------------|
| Display Path     | ICA > Session Limits |
| Setting Type     | User                 |
| State            | Enabled              |
| Configured Value | 1440                 |

---

 **Documents path**

|                  |   |
|------------------|---|
| Display Path     | Profile Management > Folder Redirection > Documents |
| Setting Type     | User  |
| State            | Enabled   |
| Configured Value | Enabled   |

---

 **Enable ICA Latency Monitoring**

|              |  |
|--------------|--|
| Display Path | Virtual Delivery Agent Settings > ICA Latency Monitoring |
| Setting Type | User   |
| State        | Allowed  |

---

 **File redirection bandwidth limit percent**

|                  |                 |
|------------------|-----------------|
| Display Path     | ICA > Bandwidth |
| Setting Type     | User            |
| State            | Enabled         |
| Configured Value | 23%             |

---

 **HDX MediaStream Multimedia Acceleration bandwidth limit**

|                  |                 |
|------------------|-----------------|
| Display Path     | ICA > Bandwidth |
| Setting Type     | User            |
| State            | Enabled         |
| Configured Value | 0               |

---

 **Progressive compression threshold value**

|                  |                                      |
|------------------|--------------------------------------|
| Display Path     | ICA > Visual Display > Moving Images |
| Setting Type     | User                                 |
| State            | Enabled                              |
| Configured Value | 2147483647                           |

---

 **Target minimum frame rate**

|                  |                                      |
|------------------|--------------------------------------|
| Display Path     | ICA > Visual Display > Moving Images |
| Setting Type     | User                                 |
| State            | Enabled                              |
| Configured Value | 10                                   |

---

 **TWAIN device redirection bandwidth limit percent**

|                  |                 |
|------------------|-----------------|
| Display Path     | ICA > Bandwidth |
| Setting Type     | User            |
| State            | Enabled         |
| Configured Value | 99              |

---

 **Universal printing print quality limit**

|                  |                                     |
|------------------|-------------------------------------|
| Display Path     | ICA > Printing > Universal Printing |
| Setting Type     | User                                |
| State            | Enabled                             |
| Configured Value | Unlimited                           |

---

 **Use asynchronous writes**

|              |                        |
|--------------|------------------------|
| Display Path | ICA > File Redirection |
| Setting Type | User                   |
| State        | Disabled               |

---

 **Use GPU for optimizing Windows Media multimedia redirection over WAN**

|              |                  |
|--------------|------------------|
| Display Path | ICA > Multimedia |
| Setting Type | User             |
| State        | Prohibited       |

---

 **Use local time of client**

|                  |                         |
|------------------|-------------------------|
| Display Path     | ICA > Time Zone Control |
| Setting Type     | User                    |
| State            | Enabled                 |
| Configured Value | Use server time zone    |

---

 **Visual quality**

|                  |                      |
|------------------|----------------------|
| Display Path     | ICA > Visual Display |
| Setting Type     | User                 |
| State            | Enabled              |
| Configured Value | Medium               |

---

 **Wait for printers to be created (desktop)**

|              |                |
|--------------|----------------|
| Display Path | ICA > Printing |
| Setting Type | User           |
| State        | Disabled       |

---

 **Active Directory actions**

|              |                                   |
|--------------|-----------------------------------|
| Display Path | Profile Management > Log settings |
| Setting Type | Computer                          |
| State        | Disabled                          |

---

 **Common information**

|              |                                   |
|--------------|-----------------------------------|
| Display Path | Profile Management > Log settings |
| Setting Type | Computer                          |

|       |          |
|-------|----------|
| State | Disabled |
|-------|----------|

#### Common warnings

|                  |                                   |
|------------------|-----------------------------------|
| Display Path     | Profile Management > Log settings |
| Setting Type     | Computer                          |
| State            | Enabled                           |
| Configured Value | Enabled                           |

#### CPU usage

|                  |                 |
|------------------|-----------------|
| Display Path     | Load Management |
| Setting Type     | Computer        |
| State            | Enabled         |
| Configured Value | 90%             |

#### File system actions

|                  |                                   |
|------------------|-----------------------------------|
| Display Path     | Profile Management > Log settings |
| Setting Type     | Computer                          |
| State            | Enabled                           |
| Configured Value | Enabled                           |

#### Final force logoff message box title

|                  |                                     |
|------------------|-------------------------------------|
| Display Path     | Connector for Configuration Manager |
| Setting Type     | Computer                            |
| State            | Enabled                             |
| Configured Value | Notification From IT Staff          |

#### Multi-Stream computer setting

|              |                                |
|--------------|--------------------------------|
| Display Path | ICA > Multi-Stream Connections |
| Setting Type | Computer                       |
| State        | Disabled                       |

#### Notify user when display mode is degraded

|              |                |
|--------------|----------------|
| Display Path | ICA > Graphics |
| Setting Type | Computer       |
| State        | Disabled       |

#### Template profile overrides roaming profile

|              |                                       |
|--------------|---------------------------------------|
| Display Path | Profile Management > Profile handling |
| Setting Type | Computer                              |
| State        | Disabled                              |

---

 **Template profile used as a Citrix mandatory profile for all logons**

|              |                                       |
|--------------|---------------------------------------|
| Display Path | Profile Management > Profile handling |
| Setting Type | Computer                              |
| State        | Disabled                              |

---

 **Timeout for pending area lock files (days)**

|                  |   |
|------------------|---|
| Display Path     | Profile Management > Streamed user profiles |
| Setting Type     | Computer                                    |
| State            | Enabled                                     |
| Configured Value | 12  |

---

 **Universal Print Server enable**

|                  |   |
|------------------|---|
| Display Path     | ICA > Printing > Universal Print Server                     |
| Setting Type     | Computer  |
| State            | Enabled   |
| Configured Value | Enabled with no fallback to Windows' native remote printing |

---

 **Universal Print Server print data stream (CGP) port**

|                  |   |
|------------------|---|
| Display Path     | ICA > Printing > Universal Print Server |
| Setting Type     | Computer                                |
| State            | Enabled                                 |
| Configured Value | 7229                                    |

---

 **WebSockets port number**

|                  |                  |
|------------------|------------------|
| Display Path     | ICA > WebSockets |
| Setting Type     | Computer         |
| State            | Enabled          |
| Configured Value | 8008             |

# Roles

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

| Name   | Description  | Built-In |
|--|--|----------|
|  Delivery Group Administrator  | Can deliver applications, desktops, and machines; can also manage the associated sessions.         | True     |
|  Full Administrator            | Can perform all tasks and operations.  | True     |
|  Help Desk Administrator       | Can view Delivery Groups, and manage the sessions and machines associated with those groups.       | True     |
|  Host Administrator            | Can manage host connections and their associated resource settings.                                | True     |
|  Machine Catalog Administrator | Can create and manage Machine Catalogs and provision machines.                                     | True     |
|  Read Only Administrator       | Can see all objects in specified scopes as well as global information, but cannot change anything. | True     |
|  Senior Technician             | Provides the permissions for senior technicians  | False    |

## Delivery Group Administrator

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

### General Settings

|                  |   |
|------------------|---|
| Name             | Delivery Group Administrator  |
| BuiltIn          | True  |
| Description      | Can deliver applications, desktops, and machines; can also manage the associated sessions.  |
| Identifier       | ac0b54e3-6e8a-473f-9713-139218ed4e1d  |
| Permission Names | <ul style="list-style-type: none"><li>Add Application to Delivery Group</li><li>Add Machines to Delivery Group</li><li>Allow machines to be consumed by a Delivery Group</li><li>Attach Local Access Application to Delivery Group</li><li>Change users assigned to a desktop</li><li>Create Application</li><li>Create Application Folder</li><li>Create Delivery Group</li><li>Delete Application</li><li>Delete Delivery Group</li><li>Detach Local Access Application from Delivery Group</li><li>Edit Application Folder</li><li>Edit Application Properties</li><li>Edit Application tags</li><li>Edit Delivery Group Properties</li><li>Edit Delivery Group tags</li><li>Enable/disable maintenance mode of a Delivery Group</li><li>Enable/disable maintenance mode of a machine via Delivery Group membership</li><li>Enable/disable maintenance mode of an Application</li><li>Essential write operations needed by every write permission</li><li>Move Application Folder</li><li>Perform Kill Application running on a machine</li><li>Perform Kill Process running on a machine</li><li>Perform power operations on Windows Desktop machines via Delivery Group membership</li><li>Perform power operations on Windows Server machines via Delivery Group membership</li><li>Perform Remote Assistance on a machine</li><li>Perform Reset VDisk operation</li><li>Perform session management on machines via Delivery Group membership</li><li>Read App-V servers</li><li>Read Service status information</li><li>Read StoreFront definitions</li><li>Remove Application Folder</li><li>Remove Application from Delivery Group</li><li>Remove Desktop from Delivery Group</li><li>Reset user profiles</li><li>View Activity Manager page</li><li>View Applications</li><li>View Client Activity Manager page</li><li>View Client Details page</li><li>View Dashboard page</li><li>View Delivery Groups</li><li>View Filters page</li><li>View Machine Catalogs</li><li>View Machine Details page</li><li>View Trends page</li><li>View User Details page</li></ul> |

# Full Administrator

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

## General Settings

|                  |  |
|------------------|--|
| Name             | Full Administrator   |
| BuiltIn          | True   |
| Description      | Can perform all tasks and operations.  |
| Identifier       | df20d111-4d0b-4502-ad12-5e8b3afc62a1   |
| Permission Names | <ul style="list-style-type: none"><li>Add Application to Delivery Group</li><li>Add App-V publishing server</li><li>Add Delivery Group to Scope</li><li>Add Host Connection or Resources</li><li>Add Host Connection to Scope</li><li>Add Machine Catalog to Scope</li><li>Add Machines to Delivery Group</li><li>Add Machines to Machine Catalog</li><li>Add storage to Resources</li><li>Allow machines to be consumed by a Delivery Group</li><li>Attach Local Access Application to Delivery Group</li><li>Cancel Provisioning Task</li><li>Change licensing server</li><li>Change users assigned to a desktop</li><li>Change users assigned to a machine</li><li>Change users assigned to an application</li><li>Create a new StoreFront definition</li><li>Create Application</li><li>Create Application Folder</li><li>Create Delivery Group</li><li>Create Machine Catalog</li><li>Delete a StoreFront definition</li><li>Delete Application</li><li>Delete App-V publishing server</li><li>Delete Configuration Logs</li><li>Delete Delivery Group</li><li>Delete Host Connection</li><li>Delete Machine Catalog</li><li>Delete Resources</li><li>Detach Local Access Application from Delivery Group</li><li>Edit Application Folder</li><li>Edit Application Properties</li><li>Edit Application tags</li><li>Edit Delivery Group Properties</li><li>Edit Delivery Group tags</li><li>Edit HDX related Broker machine command properties</li><li>Edit Host Connection properties</li><li>Edit Kill Application related Broker machine command properties</li><li>Edit Kill Process related Broker machine command properties</li><li>Edit Latency related Broker machine command properties</li><li>Edit Logging Preferences</li><li>Edit Machine Catalog Properties</li><li>Edit Machine Hardware related Broker machine command properties</li><li>Edit Machine metric related Broker machine command properties</li><li>Edit Personalization related Broker machine command properties</li><li>Edit Policies related Broker machine command properties</li><li>Edit product edition</li><li>Edit Remote Assistance related Broker machine command properties</li><li>Edit Reset User Profiles related Broker machine command properties</li><li>Edit Reset VDisk related Broker machine command properties</li><li>Edit Resources</li><li>Edit Roundtrip Time related Broker machine command properties</li><li>Edit TaskManager related Broker machine command properties</li><li>Edit Windows SessionId related Broker machine command properties</li><li>Enable/disable maintenance mode of a Delivery Group</li><li>Enable/Disable maintenance mode of a Host Connection</li><li>Enable/disable maintenance mode of a machine via Delivery Group membership</li><li>Enable/disable maintenance mode of a machine via Machine Catalog membership</li><li>Enable/disable maintenance mode of an Application</li><li>Enable/disable maintenance mode on Desktop via Machine Catalog membership</li><li>Essential write operations needed by every write permission</li><li>Manage Active Directory Accounts</li></ul> |

Manage Administrators  
Manage Policies  
Move Application Folder  
Perform Kill Application running on a machine  
Perform Kill Process running on a machine  
Perform Machine update  
Perform power operations on Windows Desktop machines via Delivery Group membership  
Perform power operations on Windows Desktop machines via Machine Catalog membership  
Perform power operations on Windows Server machines via Delivery Group membership  
Perform power operations on Windows Server machines via Machine Catalog membership  
Perform Remote Assistance on a machine  
Perform Reset VDisk operation  
Perform session management on machines via Delivery Group membership  
Perform session management on machines via Machine Catalog membership  
Perform upgrade  
Read App-V servers  
Read Service status information  
Read Site Configuration  
Read StoreFront definitions  
Remove Application Folder  
Remove Application from Delivery Group  
Remove Delivery Controller  
Remove Delivery Group from Scope  
Remove Desktop from Delivery Group  
Remove Host Connection from Scope  
Remove Machine Catalog from Scope  
Remove Machines from Machine Catalog  
Reset user profiles  
Run environment tests  
Update a StoreFront definition  
Update Site Configuration  
Use Host Connection or Resources to Create Catalog  
View Activity Manager page  
View Administrators  
View Applications  
View Client Activity Manager page  
View Client Details page  
View Configuration Logs  
View Dashboard page  
View Delivery Groups  
View Filters page  
View Host Connections and Resources  
View Licensing  
View Machine Catalogs  
View Machine Details page  
View Policies  
View Trends page  
View User Details page

## Help Desk Administrator

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

### General Settings

|                  |  |
|------------------|--|
| Name             | Help Desk Administrator  |
| BuiltIn          | True   |
| Description      | Can view Delivery Groups, and manage the sessions and machines associated with those groups.   |
| Identifier       | 507c9d05-176b-4278-a615-4dcc9bbb1332   |
| Permission Names | Enable/disable maintenance mode of a machine via Delivery Group membership<br>Essential write operations needed by every write permission<br>Perform Kill Application running on a machine<br>Perform Kill Process running on a machine<br>Perform power operations on Windows Desktop machines via Delivery Group membership<br>Perform Remote Assitance on a machine<br>Perform Reset VDisk operation<br>Perform session management on machines via Delivery Group membership<br>Read Service status information<br>Reset user profiles<br>View Activity Manager page<br>View Applications<br>View Client Activity Manager page<br>View Client Details page<br>View Delivery Groups<br>View Machine Details page<br>View User Details page |

## Host Administrator

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

---

### General Settings

|                  |  |
|------------------|--|
| Name             | Host Administrator   |
| BuiltIn          | True   |
| Description      | Can manage host connections and their associated resource settings.  |
| Identifier       | b26e697f-1cd1-41c0-94b1-2cf99d377c30   |
| Permission Names | Add Host Connection or Resources<br>Add storage to Resources<br>Delete Host Connection<br>Delete Resources<br>Edit Host Connection properties<br>Edit Resources<br>Enable/Disable maintenance mode of a Host Connection<br>Essential write operations needed by every write permission<br>Read Service status information<br>Use Host Connection or Resources to Create Catalog<br>View Host Connections and Resources |

## Machine Catalog Administrator

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

### General Settings

|                  |  |
|------------------|--|
| Name             | Machine Catalog Administrator  |
| BuiltIn          | True   |
| Description      | Can create and manage Machine Catalogs and provision machines.   |
| Identifier       | 20852cdf-f527-4953-ba6e-e7545217122d   |
| Permission Names | <ul style="list-style-type: none"><li>Add Machines to Machine Catalog</li><li>Allow machines to be consumed by a Delivery Group</li><li>Cancel Provisioning Task</li><li>Change users assigned to a machine</li><li>Create Machine Catalog</li><li>Delete Machine Catalog</li><li>Edit Machine Catalog Properties</li><li>Enable/disable maintenance mode of a machine via Machine Catalog membership</li><li>Enable/disable maintenance mode on Desktop via Machine Catalog membership</li><li>Essential write operations needed by every write permission</li><li>Manage Active Directory Accounts</li><li>Perform Machine update</li><li>Perform power operations on Windows Desktop machines via Machine Catalog membership</li><li>Perform power operations on Windows Server machines via Machine Catalog membership</li><li>Perform session management on machines via Machine Catalog membership</li><li>Read Service status information</li><li>Remove Machines from Machine Catalog</li><li>Use Host Connection or Resources to Create Catalog</li><li>View Host Connections and Resources</li><li>View Machine Catalogs</li><li>View Machine Details page</li></ul> |

## Read Only Administrator

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

### General Settings

|                  |   |
|------------------|---|
| Name             | Read Only Administrator   |
| BuiltIn          | True  |
| Description      | Can see all objects in specified scopes as well as global information, but cannot change anything.  |
| Identifier       | 0a05f0c6-0153-4852-a55a-989d6a95c0eb  |
| Permission Names | Read App-V servers<br>Read Service status information<br>Read Site Configuration<br>Read StoreFront definitions<br>View Activity Manager page<br>View Administrators<br>View Applications<br>View Client Activity Manager page<br>View Client Details page<br>View Configuration Logs<br>View Dashboard page<br>View Delivery Groups<br>View Filters page<br>View Host Connections and Resources<br>View Licensing<br>View Machine Catalogs<br>View Machine Details page<br>View Policies<br>View Trends page<br>View User Details page |

# Senior Technician

Within a XenDesktop site roles are used to group together permissions and can be combined with a scope to form an administrative right.

---

## General Settings

|                  |   |
|------------------|---|
| Name             | Senior Technician   |
| BuiltIn          | False   |
| Description      | Provides the permissions for senior technicians   |
| Identifier       | f0b3b61c-0687-4b47-bfee-60d117e138ea  |
| Permission Names | Add App-V publishing server<br>Manage Policies<br>Read App-V servers<br>View Applications<br>View Configuration Logs<br>View Delivery Groups<br>View Policies |

# Scopes

Within a XenDesktop site scopes are used to group together objects such as machine catalogs, and can be combined with a role to form an administrative right.

| Name  | Description                             | Built-In |
|---|---|----------|
|  All                  | All objects                             | True     |
|  Catalogs             | Provides access to all machine catalogs | False    |
|  Xen Hypervisor Scope | Provides access to all Xen servers      | False    |

# All

Within a XenDesktop site scopes are used to group together objects such as machine catalogs, and can be combined with a role to form an administrative right.

---

## General Settings

|             |             |
|-------------|-------------|
| Name        | All         |
| Built-In    | True        |
| Description | All objects |

# Catalogs

Within a XenDesktop site scopes are used to group together objects such as machine catalogs, and can be combined with a role to form an administrative right.

## General Settings

|             |   |
|-------------|---|
| Name        | Catalogs                                |
| Built-In    | False                                   |
| Description | Provides access to all machine catalogs |
| ID          | 5e9a89bc-6243-44f4-9656-db55aa727108    |

## Scoped Objects

| Name  | Description                                   | Type                |
|---|---|---------------------|
|  PVS Catalog      | Updated description                           | Machine Catalog     |
|  Remote PCs       |   | Machine Catalog     |
|  Terminal Servers |   | Machine Catalog     |
|  Windows 7 VDI    |   | Provisioning Scheme |
|  Windows 7 VDI    |   | Identity Pool       |
|  Windows 7 VDI    | Windows 7 Professional VDI machines. Updated. | Machine Catalog     |

## Xen Hypervisor Scope

Within a XenDesktop site scopes are used to group together objects such as machine catalogs, and can be combined with a role to form an administrative right.

---

### General Settings

|             |                                      |
|-------------|--------------------------------------|
| Name        | Xen Hypervisor Scope                 |
| Built-In    | False                                |
| Description | Provides access to all Xen servers   |
| ID          | 7bdeec68-bf46-45e4-bd3d-052b88b4a7ed |

---

### Scoped Objects

| Name  | Description | Type    |
|---|-------------|---------|
|  DEMO-XEN01 |             | Hosting |
|  PVSTest    |             | Hosting |

# StoreFront

StoreFront authenticates users to the site and manages stores of desktops and applications that users are able to access. Users typically access StoreFront using the Citrix Receiver client application or web interface.

---

 **demo-xa76-sf01.demoxenapp.int**

|                    |   |
|--------------------|---|
| Configuration Name | RS\demo-xa76-sf01.demoxenapp.int  |
| Description        | Demonstration StoreFront  |
| Enabled            | True  |
| UID                | 1   |
| URL                | <a href="https://demo-xa76-sf01.demoxenapp.int/citrix/mainstore">https://demo-xa76-sf01.demoxenapp.int/citrix/mainstore</a> |

# Version History

The version history displays the changes that have been made to the documentation of this item over time - either automatically when a change has been detected, or manually by users of the system.

| Version   | Username            | Date                       | Time     | Description                              |
|---|---------------------|----------------------------|----------|--|
|  1.06 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 3:03 PM  | Updated description                      |
|  1.05 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 3:01 PM  | Updated description                      |
|  1.04 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 2:55 PM  | Updated description                      |
|  1.03 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 1:56 PM  | Updated description                      |
|  1.02 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 1:55 PM  | Updated description                      |
|  1.01 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 1:53 PM  | Updated description                      |
|  1.00 | CENTREL-WS02\dhomer | Wednesday, August 12, 2015 | 11:18 AM | Updated by XIA Configuration Client Data |