
Azure Tenant Documentation

Contoso



Company Confidential



Date

28 February 2024 16:30:26

W-2K22\sysadmin Author

Version 1.04

Product XIA Configuration Server [16.0.10.0]

Table of Contents

Disclaimer	5
Configuration Item	6
Relationships	7
Relationship Map	8
Tenant Configuration	9
Hierarchy	10
Locations	11
Role Definitions	14
Subscriptions	15
Contoso	16
Alert Rules	17
BreakingRule	18
DynamicRule	19
Server Alert Rule	20
Invoices	21
Policy Assignments	22
ASC Default (subscription: 8d0ebb56-65db-44e9-8b73-b51d46cdc738)	23
Audit virtual machines without disaster recovery configured	24
IRS1075 September 2016	25
PCI v3.2.1:2018	26
Windows machines should meet requirements for 'Security Options - Network Security'	27
Resource Groups	28
AzRdp	29
DatabaseServers	31
LinuxServers	33

Role Assignments: LinuxServers	34
NetworkWatcherRG	35
WebApps	38
WebServers	40
Role Assignments	42
Resources	43
App Service Plans	44
ASP-WebApps-8d57	45
ASP-WebApps-b4aa	47
Availability Sets	49
Contoso-availability-set	50
CORP-AVAIL01	52
Classic Virtual Machines	54
DEMO-2K12R2-CLA	55
Disks	56
DEMO-SRV22_OsDisk_1	57
demo-ubuntu-01_OsDisk_1	59
Network Interfaces	61
demo-srv22467	62
demo-ubuntu-0172	64
Network Security Groups	66
DEMO-SRV22-nsg	67
Proximity Placement Groups	69
Demo_Proximity_Placement_Group	70
Public IP Addresses	72
Demo-Virtual-Machine-Scale-Set-ip	73
pip-azrdp-vnet-uksouth-default	75
Route Tables	77
demo-route-table	78

SQL Databases	80
demo-azure-sql/demo-azure-sql-db	81
demo-azure-sql-2/demo-azure-sql-db	83
SQL Elastic Pools	85
demo-azure-sql/demo-azure-sql-elastic-pool	86
SQL Servers	88
demo-azure-sql	89
demo-azure-sql-2	92
Storage Accounts	95
blockblobstorageaccount1	96
v2storageaccount01	99
Virtual Machines	102
DEMO-SRV22	103
Storage	106
DEMO-SRV22_OsDisk_1	107
demo-ubuntu-01	108
Storage	111
demo-ubuntu-01_OsDisk_1	112
Virtual Networks	113
DatabaseServersVirtualNetwork	114
LinuxServers-vnet	116
Server2022Test-vnet	118
WebServers-vnet	120
WebServersvnet328	122
Web Apps	124
demowebappauth	125
demowebappcs1	129
Other Resource Types	133
/ersion History	134

Disclaimer

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and/or be subject to legal privilege. It should not be copied, disclosed to, retained, or used by any other party.

Microsoft, Windows and Active Directory are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Configuration Item

Provides general information for this item.

🙏 General Information	
Name	Contoso
Description	Contoso Azure Tenant
Primary Owner Name	Contoso Support
Primary Owner Contact	support@contoso.com

System Information	
Item Path	Contoso
Identifier	0d03c847-6d18-44bd-84b5-529aeb166cbb
Item ID	1032
Version ID	1.04
Check Out Status	Available

Custom Item Details


This is a demonstration Azure Tenant.

Relationships

Provides a summary of the relationships between this item and other items in the environment.

Carla 6 Relationships				
Item ID	Direction	Name	Туре	Relationship Type
1033	Outbound	DEMO-SRV22	Windows Server	Hosts Azure Windows Virtual Machine
1000	Outbound	Contoso	Container	Contained Within
1035	Outbound	demo-azure-sql	SQL Instance	Hosts Azure SQL Server
1036	Outbound	demo-azure-sql-2	SQL Instance	Hosts Azure SQL Server
1034	Outbound	demo-ubuntu-01	Unix System	Hosts Azure Unix Virtual Machine
4 1008	Outbound	contoso.onmicrosoft.com	Entra Directory	Requires Entra Directory

Relationship Map



Tenant Configuration

OX12 3AB

United Kingdom

An Azure tenant is an instance of Azure Active Directory and corresponding resources that represents an organization.

人 General	
Name	Contoso Test
Identifier	85c204d6-06a9-4803-a1fb-fc6beb1e7535
Default Domain	contoso.onmicrosoft.com
i Information	
Creation Date	22 September 2016 13:57:37
Business Phone Numbers	44(0)1235678901
Preferred Language	English
Technical Contacts	support@contoso.com
Privacy	
Global Privacy Contact	privacy@contoso.com
Global Privacy Statement URL	https://www.contoso.com/privacy
Address	
Street	10 Oxford Street
City	Oxford
State, Province, or County	Oxfordshire

ZIP or Postal Code

Country

Hierarchy

An Azure tenant is an instance of Azure Active Directory and corresponding resources that represents an organization.

Hierarchy		
Name	Туре	
P Contoso	Subscription	
👼 AzRdp	Resource Group	
DatabaseServers	Resource Group	
CinuxServers	Resource Group	
NetworkWatcherRG	Resource Group	
🐻 WebApps	Resource Group	
Contract Con	Resource Group	

Locations

A location represents the city or area of an Azure region.

Display Name Name ▲ Asia asia ▲ Asia asia ▲ Asia Pacific asiapacific ▲ Australia asiapacific ▲ Australia australiacentral ▲ Australia Contral australiacentral ▲ Brazil brazil Southeast ▲ Brazil Southeast brazilsoutheast ▲ Brazil Southeast brazilsoutheast ▲ Brazil Southeast canada ▲ Brazil Southeast canada ▲ Contral Contral canada ▲ Contral Contral canada ▲ Contral US (Stop) central ▲ East Asia central ▲ East US 2 central ▲ East US 2 central	83 Locations	
A Alaf Pacific aiapacífic A Australia australia A Australia australia central A Australia Central australiacentral A Australia Central australiacentral Australia Central australiacentral Australia Southeast australiaeast Australia Southeast brazil B Brazil Southeast brazilsoutheast C Canada East canada C Canada East canada Central C Canada East canadaeast C Contral US EUAP central US euapt C Canada East castasia E East Asia (Stage) central US euapt E East US (Stage) central US euapt	Display Name	Name
Australia australia Contral Australia Contral 2 australia contral 2 Australia Southeast australia contral 2 Brazil brazil Brazil Southeast brazil South Brazil Southeast brazil Southeast Brazil Southeast brazilsoutheast Brazil Southeast canada Contral US brazilus Contral Contral canada contral Contral US canada contral Contral US (Stage) central usstage Contral US (Stage) central usstage East Asia central usstage East US (Stage) central usstage East US 2 seature Stage East US 2	🔏 Asia	asia
Australia CentralaustraliacentralAustralia Central 2australiacentral 2Australia EastaustraliaeastAustralia SoutheastaustraliaeastBrazilbrazilBrazilbrazilBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil USbrazilsoutheastCanadacanadaCanada CentralcanadacentralCanada CentralcanadacentralCanada Central IndiacentraludiaContral UScentraludiaContral US (Stage)centralustageEast AsiacastasiaEast US 2centralustageEast US 2centralEast	🧏 Asia Pacific	asiapacific
Australia Central 2australiacentral/2Australia EastaustraliaeoutheastAustralia SoutheastaustraliaeoutheastBrazilbrazilBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastCanadacanadaCanadacanadaCanada CentralcanadacentralCanada EastcanadacentralCentral IndiacentralindiaCentral UScentral USCentral US (Stage)centraluscageCentral US (Stage)centraluscageEast AsiaeastasiaEast USeastasiaEast UScentraluscageEast US 2centralEast US 2eastus2East US 2	Australia	australia
Australia EastaustraliaeastAustralia SoutheastaustraliasoutheastBrazilbrazilBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil SoutheastbrazilsoutheastBrazil USbrazilsoutheastCanadacanadaCanadacanadaCanada CentralcanadacentralCanada EastcanadaeastCanada IUScentral IndiaCentral UScentral IndiaCentral UScentral IndiaCentral UScentral IndiaCentral US (Stage)centraluseuapEast AsiaeastasiaEast US (Stage)astasiastageEast US (Stage)eastusEast US (Stage)eastusEast US (Stage)eastusEast US 2eastusEast US 2eastusEast US 2fanceEast US 2eastusEast US CatageeastusEast US Catageeastus <th>Australia Central</th> <th>australiacentral</th>	Australia Central	australiacentral
▲ Australia Southeast australiasoutheast ▲ Brazil brazil ▲ Brazil Southeast brazilsoutheast ▲ Brazil Southeast brazilsoutheast ▲ Brazil Southeast brazilsoutheast ▲ Cranda canada ▲ Cranda Central canadacentral ▲ Cranda Central canadacentral ▲ Cranda East canadaeast ▲ Contral India centralustage ▲ Central US central US ▲ Central US (Stage) centralustage ▲ East Asia centraluseuap ▲ East Asia centraluseuap ▲ East US 2 central US (Stage) ▲ East US STG cen	Australia Central 2	australiacentral2
PacialbrazilBrazil SouthbrazilsouthBrazil SouthbrazilsoutheastBrazil USbrazilsoutheastCanadacanadaCanada ContralcanadacontralCanada ContralcanadacontralCanada ContralcanadacontralCanada ContralcanadacontralCanada ContralcanadacontralCanada ContralcanadacontralCanada ContralcanadacontralCanada Contral UScontral undiaContral UScontral USContral UScontral US (Stage)Cantral US (Stage)contral useuapEast AsiacastusEast US 2castusEast US 2castus<	🏔 Australia East	australiaeast
ABrazil SouthbrazilsouthBrazil SoutheastbrazilsoutheastBrazil USbrazilsoutheastCanadacanadaCanada CentralcanadacentralCanada CentralcanadaeastCanada EastcentralidiaCentral IndiacentraliustageCentral UScentral USCentral US (Stage)centralustageEast AsiaeastasiaEast USeastasiastageEast US 2eastus2East US 2eastus2East US 2eastus2East US 2eastus2East US 2eastus2FanceiraneeFanceiraneeFranceiraneeFranceiraneeFrance SouthiraneesouthFrance SouthiraneesouthFance South <t< th=""><th>Australia Southeast</th><th>australiasoutheast</th></t<>	Australia Southeast	australiasoutheast
ABrazil SoutheastBrazil SoutheastbraziloutheastBrazil UScanadaCanadacanadaCanada CentralcanadacentralCanada EastcanadaeastCentral IndiacentralindiaCentral UScentral IndiaCentral UScentralusCentral UScentralusCentral US (Stage)centraluseuapEast AsiaeastasiaEast AsiaeastasiaEast USeastusEast USeastusEast US 2centralEast US 2eastusEast US 2eastu	🔏 Brazil	brazil
ABrazi USbrazilusACanadacanadaACanada Centralcanada centralACanada Centralcanada centralACanada Centralcanada centralACanada Eastcanada centralACentral IndiacentralindiaACentral UScentral USACentral UScentral US (Stage)ACentral US (Stage)central useuapAEast AsiaeastasiaBEast AsiaeastasiaBEast USeastusAEast USeastusAEast US (Stage)eastusAEast US (Stage)eastusBEast US (Stage)eastusBEast US (Stage)eastusAEast US 2 (Stage)eastusAEast US 2 (Stage)eastusBEast US 2 (Stage)eastusBEast US 2 (Stage)eastusAEast US 2 (Stage)eastusAFrancegenranyAFrance CentralfranceAFrance CentralfranceAFrance SouthfrancesouthAFrance SouthgerranyAGerrany Northgerranynorth	Let Brazil South	brazilsouth
 Canada Canada Central Canada Central Canada Central Canada East Cantral US EUAP East US 2 (Stage) eastus2 East US 2 EUAP East US 2 Eu	Rearil Southeast	brazilsoutheast
Canada CentralcanadacentralCanada EastcanadaeastCentral IndiacentralindiaCentral UScentralusCentral UScentralusCentral US (Stage)centraluseuapEast AsiaeastasiaEast AsiaeastasiaEast USeastusEast USeastusEast US (Stage)eastusEast USeastusEast US (Stage)eastusEast USeastusEast US Stage)eastusEast US 2 (Stage)eastusEast US 2 (Stage)eastus2tageEast US 2 (Stage)eastus2tageEast US STGeastus12FrancefranceFrance CentralfranceFrance CentralfrancecentralFrance SouthfrancecentralFrance SouthgermanyGermany Northgermany North	🔏 Brazil US	brazilus
 Canada East Canada East Canada East Central India Central US Central US Central US (Stage) Central US EUAP Central US EUAP Central US (Stage) East Asia East Asia (Stage) eastasiastage East US East US East US (Stage) eastus East US 2 East US 2 eastus East US 2 (Stage) eastus2stage East US 2 (Stage) eastus2tage East US 2 (Stage) East U	🧏 Canada	canada
Central IndiacentralindiaCentral UScentralusCentral US (Stage)centralusstageCentral US EUAPcentraluseuapEast AsiaeastasiaEast Asia (Stage)eastasiastageEast USeastusEast US (Stage)eastusEast US (Stage)eastus2ageEast US 2eastus2East US 2 (Stage)eastus2tageEast US 2 (Stage)eastus2tageEast US 2 (Stage)eastus2tageEast US 2 EUAPeastus2tageEast US STGeastusstgFrancefranceFrance CentralfrancecentralFrance SouthfrancesouthFrance SouthfrancesouthGermanygermanynorth	Lanada Central	canadacentral
Central UScentralusCentral US (Stage)centralusstageCentral US EUAPcentraluseuapEast AsiaeastasiaEast Asia (Stage)eastasiastageEast USeastusEast US (Stage)eastusEast US 2eastus2East US 2 (Stage)eastus2East US 2 EUAPeastus2East US 2 EUAPeastustgeFanceeuropeFrancefranceFrance CentralfrancecentralFrance SouthfrancesouthGermany Northgermany North	🌋 Canada East	canadaeast
Central US (Stage)centralusstageCentral US EUAPcentraluseuapEast AsiaeastasiaEast Asia (Stage)eastasiastageEast USeastusEast US (Stage)eastusEast US 2eastus2East US 2 (Stage)eastus2stageEast US 2 EUAPeastus2euapEast US STGeastusstgFrancefranceFrance CentralfrancecentralFrance SouthfrancesouthFrance SouthgermanyGermany Northgermanynorth	Lentral India	centralindia
 Central US EUAP Central US EUAP Central US EUAP East Asia East Asia East Asia (Stage) East US East US (Stage) East US (Stage) East US 2 East US 2 (Stage) East US 2 (Stage) East US 2 EUAP East US STG Europe France France Central France South France South France South France South Germany North germany North Central US EUAP Central US 2 EUAP Central South Germany North Central South Central South Central South Germany North Central South Central South Central South Central South Germany North 	Lentral US	centralus
Last AsiaeastasiaEast Asia (Stage)eastasiastageEast USeastusEast US (Stage)eastusstageEast US 2eastus2East US 2 (Stage)eastus2stageEast US 2 EUAPeastus2geEast US STGeastusstgFrancefranceFrance CentralfrancecentralFrance SouthfrancesouthFrance SouthgermanyGermany Northgermanynorth	Rentral US (Stage)	centralusstage
 È East Asia (Stage) easta East US eastu East US (Stage) eastus eastus East US 2 East US 2 (Stage) eastus East US 2 (Stage) eastus East US 2 EUAP eastus East US STG earope europe europe France France France Central France South France South Germany North eastus eastus<	Lentral US EUAP	centraluseuap
 È East US é East US (Stage) é East US 2 é East US 2 (Stage) é East US 2 (Stage) é East US 2 (Stage) é East US 2 EUAP é East US STG é Europe é France f France f France Central f France South f France South é Germany North é East US é Germany North é East US é	Last Asia	eastasia
A East US (Stage)eastusstageA East US 2eastus2A East US 2 (Stage)eastus2stageA East US 2 EUAPeastus2euapA East US STGeastusstgA East US PAeastusstgA East US STGfranceA FrancefranceA France CentralfrancecentralA France SouthfrancesouthA Germany Northgermanynorth	East Asia (Stage)	eastasiastage
Last US 2eastus2Last US 2 (Stage)eastus2stageLast US 2 EUAPeastus2euapLast US STGeastusstgLaropeeuropeLaropefranceLast CentralfrancecentralLast France SouthfrancesouthLast Germany Northgermanynorth	Last US	eastus
A East US 2 (Stage)eastus2stageA East US 2 EUAPeastus2euapA East US STGeastusstgB EuropeeuropeA FrancefranceA France CentralfrancecentralA France SouthfrancesouthA GermanygermanyA Germany Northgermanyonth	East US (Stage)	eastusstage
 È ast US 2 EUAP È ast US STG è Europe è France È rrance Central France South È Germany North è Germany North e astus stual è ast us stg <li< th=""><th>Last US 2</th><th>eastus2</th></li<>	Last US 2	eastus2
Image: constraint of the second sec	East US 2 (Stage)	eastus2stage
 Europe France France Central France South France South Germany North Germany North 	Last US 2 EUAP	eastus2euap
Image: France france France Central francecentral France South francesouth Germany germany Germany North germanynorth	Last US STG	eastusstg
France Central francecentral France South francesouth Germany germanyNorth	Lurope	europe
France South francesouth Germany germany Germany North germanynorth	France	france
Germany germany Germany North germanynorth	La France Central	francecentral
Sermany North germanynorth	La France South	francesouth
	Rermany	germany
Sermany West Central germanywestcentral	Rermany North	germanynorth
	Sermany West Central	germanywestcentral

🔏 Global	global
🧏 India	india
Srael Central	israelcentral
Ltaly North	italynorth
🤮 Japan	japan
🔏 Japan East	japaneast
🔏 Japan West	japanwest
🚨 Jio India Central	jioindiacentral
🚨 Jio India West	jioindiawest
🎉 Korea	korea
La Korea Central	koreacentral
🚨 Korea South	koreasouth
La North Central US	northcentralus
North Central US (Stage)	northcentralusstage
La North Europe	northeurope
Norway	norway
A Norway East	norwayeast
A Norway West	norwaywest
Poland Central	polandcentral
🏖 Qatar Central	qatarcentral
Singapore	singapore
South Africa	southafrica
South Africa North	southafricanorth
South Africa West	southafricawest
South Central US	southcentralus
South Central US (Stage)	southcentralusstage
South India	southindia
Southeast Asia	southeastasia
Southeast Asia (Stage)	southeastasiastage
Sweden	sweden
Sweden Central	swedencentral
Switzerland	switzerland
Switzerland North	switzerlandnorth
Switzerland West	switzerlandwest
LAE Central	uaecentral
LAE North	uaenorth
🔏 UK South	uksouth
LK West	ukwest
United Arab Emirates	uae

2 United Kingdom	uk
Luited States	unitedstates
Lunited States EUAP	unitedstateseuap
La West Central US	westcentralus
La West Europe	westeurope
🔏 West India	westindia
Le West US	westus
Rest US (Stage)	westusstage
Level West US 2	westus2
Rest US 2 (Stage)	westus2stage
🔏 West US 3	westus3

Role Definitions

A role definition is a collection of permissions that can be performed, such as read, write, and delete.

Only information about custom role definitions is included.

7 Role Definitions

Display Name	Description
Read Virtual Machines (Screenshot)	
Read Web Apps (Application Settings)	
Read Storage Accounts (Access Keys)	
Other : List Storage Account Keys	Returns the access keys for the specified storage account.
Other : List Web App Security Sensitive Settings	List Web App's security sensitive settings, such as publishing credentials, app settings and connection strings.
Read : Get Web Apps Publishing XML	Get Web Apps Publishing XML.
XIA Configuration Azure Reader	This role has the required permissions to scan Azure from XIA Configuration.

Subscriptions

A subscription is an agreement with Microsoft to use one or more Microsoft cloud platforms or services, for which charges accrue based on either a per-user license fee or on cloud-based resource consumption.

1 Subscriptions			
Display Name	Identifier	State	
P Contoso	8d0ebb56-65db-44e9-8b73-b51d46cdc738	Enabled (Active)	

Contoso

A subscription is an agreement with Microsoft to use one or more Microsoft cloud platforms or services, for which charges accrue based on either a per-user license fee or on cloud-based resource consumption.

P General		
Identifier	lentifier 8d0ebb56-65db-44e9-8b73-b51d46cdc738	
State	Enabled (Active)	
4 Locations		
Display Name	Display Name Name	
LK South		uksouth
Sweden Central		swedencentral
La West Europe		westeurope
🔏 East US		eastus



R 1 Locks				
Name Type Scope Scope Type				
Read-only lock	Read-Only	CORP-AVAIL01	Resource	

Alert Rules

Alerts provide proactive notifications of issues found within the Azure infrastructure or applications.

3 Alert Rules			
Name	Enabled	Туре	Severity
BreakingRule	True	Activity Log	4 - Verbose
DynamicRule	True	Metric	3 - Informational
Server Alert Rule	True	Metric	3 - Informational

BreakingRule

Alerts provide proactive notifications of issues found within the Azure infrastructure or applications.

🐥 General		
Enabled True		
Description		
Severity	4 - Verbose	
Type Display Name	Activity Log	
C Scopes		
Scopes /subscriptions/8d0ebb56-65db-44e9-8b73-b51d46cdc738		
Activity Log Alert Rule		
Action Names LinuxActionGroup Migration_AG1		
Conditions	Category = 'Administrative' OperationName = 'Microsoft.AAD/domainServices/write'	

DynamicRule

Alerts provide proactive notifications of issues found within the Azure infrastructure or applications.

le General		
Enabled True		
Description		
Severity	3 - Informational	
Type Display Name	Metric	
🕞 Scopes		
Scopes /subscriptions/8d0ebb56-65db-44e9-8b73-b51d46cdc738		
Metric Alert Rule		
Action Names		
Automatically Resolve Alerts True		
Automatically Resolve Alerts True		

1 Conditions

Name	Summary
Metric1	Whenever the average of metric 'Percentage CPU' is greater or less than a dynamic value.

Server Alert Rule

Alerts provide proactive notifications of issues found within the Azure infrastructure or applications.

4 General	
Enabled	True
Description	This is a sample alert rule
Severity	3 - Informational
Type Display Name Metric	

C Scopes		
Scopes	/subscriptions/8d0ebb56-65db-44e9-8b73-b51d46cdc738/resourceGroups/WebServers/pr oviders/Microsoft.Compute/virtualMachines/DEMO-2016-01	

Metric Alert Rule	
Action Names	LinuxActionGroup Migration_AG1
Automatically Resolve Alerts	True

3 Conditions

Name	Summary
Metric1	Whenever the average of metric 'Percentage CPU' is greater than 12.
Metric2	Whenever the total of metric 'Network In Total' is greater than 50000000000.
Metric3	Whenever the average of metric 'VM Local Used Burst BPS Credits Percentage' is greater than 1.

Invoices

Provides information about the recent invoices for the subscription.

12 Invoices	12 Invoices		
Invoice Number	Invoice Date	Billed Amount	Status
6 U0123MP7OV	23 March 2023	0.00 GBP	Paid
6 U0123N3NK7	23 April 2023	0.00 GBP	Paid
6 U0123NI0VV	23 May 2023	0.00 GBP	Paid
6 U0123NWZ0J	23 June 2023	0.00 GBP	Paid
6 U0123OBHUY	23 July 2023	0.00 GBP	Paid
6 U0123OPUTT	23 August 2023	0.00 GBP	Paid
6 U0123P483Z	23 September 2023	0.00 GBP	Paid
6 U0123PIS3D	23 October 2023	0.00 GBP	Paid
6 U0123PWH59	23 November 2023	0.00 GBP	Paid
6 U0123QAFIU	23 December 2023	0.00 GBP	Paid
6 U0123QNZLE	23 January 2024	0.00 GBP	Paid
6 U0123R1LNV	23 February 2024	0.00 GBP	Paid

Policy Assignments

5 Policy Assignments		
Display Name	Scope	
ASC Default (subscription: 8d0ebb56-65db-44e9-8b73-b51d46cdc738)	Contoso (Subscription)	
Audit virtual machines without disaster recovery configured	WebServers (Resource Group)	
RS1075 September 2016	WebServers (Resource Group)	
PCI v3.2.1:2018	WebServers (Resource Group)	
Windows machines should meet requirements for 'Security Options - Network Security'	WebServers (Resource Group)	

ASC Default (subscription: 8d0ebb56-65db-44e9-8b73-b51d46cdc738)

Assignment Type Initiative		
Definition Display Name	Microsoft cloud security benchmark	
Description	This is the default set of policies monitored by Azure Security Center. It was automatically assigned as part of onboarding to Security Center. The default assignment contains only audit policies. For more information please visit https://aka.ms/ascpolicies	
Enforcement Mode	Enforced	

Scope		
Scope	Contoso	
Scope Туре	Subscription	

Second Compliance	
Non-Compliant Policies	86
Non-Compliant Resources	38

Audit virtual machines without disaster recovery configured

9 General		
Assignment Type Policy		
Definition Display Name	Audit virtual machines without disaster recovery configured	
Description	This example policy audits virtual machines without disaster recovery configured.	
Enforcement Mode Not Enforced		
🕞 Scope		
Scope WebServers		
Scope Туре	Resource Group	
E Compliance		
Non-Compliant Policies	1	
Non-Compliant Resources 4		

IRS1075 September 2016

9 General		
Assignment Type Initiative		
Definition Display Name IRS1075 September 2016		
Description This is assignment IRS1075 September 2016.		
Enforcement Mode Not Enforced		
C Scope		
Scope	WebServers	
Scope Туре	Resource Group	
5 Compliance		
Non-Compliant Policies	35	
Non-Compliant Resources	39	

PCI v3.2.1:2018

-		
9 General		
Assignment Type	Initiative	
Definition Display Name	PCI v3.2.1:2018	
Description		
Enforcement Mode	Not Enforced	
C Scope		
Scope	WebServers	
Scope Туре	Resource Group	
5 Compliance		
Non-Compliant Policies	15	
Non-Compliant Resources	39	

Windows machines should meet requirements for 'Security Options - Network Security'

9 General		
Assignment Type Policy		
Definition Display Name	Windows machines should meet requirements for 'Security Options - Network Security'	
Description	On machine	
Enforcement Mode	Not Enforced	
🕒 Scope		
Scope WebServers		
Scope Туре	Resource Group	
E Compliance		
Non-Compliant Policies	1	
Non-Compliant Resources 2		

Resource Groups

A resource group is a container that holds related resources for an Azure solution.

6 Resource Groups		
Display Name	Location	
Radp	UK South	
DatabaseServers	West Europe	
LinuxServers	West Europe	
RetworkWatcherRG	West Europe	
RebApps	East US	
RebServers	West Europe	

AzRdp

A resource group is a container that holds related resources for an Azure solution.

Ceneral		
Location Display Name	UK South	
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

1 Locations		
Display Name	Name	
🚨 UK South	uksouth	



📑 0 Locks

There are no locks found.

<table-of-contents> 1 Resources

Display Name	Resource Type	Location
pip-azrdp-vnet-uksouth-default	Public IP Address	UK South

0 Role Assignments (Directly Applied Only)

There are no directly applied role assignments found.

DatabaseServers

A resource group is a container that holds related resources for an Azure solution.

General	
Location Display Name West Europe	
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

S Locations Display Name West Europe UK South Sweden Central Sweden Central



📑 0 Locks

There are no locks found.

8 Resources

Display Name	Resource Type	Location
C9portalvhdst1y6dds8f24r	Microsoft.ClassicStorage/storageAccounts	UK South
DatabaseServersVirtualNetwork	Virtual Network	Sweden Central

privatelink.database.windows.net	Microsoft.Network/privateDnsZones	Global
🚽 demo-azure-sql	SQL Server	Sweden Central
emo-azure-sql/demo-azure-sql-db	SQL Database	Sweden Central
demo-azure-sql-2	SQL Server	Sweden Central
emo-azure-sql-2/demo-azure-sql-db	SQL Database	Sweden Central
emo-azure-sql/demo-azure-sql-elastic-pool	SQL Elastic Pool	West Europe

0 Role Assignments (Directly Applied Only)

There are no directly applied role assignments found.

LinuxServers

A resource group is a container that holds related resources for an Azure solution.

🐻 General	
Location Display Name West Europe	
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

1 Locations	
Display Name	Name
La West Europe	westeurope



📑 0 Locks

There are no locks found.

<table-of-contents> 1 Resources

Display Name	Resource Type	Location
LinuxServers-vnet	Virtual Network	West Europe

Role Assignments: LinuxServers

Role assignments are the permissions assigned by the Azure role-based access control system (Azure RBAC) that authorizes access to Azure resources.

1 Role Assignments (Directly Applied Only)			
Account Name	Account Type	Role	Scope
Lemonstration group	Group	Advisor Reviews Contributor	This Resource

NetworkWatcherRG

A resource group is a container that holds related resources for an Azure solution.

🐻 General	
Location Display Name	West Europe
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

A Locations Display Name West Europe West Europe Stast US Sweden Central Sweden Central WK South West South West Substantiations West South West Substantiations West South West South West South West Substantiations West South West Substantiations West South West Substantiations </table



📑 0 Locks

There are no locks found.

Automation Script

{
 [
 "template": {

```
□ □"$schema":
"https://schema.management.azure.com/schemas/2019-04-01/deploymentTemplate.json#",
□ □"contentVersion": "1.0.0.0",
□ □"parameters": {
□ □ □ □ networkWatchers NetworkWatcher eastus name": {
□□□"type": "String"
□ □ □ □ networkWatchers NetworkWatcher uksouth name": {
□□□"type": "String"
□ □ □ InetworkWatchers NetworkWatcher westeurope name": {
□□□"type": "String"
□ □ □ □ networkWatchers NetworkWatcher swedencentral name": {
□□□"type": "String"
\square \square},
□ □"variables": {},
□□"resources": [
□ □ □ □ "type": "Microsoft.Network/networkWatchers",
□ □ □ □ □apiVersion": "2023-06-01",
□ □ □ □ □name": "[parameters('networkWatchers NetworkWatcher eastus name')]",
□ □ □ □location": "eastus",
□□□□"properties": {}
□ □ □ □ □type": "Microsoft.Network/networkWatchers",
□ □ □ □ □apiVersion": "2023-06-01",
□ □ □ □ □name": "[parameters('networkWatchers NetworkWatcher swedencentral name')]",
□ □ □ □location": "swedencentral",
□□□□"properties": {}
□ □ □ "type": "Microsoft.Network/networkWatchers",
□ □ □ □ □apiVersion": "2023-06-01",
□ □ □ □ □name": "[parameters('networkWatchers NetworkWatcher uksouth name')]",
□□□□location": "uksouth",
□□□□"properties": {}
□ □ □ □ □type": "Microsoft.Network/networkWatchers",
□ □ □ □ □apiVersion": "2023-06-01",
□ □ □ □ □name": "[parameters('networkWatchers NetworkWatcher westeurope name')]",
□ □ □ □ □location": "westeurope",
□□□□"properties": {}
□ }
}
```

<table-of-contents> 4 Resources

Display Name	Resource Type	Location
WetworkWatcher_eastus	Network Watcher	East US
WetworkWatcher_swedencentral	Network Watcher	Sweden Central
WetworkWatcher_uksouth	Network Watcher	UK South
NetworkWatcher_westeurope	Network Watcher	West Europe

0 Role Assignments (Directly Applied Only)

WebApps

A resource group is a container that holds related resources for an Azure solution.

📷 General	
Location Display Name	East US
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

2 Locations		
Display Name	Name	
🚨 East US	eastus	
🌋 West Europe	westeurope	



📑 0 Locks

There are no locks found.

🚯 6 Resources

Display Name	Resource Type	Location
aSP-WebApps-8d57	App Service Plan	East US
🚺 ASP-WebApps-b4aa	App Service Plan	West Europe
DatabasePrivateEndpoint	Microsoft.Network/privateEndpoints	East US

🜐 demowebappauth	Web App	West Europe
🔮 demowebappcs1	microsoft.insights/components	East US
demowebappcs1	Web App	East US

0 Role Assignments (Directly Applied Only)

WebServers

A resource group is a container that holds related resources for an Azure solution.

📷 General	
Location Display Name	West Europe
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

2 Locations		
Display Name	Name	
🌋 West Europe	westeurope	
LK South	uksouth	



8	1	Locks
---	---	-------

Name	Туре	Scope	Scope Туре
Read-only lock	Read-Only	CORP-AVAIL01	Resource

🗟 26 Resources

Display Name	Resource Type	Location
blockblobstorageaccount1	Storage Account	UK South
Contoso-availability-set	Availability Set	West Europe
CORP-AVAIL01	Availability Set	West Europe

DefaultWebAppWafbdfc0dbd463c412cbe6888beb11ff063	Microsoft.Network/frontdoorWebApplicationFirewallPolicies	Global
DEMO-2K12R2-CLA	Microsoft.ClassicCompute/domainNames	UK South
DEMO-2K12R2-CLA	Classic Virtual Machine	UK South
DEMO-SRV22	Virtual Machine	UK South
DEMO-SRV22_OsDisk_1	Disk	UK South
📖 demo-srv22467	Network Interface	UK South
👻 DEMO-SRV22-nsg	Network Security Group	UK South
Example_Load_Balancer	Microsoft.Network/loadBalancers	West Europe
Demo_Proximity_Placement_Group	Proximity Placement Group	West Europe
Demo-Virtual-Machine-Scale-Set	Virtual Machine Scale Set	West Europe
Demo-Virtual-Machine-Scale-Set-ip	Public IP Address	West Europe
privatelink.blob.core.windows.net	Microsoft.Network/privateDnsZones	Global
privatelink.database.windows.net	Microsoft.Network/privateDnsZones	Global
demo-route-table	Route Table	West Europe
Server2022Test-vnet	Virtual Network	UK South
SRV22KeyVaultTest	Microsoft.KeyVault/vaults	UK South
demo-ubuntu-01	Virtual Machine	West Europe
💱 demo-ubuntu-01_key	Microsoft.Compute/sshPublicKeys	West Europe
emo-ubuntu-01_OsDisk_1	Disk	West Europe
📖 demo-ubuntu-0172	Network Interface	West Europe
v2storageaccount01	Storage Account	UK South
WebServers-vnet	Virtual Network	West Europe
WebServersvnet328	Virtual Network	West Europe

0 Role Assignments (Directly Applied Only)

Role Assignments

Role assignments are the permissions assigned by the Azure role-based access control system (Azure RBAC) that authorizes access to Azure resources.

5 Role Assignments (Directly Applied Only)			
Account Name	Account Type	Role	Scope
XIA Configuration Client	Арр	Reader	This Resource
XIA Configuration Client	Арр	Read Web Apps (Application Settings)	This Resource
XIA Configuration Client	Арр	Read Virtual Machines (Screenshot)	This Resource
XIA Configuration Client	Арр	Read Storage Accounts (Access Keys)	This Resource
Demonstration group	Group	Reader	This Resource

Resources

A resource is an entity such as a virtual machine, virtual network, or storage account that is managed by Azure.

App Service Plans

An app service plan defines a set of compute resources for a web app to run. These compute resources are analogous to the server farm in conventional web hosting.

2 App Service Plan Resources				
Name	Subscription Name	Location	Operating System Type	SKU
🐞 ASP-WebApps-8d57	Contoso	East US	Windows	F1
🐞 ASP-WebApps-b4aa	Contoso	West Europe	Windows	F1

Page 44 of 134

ASP-WebApps-8d57

An app service plan defines a set of compute resources for a web app to run. These compute resources are analogous to the server farm in conventional web hosting.

Properties	
Resource Type	App Service Plan
Resource Group Name	WebApps
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

🔏 Location	
Location Display Name	East US



🔎 General

Maximum Workers	1
App Names	demowebappauth demowebappcs1
Operating System Type	Windows
Zone Redundant	False

SKU	
SKU Name	F1
SKU Tier	Free
SKU Capacity	0

📑 0 Locks

There are no locks found.

ASP-WebApps-b4aa

An app service plan defines a set of compute resources for a web app to run. These compute resources are analogous to the server farm in conventional web hosting.

Properties	
Resource Type	App Service Plan
Resource Group Name	WebApps
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe



🔎 General

Maximum Workers	1
App Names	demowebappauth demowebappcs1
Operating System Type	Windows
Zone Redundant	False

🛅 SKU	
SKU Name	F1
SKU Tier	Free
SKU Capacity	0

📑 0 Locks

There are no locks found.

Availability Sets

An availability set is a logical grouping of VMs that allows Azure to understand how your application is built to provide for redundancy and availability.

2 Availability Set Resources				
Name Subscription Name Location SKU Type				
Contoso-availability-set	Contoso	West Europe	Aligned (Managed)	
CORP-AVAIL01	Contoso	West Europe	Classic (Unmanaged)	

Contoso-availability-set

An availability set is a logical grouping of VMs that allows Azure to understand how your application is built to provide for redundancy and availability.

E Properties	
Resource Type	Availability Set
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738
Location	
Location Display Name	West Europe



🔎 General			
Fault Domains	2		
Update Domains	5		
Proximity Placement Group			
Proximity Placement Group Name	Demo_Proximity_Placement_Group		
SKU			
SKU Type	Aligned (Managed)		
1 Virtual Machines			
Name	Size	Operating System	Generation
🚽 demo-ubuntu-01	Standard_B1ls	ubuntu	V2
R 0 Locks			
-			

0 Role Assignments (Directly Applied Only)

CORP-AVAIL01

An availability set is a logical grouping of VMs that allows Azure to understand how your application is built to provide for redundancy and availability.

Properties		
Resource Type	Availability Set	
Resource Group Name	WebServers	
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	
Location		

Location	Display	/ Name



West Europe

👂 General	
Fault Domains	3
Update Domains	5
Proximity Placement Group	
Proximity Placement Group Name	Demo_Proximity_Placement_Group
T SKU	
SKU Type	Classic (Unmanaged)
0 Virtual Machines	
There are no virtual machines found.	
🛃 1 Locks	

Name	Туре	Scope	Scope Туре
Read-only lock	Read-Only	CORP-AVAIL01	Resource

0 Role Assignments (Directly Applied Only)

Classic Virtual Machines

A classic Azure virtual machine (VM) is an on-demand, scalable computing resource based on deprecated technology.

Classic virtual machines are deprecated, and only basic resource information is available.

1 Classic Virtual Machine Resources		
Name	Subscription Name	Location
DEMO-2K12R2-CLA	Contoso	UK South

DEMO-2K12R2-CLA

A classic Azure virtual machine (VM) is an on-demand, scalable computing resource based on deprecated technology.

Classic virtual machines are deprecated, and only basic resource information is available.

Resource Type	Classic Virtual Machine
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	UK South



📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

Disks

Azure managed disks are block-level storage volumes that are managed by Azure and used with Azure Virtual Machines.

2 Disk Resources			
Name	Subscription Name	Location	SKU Type
DEMO-SRV22_OsDisk_1	Contoso	UK South	Standard LRS
💻 demo-ubuntu-01_OsDisk_1	Contoso	West Europe	Standard LRS

DEMO-SRV22_OsDisk_1

Azure managed disks are block-level storage volumes that are managed by Azure and used with Azure Virtual Machines.

- Properties	
Resource Type	Disk
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

2	Location
---	----------

Location Display Name	
-----------------------	--



UK South

🔎 General

-	
On Demand Bursting	System Default
Date Created	10 March 2022 13:10:57
Disk State	Reserved
Managed By	DEMO-SRV22
Security Type	Standard
Zones	

行 SKU	
SKU Type	Standard LRS
Tier	Standard
Disk Size	30 GB
Provisioned Throughput	60
Provisioned IOPS	500

铅 Encryption		
Server Side Encryption Type	(Default) Encryption at-rest with a platform-managed key	
🛶 Network Settings		
Network Access Policy	Public endpoint (all networks)	
Coperating System		
Operating System Type	Windows	
Shared Disk		
Shared Disk Enabled	False	
📑 0 Locks		
There are no locks found.		
0 Role Assignments (Directly Applied Only)		
There are no directly applied role assignments found.		

demo-ubuntu-01_OsDisk_1

Azure managed disks are block-level storage volumes that are managed by Azure and used with Azure Virtual Machines.

- Properties	
Resource Type	Disk
Resource Group Name	WEBSERVERS
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

🔏 Locat	ion
---------	-----

Location Display Name
Location Display Name



West Europe

🔎 General

On Demand Bursting	System Default
Date Created	27 February 2024 19:30:45
Disk State	Attached
Managed By	demo-ubuntu-01
Security Type	Standard
Zones	

卲 SKU	
SKU Type	Standard LRS
Tier	Standard
Disk Size	30 GB
Provisioned Throughput	60
Provisioned IOPS	500

같 Encryption		
Server Side Encryption Type (Default) Encryption at-rest with a platform-managed key		
Retwork Settings		
Network Access Policy	Public endpoint (all networks)	
Operating System		
Operating System Type	Linux	
Shared Disk		
Shared Disk Enabled	False	
📑 0 Locks		
There are no locks found.		
0 Role Assignments (Directly Applied	d Only)	
There are no directly applied role assignments found.		

Network Interfaces

A network interface enables an Azure VM to communicate with internet, Azure, and on-premises resources.

2 Network Interface Resources			
Name	Subscription Name	Location	Virtual Machine
📖 demo-srv22467	Contoso	UK South	DEMO-SRV22
📖 demo-ubuntu-0172	Contoso	West Europe	demo-ubuntu-01

demo-srv22467

A network interface enables an Azure VM to communicate with internet, Azure, and on-premises resources.

Properties	
Network Interface	
WebServers	
Contoso	
8d0ebb56-65db-44e9-8b73-b51d46cdc738	

🔏 Locati	on
----------	----

Location Display Name



UK South

🔎 General

Accelerated Networking	True
IP Forwarding	False
MAC Address	00-22-48-40-F8-8E
Network Security Group Name	DEMO-SRV22-nsg
Virtual Machine Name	DEMO-SRV22

Ø DNS Settings	
Inherit from virtual network	

2 IP Configurations

Name	IP Version	Private IP Address	Public IP Address
ipconfig1	IPv4	10.1.0.4 (Dynamic)	
ipconfig2	IPv4	10.1.0.6 (Dynamic)	

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

demo-ubuntu-0172

A network interface enables an Azure VM to communicate with internet, Azure, and on-premises resources.

Properties		
Resource Type	Network Interface	
Resource Group Name	WebServers	
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

🔏 Locatio	on
-----------	----

Location Display Name



West Europe

🔎 General

Accelerated Networking	False
IP Forwarding	False
MAC Address	60-45-BD-90-C3-E1
Network Security Group Name	
Virtual Machine Name	demo-ubuntu-01

Ø DNS Settings		
DNS Servers	Inherit from virtual network	
Applied DNS Servers		
Internal DNS Name Label		
Internal Domain Name Suffix	3l1v5mbbu4vubobn3xgsjgbyva.ax.internal.cloudapp.net	
Internal FQDN		

1 IP Configurations

Name	IP Version	Private IP Address	Public IP Address
ipconfig1	IPv4	10.5.0.4 (Dynamic)	

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

Network Security Groups

An Azure network security group filters network traffic to and from Azure resources in an Azure virtual network.

1 Network Security Group Resources		
Name	Subscription Name	Location
🔹 DEMO-SRV22-nsg	Contoso	UK South

DEMO-SRV22-nsg

An Azure network security group filters network traffic to and from Azure resources in an Azure virtual network.

Resource Type	Network Security Group	
Resource Group Name	WebServers	
Subscription Name	Contoso	
Subscription Identifier 8	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

8	Location
---	----------

	- · · ·	
Location	Display	Name
200041011		



UK South

5 Inbound Rules (Default Rules Not Shown)

Priority	Name	Port	Protocol	Source	Destination
🥑 320	hs_test_ipr	8080	Any	Any	Any
🥑 340	Port_5986	5986	TCP	Any	Any
🥑 310	Port_8080	8080 90	Any	10.2.1.1/32 10.1.1.0/24	Any
🥑 330	PowerShell	5985	TCP	Any	Any
🥑 300	RDP	3389	TCP	Any	Any

1 Network Interfaces

Name	Public IP Addresses	Private IP Addresses	Virtual Machine
📖 demo-srv22467		10.1.0.4 10.1.0.6	DEMO-SRV22

📃 1 Subnets			
Name	Address Range	Virtual Network	NAT Gateway

default	1	0.1.0.0/24	LinuxS	ervers-vnet		
📙 0 Locks						
There are no I	ocks found.					
0 Role Assign	ments (Directly Appli	ed Only)				
There are no o	directly applied role a	ssignments found.				

Proximity Placement Groups

A proximity placement group is a logical grouping used to make sure that Azure compute resources are physically located close to each other.

1 Proximity Placement Group Resources		
Name	Subscription Name	Location
Demo_Proximity_Placement_Group	Contoso	West Europe

Demo_Proximity_Placement_Group

A proximity placement group is a logical grouping used to make sure that Azure compute resources are physically located close to each other.

Resource Type	Proximity Placement Group
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location Display Name	West Europe



📑 Advanced

Proximity Placement Group Type	Standard
Virtual Machine Sizes	

2 Availability Sets

Nam	ie	Fault Domains	Update Domains	SKU
	Contoso-availability-set	2	5	Aligned (Managed)
	CORP-AVAIL01	3	5	Classic (Unmanaged)

1 Virtual Machines

Name	Size	Operating System	Generation
demo-ubuntu-01	Standard_B1ls	ubuntu	V2

🛃 Virtual Machine Scale Sets	
Virtual Machine Scale Set Names	Demo-Virtual-Machine-Scale-Set

There are no locks found.

0 Role Assignments (Directly Applied Only)

Public IP Addresses

A public IP address enables Azure resources to communicate with Internet and public-facing Azure services. The address is dedicated to the resource.

2 Public IP Address Resources			
Name	Subscription Name	Location	Address
Demo-Virtual-Machine-Scale-Set-ip	Contoso	West Europe	52.142.206.179
iii pip-azrdp-vnet-uksouth-default	Contoso	UK South	Dynamic

Demo-Virtual-Machine-Scale-Set-ip

A public IP address enables Azure resources to communicate with Internet and public-facing Azure services. The address is dedicated to the resource.

Properties	
Resource Type	Public IP Address
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe



🔎 General

Address Type	IPv4
Assignment Type	Static
Domain Name Label	
Fully Qualified Domain Name	
Idle Timeout (minutes)	4
IP Address	52.142.206.179

T SKU	
SKU Tier	Regional
SKU Type	Standard

📑 0 Locks

There are no locks found.

pip-azrdp-vnet-uksouth-default

A public IP address enables Azure resources to communicate with Internet and public-facing Azure services. The address is dedicated to the resource.

Properties	
Resource Type	Public IP Address
Resource Group Name	AzRdp
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	UK South



🔎 General

Address Type	IPv4
Assignment Type	Dynamic
Domain Name Label	
	pip-azrdp-vnet-uksouth-default
Fully Qualified Domain Name	pip-azrdp-vnet-uksouth-default.uksouth.cloudapp.azure.com
Idle Timeout (minutes)	4
IP Address	

T SKU	
SKU Tier	Regional
SKU Type	Basic

📑 0 Locks

There are no locks found.

Route Tables

Route tables determine how Azure routes traffic between Azure, on-premises, and Internet resources.

1 Route Table Resources			
Name	Subscription Name	Location	Routes
# demo-route-table	Contoso	West Europe	1

demo-route-table

Route tables determine how Azure routes traffic between Azure, on-premises, and Internet resources.

Properties	
Resource Type	Route Table
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe



General	
Propagate Gateway Routes	False

<u>:::</u> 1	Routes
--------------	--------

Name	Address Prefix	Next Hop Type	Next Hop IP Address
route01	10.0.0/24	Virtual Appliance	10.0.1.1

1 Subnets			
Name	Address Range	Virtual Network	Network Security Group
🚔 default	10.0.0/24	WebServers-vnet	

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

SQL Databases

An Azure SQL database is a fully managed platform as a service (PaaS) database based on the Microsoft SQL Server database engine.

2 SQL Database Resources			
Name	Subscription Name	Location	SKU
emo-azure-sql/demo-azure-sql-db	Contoso	Sweden Central	Basic
emo-azure-sql-2/demo-azure-sql-db	Contoso	Sweden Central	Basic

demo-azure-sql/demo-azure-sql-db

An Azure SQL database is a fully managed platform as a service (PaaS) database based on the Microsoft SQL Server database engine.

Properties	
Resource Type	SQL Database
Resource Group Name	DatabaseServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	Sweden Central



🔎 General

~	
Backup Storage Redundancy Type	Locally-redundant backup storage
Collation Name	SQL_Latin1_General_CP1_CI_AS
Database Identifier	fa38ddb0-2e8f-43cd-9670-8b74af2571c6
Date Created	17 May 2022 10:11:56
Maximum Size	100 MB
Server Name	demo-azure-sql
Transparent Data Encryption Enabled	True

🛅 SKU	
Capacity	5 DTU
Edition	Basic
Service Objective Name	Basic
SKU Name	Basic

R Audit Policy			
Auditing Enabled	False		
🕤 Elastic Pool			
Elastic Pool Name	demo-azure-sql/demo-azure-sq	ql-elastic-pool	
1 Replication Links			
Partner Server Name	Partner Location	Role	Partner Role
demo-azure-sql-2	Sweden Central	Primary	Secondary
資 0 Sync Groups			
There are no sync groups found.			
📴 0 Locks			
There are no locks found.			
0 Role Assignments (Directly Applied Only)			

demo-azure-sql-2/demo-azure-sql-db

An Azure SQL database is a fully managed platform as a service (PaaS) database based on the Microsoft SQL Server database engine.

Resource Type SQL Database Resource Group Name DatabaseServers Subscription Name Contoso Subscription Identifier 8d0ebb56-65db-44e9-8b73-b51d46cdc738	Properties	
Subscription Name Contoso	Resource Type	SQL Database
	Resource Group Name	DatabaseServers
Subscription Identifier 8d0ebb56-65db-44e9-8b73-b51d46cdc738	Subscription Name	Contoso
	Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	Sweden Central



🔎 General

~	
Backup Storage Redundancy Type	Locally-redundant backup storage
Collation Name	SQL_Latin1_General_CP1_CI_AS
Database Identifier	e9875ca4-0347-471d-854f-8d8a7eff9ca7
Date Created	23 June 2022 12:03:28
Maximum Size	100 MB
Server Name	demo-azure-sql-2
Transparent Data Encryption Enabled	True

🛅 SKU	
Capacity	5 DTU
Edition	Basic
Service Objective Name	Basic
SKU Name	Basic

R Audit Policy	
Auditing Enabled	False
Elastic Pool	
There are no SQL elastic pools found	d.

1 Replication Links

Partner Server Name	Partner Location	Role	Partner Role
demo-azure-sql	Sweden Central	Secondary	Primary

1 Sync Groups

Name	Automatic Sync Interval	Conflict Resolution Policy	Use Private Link
Sync-Group-Example	Disabled	Member Win	False

0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

SQL Elastic Pools

Azure SQL database elastic pools allow for the managing and scaling of multiple databases that have varying and unpredictable usage demands.

1 SQL Elastic Pool Resources				
Name	Subscription Name	Location	SKU	
emo-azure-sql/demo-azure-sql-elastic-pool	Contoso	West Europe	Basic	

demo-azure-sql/demo-azure-sql-elastic-pool

Azure SQL database elastic pools allow for the managing and scaling of multiple databases that have varying and unpredictable usage demands.

Properties		
Resource Type	SQL Elastic Pool	
Resource Group Name	DatabaseServers	
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

Location	
Location Display Name	West Europe



🔎 General

*		
Date Created	28 June 2022 11:36:00	
Elastic Pool Name	demo-azure-sql/demo-azure-sql-elastic-pool	
Maximum Capacity	8 DTU	
Maximum Size	64 GB	
Server Name	demo-azure-sql	
Zone Redundant	True	

📶 SKU	
SKU Name	Basic
Edition	Basic
Capacity	4 DTU

1 Databases			
Name	Maximum Size	Backup Storage Redundancy	SKU

	demo-azure-sql/demo-azur e-sql-db	100 MB	Locally-redundant backup storage	Basic	
A	0 Locks				
	There are no locks found.				
ġ.	0 Role Assignments (Directly Applied Only)				

SQL Servers

A SQL Server is a logical construct that acts as a central administrative point for a collection of Azure SQL databases.

SQL Server Resources				
Name	Subscription Name	Location	Version	
demo-azure-sql	Contoso	Sweden Central	12.0.0.0	
demo-azure-sql-2	Contoso	Sweden Central	12.0.0.0	

demo-azure-sql

A SQL Server is a logical construct that acts as a central administrative point for a collection of Azure SQL databases.

	Properties		
Resource Type	SQL Server		
Resource Group Name	DatabaseServers		
Subscription Name	Contoso		
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738		

Location	
Location Display Name	Sweden Central



🥬 General			
Fully Qualified Domain Name demo-azure-sql.database.windows.net			
Server Version	12.0.0.0		

Authentication Settings		
Active Directory Administrator	sysadmin@contoso.onmicrosoft.com	
Require Azure Active Directory Authentication	False	
SQL Administrator Login	sysadmin	

Reference Audit Policy	
Auditing Enabled	False

👍 Network

Deny Public Network Access	False	
Minimum TLS Version	None	
Connection Policy	Default	
Allow Access to Azure Services	True	

Sutbound Network Access	
Restrict Outbound Network Access	False

	-
1 Firewall Rules	

Name	Start IP Address	End IP Address
ElientIPAddress_2022-5-17_10-6-26	212.159.103.19	212.159.103.19

1 Virtual Network Rules

Name	Virtual Network
aemoVnetRule1	DatabaseServersVirtualNetwork (default)

Transparent Data Encryption

Key Type	Service-Managed Key

📔 1 Databases

Name	Maximum Size	Backup Storage Redundancy	SKU
demo-azure-sql/demo-azure-sql-db	100 MB	Locally-redundant backup storage	Basic

👼 1 Failover Groups

Name	Partner Server Name	Replication Role	Failover Policy	Databases
Sig demofailovergroup	demo-azure-sql-2	Secondary	Automatic	demo-azure-sql/demo-azure-sql-db

1 Private Endpoint Connections

Name	Connection Name	Connection State	Response Message
DatabasePrivateEndpoint	DatabasePrivateEndpoint-dcbac89 f-d01c-470a-9a00-d61c8b008a64	Approved	Auto-approved

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

demo-azure-sql-2

A SQL Server is a logical construct that acts as a central administrative point for a collection of Azure SQL databases.

Properties		
Resource Type SQL Server		
Resource Group Name DatabaseServers		
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

Location Display Name	Sweden Central



General		
Fully Qualified Domain Name demo-azure-sql-2.database.windows.net		
Server Version 12.0.0.0		

Authentication Settings		
Active Directory Administrator GlobalReader@contoso.onmicrosoft.com		
Require Azure Active Directory False Authentication False		
SQL Administrator Login	sysadmin	

R Audit Policy	
Auditing Enabled	False

Network				
Deny Public Network Access	False			
Minimum TLS Version	None			
Connection Policy	Default			
Allow Access to Azure Services	True			
Soutbound Network Access				
Restrict Outbound Network Access	False			
0 Firewall Rules				
There are no firewall rules found.				
2 0 Virtual Network Rules				
There are no virtual network rules found.				
🗞 Transparent Data Encryption				

Кеу Туре	Service-Managed Key

	1 Databases				
Name		Maximum Size	Backup Storage Redundancy	SKU	
	demo-azure-sql-2/demo-azure-sql-d b	100 MB	Locally-redundant backup storage	Basic	

5) Failover Groups
-	There are no failover groups found.

1 0 Private Endpoint Connections

There are no private endpoint connections found.

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

Storage Accounts

An Azure storage account contains Azure Storage data objects, including blobs, file shares, queues, tables, and disks. The storage account provides a unique namespace to the Azure Storage data that's accessible from anywhere in the world over HTTP or HTTPS.

2 Storage Account Resources				
Name	Subscription Name	Location	SKU Type	
blockblobstorageaccount1	Contoso	UK South	Premium Locally Redundant Storage (LRS)	
v2storageaccount01	Contoso	UK South	Standard Locally Redundant Storage (LRS)	

blockblobstorageaccount1

An Azure storage account contains Azure Storage data objects, including blobs, file shares, queues, tables, and disks. The storage account provides a unique namespace to the Azure Storage data that's accessible from anywhere in the world over HTTP or HTTPS.

Resource Type	Storage Account
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location Display Name UK South		
	Location Display Name	UK South



🖌 General	
Account Kind	Block Blob Storage
Date Created	21 June 2022 09:48:00
Status of Primary	Available

SKU	
Performance Tier	Premium
SKU Type	Premium Locally Redundant Storage (LRS)

Blob Service

Blob Service	
Enable Hierarchical Namespace	True
Allow Blob Public Access	True
Blob Soft Delete	Disabled
Container Soft Delete	Disabled
Custom Domain	
Encyption Enabled	True
Versioning Enabled	False
Change Feed Retention	Disabled
NFS v3 Enabled	False

C Primary Endpoints	
Blob	https://blockblobstorageaccount1.blob.core.windows.net/
DFS	https://blockblobstorageaccount1.dfs.core.windows.net/
File	
Queue	
Table	
Web	https://blockblobstorageaccount1.z33.web.core.windows.net/

Network Access

	Allow Network Access	All Networks
--	----------------------	--------------

Network Routing

Publish Internet Endpoints	False
Publish Microsoft Endpoints	False
Routing Choice	Microsoft Routing

Security Settings

, ,	
Allow Storage Account Key Access	True
Secure Transfer Required	True
Key Source	Microsoft Storage
Minimum TLS Version	TLS 1.2
Infrastructure Encryption	False
Use Customer Managed Keys	False

📜 2 Acces	2 Access Keys	
Name	Date Created	Value
👦 key1	21 June 2022 09:48:00	A1cU/2FTHKx9NTKhZY6q!AXS2V)SAR/yC08Y4idNGHkVkgI6c2ajc8DBVHJ\$id983DIKRNG3ismci4TmnciddA==

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

v2storageaccount01

An Azure storage account contains Azure Storage data objects, including blobs, file shares, queues, tables, and disks. The storage account provides a unique namespace to the Azure Storage data that's accessible from anywhere in the world over HTTP or HTTPS.

Resource Type	Storage Account	
Resource Group Name	WebServers	
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

Location Display Name	UK South



🔎 General

Account Kind	Storage V2
Date Created	21 June 2022 09:43:45
Status of Primary	Available

SKU		
Performance Tier	Standard	
SKU Type	Standard Locally Redundant Storage (LRS)	

Blob Service

Enable Hierarchical Namespace	True
Access Tier	Hot
Allow Blob Public Access	True
Blob Soft Delete	Disabled
Container Soft Delete	Disabled
Custom Domain	
Encyption Enabled	True
Versioning Enabled	False
Change Feed Retention	Disabled
NFS v3 Enabled	False

Rimary Endpoints

Blob	https://v2storageaccount01.blob.core.windows.net/
DFS	https://v2storageaccount01.dfs.core.windows.net/
File	https://v2storageaccount01.file.core.windows.net/
Queue	https://v2storageaccount01.queue.core.windows.net/
Table	https://v2storageaccount01.table.core.windows.net/
Web	https://v2storageaccount01.z33.web.core.windows.net/

* Public Network Access

Allow Network Access	Selected Networks
Allowed Addresses	86.24.192.252 86.24.192.254
Allowed Virtual Network Names	default DemoSubnet
Allow Storage Logging	True
Allow Storage Metrics	True
Allow Trusted Azure Services	True

Network Routing	
Publish Internet Endpoints	True
Publish Microsoft Endpoints	True
Routing Choice	Internet Routing

Security Settings

Security Settings	
Allow Storage Account Key Access	True
Secure Transfer Required	True
Key Source	Microsoft Keyvault
Minimum TLS Version	TLS 1.2
Infrastructure Encryption	False
Use Customer Managed Keys	True
Current Versioned Key Identifier	https://srv22keyvaulttest.vault.azure.net/keys/SRV22KeyTest/39f5449c453543f7b80d 1e2e35ac1a45

📜 2 Access Keys

Name	Date Created	Value
👦 key1	21 June 2022 09:48:00	A2cU/2FTHKx9NTKhZY6q!AXS2V)SAR/yC08Y4idNGHkVkgI6c2ajc8DBVHJ\$id983DIKRNG3ismci4TmnciddA==
👦 key2	21 June 2022 09:48:00	B2VkgI6c2ajc8DBVHJ\$id983DIKRNG3ismci4Tmn)SAR/yC08Y4idNGHkV0isDSGTF5ODpbRwzpp+AStrAv6aA==

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

Virtual Machines

An Azure virtual machine (VM) is an on-demand, scalable computing resource.

2 Virtual Machine Resources				
Name	Subscription Name	Location	Operating System Type	Size
DEMO-SRV22	Contoso	UK South	Windows	Standard_DS1_v2
demo-ubuntu-01	Contoso	West Europe	Linux	Standard_B1Is

DEMO-SRV22

An Azure virtual machine (VM) is an on-demand, scalable computing resource.

Properties		
Resource Type	Virtual Machine	
Resource Group Name	WebServers	
Subscription Name	Contoso	
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738	

Location	
Location Display Name	UK South



System		
Admin Username sysadmin		
Agent Version	2.7.41491.1102	
Computer Name	DEMO-SRV22	
Generation	V2	
Virtual Machine Identifier	0143a187-47b4-49ee-867c-075fdb2da211	

Coperating System	
Operating System Type	Windows
Operating System Name	Windows Server 2022 Datacenter
Operating System Version	10.0.20348.587

Sover State	
Power State	Running

Boot Diagnostics	
Enabled	True
Status	Enabled with managed storage account

Screenshot



La Availability Set

No Availability Set

1 Network Interfaces

Name	Public IP Addresses	Private IP Addresses	Network Security Group
📖 demo-srv22467		10.1.0.4 10.1.0.6	DEMO-SRV22-nsg

1 Extensions

Name	Publisher	Automatic Upgrade Enabled	Provisioning State
AzureDiskEncryption v2.2	Microsoft.Azure.Security	True	Failed

Sizing Name Standard_DS1_v2 Maximum Data Disk Count 4 Memory Size 3.5 GB Number of Cores 1 Operating System Disk Size 1,023 GB Resource Disk Size 7 GB

There are no locks found.

0 Role Assignments (Directly Applied Only)

Storage

Provides information about the storage configuration for the virtual machine.

📜 1 Disks				
Name	Purpose	Туре	Size	Encryption
DEMO-SRV22_OsDisk_1	Operating System	Managed	30 GB	(Default) Encryption at-rest with a platform-managed key

DEMO-SRV22_OsDisk_1

Provides information about the virtual machine operating system disk.

Read/Write	
<i>l</i> anaged	
Standard LRS	
Standard	
30 GB	
0	
00	
lone	
Vindows	
Default) Encryption at-rest with a platform-managed key	

demo-ubuntu-01

An Azure virtual machine (VM) is an on-demand, scalable computing resource.

Properties	
Resource Type	Virtual Machine
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe




System		
Admin Username	azureuser	
Agent Version	2.9.1.1	
Computer Name	demo-ubuntu-01	
Generation	V2	
Virtual Machine Identifier	40644a24-5fb2-4936-95db-d988895a8981	

∆ Operating System	
Operating System Type	Linux
Operating System Name	ubuntu
Operating System Version	22.04

Sower State	
Power State	Running

Boot Diagnostics	
Enabled	True
Status	Enabled with managed storage account

Screenshot



Langle Availability Set

Availability Set Name Contoso-availability-set

1 Network Interfaces

Name	Public IP Addresses	Private IP Addresses	Network Security Group
demo-ubuntu-0172		10.5.0.4	

0 Extensions

There are no extensions found.

Sizing

Name	Standard_B1Is
Maximum Data Disk Count	2
Memory Size	512 MB
Number of Cores	1
Operating System Disk Size	1,023 GB
Resource Disk Size	4 GB

📑 0 Locks

0 Role Assignments (Directly Applied Only)

Storage

Provides information about the storage configuration for the virtual machine.

📜 1 Disks					
Name	Purpose	Туре	Size	Encryption	
💻 demo-ubuntu-01_OsDisk_1	Operating System	Managed	30 GB	(Default) Encryption at-rest with a platform-managed key	

demo-ubuntu-01_OsDisk_1

Provides information about the virtual machine operating system disk.

Properties	
Host Caching	Read/Write
Disk Size	30 GB
Disk Type	Managed
🛅 SKU	
SKU Type	Standard LRS
Tier	Standard
Disk Size	30 GB
Provisioned Throughput	60
Provisioned IOPS	500
🔀 Ephemeral Disk	
Ephemeral Disk Type	None
Operating System	
Operating System Type	Linux
沿 Encryption	
Encryption State	(Default) Encryption at-rest with a platform-managed key

Virtual Networks

A virtual network enables many types of Azure resources, such as Azure virtual machines, to securely communicate with each other, the internet, and on-premises networks.

5 Virtual Network Resources					
Name	Subscription Name	Location	Address Prefixes		
DatabaseServersVirtualNetwork	Contoso	Sweden Central	10.3.0.0/16		
🖝 LinuxServers-vnet	Contoso	West Europe	10.0.1.0/24		
Server2022Test-vnet	Contoso	UK South	10.1.0.0/16		
July WebServers-vnet	Contoso	West Europe	10.0.0/24		
WebServersvnet328	Contoso	West Europe	10.2.0.0/16		

DatabaseServersVirtualNetwork

A virtual network enables many types of Azure resources, such as Azure virtual machines, to securely communicate with each other, the internet, and on-premises networks.

Resource Type Virtual Network Resource Group Name DatabaseServers	
Subscription Name Contoso	
Subscription Identifier 8d0ebb56-65db-44e9-8b73-b51d46cdc738	

Location	
Location Display Name	Sweden Central



🔎 General	
Address Prefixes	10.3.0.0/16
BGP Regional Community	
BGP Virtual Network Community	
Flow Timeout	Disabled
DDoS Protection Settings	

DDoS Protection Enabled	False

Ø DNS Settings	
DNS Servers	Default (Azure-provided)

1 Subnets

Name	Address Prefixes	NAT Gateway	Network Security Group	Route Table
default	10.3.0.0/24			

There are no peerings found.

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

LinuxServers-vnet

A virtual network enables many types of Azure resources, such as Azure virtual machines, to securely communicate with each other, the internet, and on-premises networks.

Properties				
Resource Type	Virtual Network			
Resource Group Name	LinuxServers			
Subscription Name	Contoso			
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738			

Location	
Location Display Name	West Europe



👂 General	
Address Prefixes	10.0.1.0/24
BGP Regional Community	
BGP Virtual Network Community	
Flow Timeout	Disabled
DDoS Protection Settings	

DDoS Protection Enabled	False

Ø DNS Settings	
DNS Servers	Default (Azure-provided)

There are no peerings found.

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

Server2022Test-vnet

A virtual network enables many types of Azure resources, such as Azure virtual machines, to securely communicate with each other, the internet, and on-premises networks.

	Properties				
Resource Type V	Virtual Network				
Resource Group Name W	WebServers				
Subscription Name C	Contoso				
Subscription Identifier 80	8d0ebb56-65db-44e9-8b73-b51d46cdc738				

Location	
Location Display Name	UK South



🔎 General	
Address Prefixes	10.1.0.0/16
BGP Regional Community	
BGP Virtual Network Community	
Flow Timeout	Disabled
ODoS Protection Settings	

<u> </u>	
DDoS Protection Enabled	False

DNS Servers Default (Azure-provided)	

📃 2 Subnets

Name	Address Prefixes	NAT Gateway	Network Security Group	Route Table
🕳 default	10.1.0.0/24		DEMO-SRV22-nsg	

👍 DemoSubnet	10.1.1.0/24		
🐁 0 Peerings			
There are no peerings	found.		

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

WebServers-vnet

A virtual network enables many types of Azure resources, such as Azure virtual machines, to securely communicate with each other, the internet, and on-premises networks.

Properties	
Resource Type	Virtual Network
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe



🔑 General	
Address Prefixes	10.0.0/24
BGP Regional Community	
BGP Virtual Network Community	
Flow Timeout	Disabled

DDoS Protection Settings	
DDoS Protection Enabled	False

Ø DNS Settings	
DNS Servers	Default (Azure-provided)

1 Subnets

Name	Address Prefixes	NAT Gateway	Network Security Group	Route Table
default	10.0.0/24			demo-route-table

🔩 1 Peerings

Name	State	Peer	Use Remote Gateways
🐁 example-peering-link	Connected	WebServersvnet328	False
0 Locks			
There are no locks found.			

0 Role Assignments (Directly Applied Only)

WebServersvnet328

A virtual network enables many types of Azure resources, such as Azure virtual machines, to securely communicate with each other, the internet, and on-premises networks.

Properties	
Resource Type	Virtual Network
Resource Group Name	WebServers
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe



DDoS Protection Enabled	False	

Ø DNS Settings	
DNS Servers	Default (Azure-provided)

1 Subnets

Name	Address Prefixes	NAT Gateway	Network Security Group	Route Table
default	10.2.0.0/16			

🔩 1 Peerings

Name	State	Peer	Use Remote Gateways
🐁 remote-peering-link	Connected	WebServers-vnet	False

0 Locks		
There are no locks found.		

0 Role Assignments (Directly Applied Only)

Web Apps

An Azure web app is an HTTP-based service for hosting web applications.

Resources			
Name	Subscription Name	Location	App Service Plan
🜐 demowebappauth	Contoso	West Europe	ASP-WebApps-b4aa
demowebappcs1	Contoso	East US	ASP-WebApps-8d57

demowebappauth

An Azure web app is an HTTP-based service for hosting web applications.

Properties	
Resource Type	Web App
Resource Group Name	WebApps
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

Location	
Location Display Name	West Europe



Site Configuration

Always On	False
ARR Affinity	True
Custom Domain Verification Identifier	0A2F9DA0D02C09787D6394630A490F54DD33F8FD23349908C5183A3B8E022854
Default Hostname	demowebappauth.azurewebsites.net
Host Names	demowebappauth.azurewebsites.net
HTTP 2.0 Enabled	False
MySQL In App Enabled	False
Managed Pipeline Mode	Integrated
Minimum TLS Version	TLS 1.2
Outbound IP Addresses	20.31.24.6 20.31.24.83 20.31.25.150 20.31.26.14 20.31.26.241 20.31.27.227 20.238.195.172 20.238.196.11 20.238.196.65 20.238.196.178 20.238.197.189 20.238.197.189 20.238.197.226 20.238.198.19 20.238.198.71 20.238.198.71 20.238.198.71 20.238.198.71 20.238.198.71 20.238.198.71 20.238.198.103 20.105.224.37
Require HTTPS Connections	True
Web Sockets Enabled	False

Client Certificates

Client Certificate Mode

Ignore

Default Documents	
Default Documents	Default.htm Default.html Default.asp index.htm index.html iisstart.htm default.aspx index.php hostingstart.html

Remote Debugging		
Remote Debugging Enabled	False	
Remote Debugging Version		
NET		

.NET Version	v8.0

Sevelopment Stack	
PHP Version	
Java Version	
Java Web Server	

🐞 App Service Plan		
App Service Plan Name	ASP-WebApps-b4aa	
SKU Tier	Free	
SKU Name	F1	
SKU Capacity	0	

Deployment Slots Deployment Slot Names

Authentication Settings

Enabled	True
Require Authentication	True
Unauthenticated Client Action	Redirect to login page
Token Store Enabled	True
Token Refresh Extension (Hours)	72
Default Provider Name	azureactivedirectory
Allowed External Redirect URLs	

é Apple Identity Provider

The identity provider is not configured.

Microsoft Identity Provider	
Application (Client) Identifier	799744ea-2347-4981-acd7-626e01dbd112
Client Secret Setting Name	MICROSOFT_PROVIDER_AUTHENTICATION_SECRET
Issuer URL	https://sts.windows.net/85c204d6-06a9-4803-a1fb-fc6beb1e7535/v2.0
Allowed Audiences	api://799744ea-2347-4981-acd7-626e01dbd112

Facebook Identity Provider

The identity provider is not configured.

GitHub Identity Provider

Google Identity Provider

The identity provider is not configured.

X Twitter Identity Provider

The identity provider is not configured.

FTP Publishing Settings

FTP Access	FTPS Only
FTPS Endpoint	ftps://waws-prod-am2-743.ftp.azurewebsites.windows.net/site/wwwroot
Username	demowebappauth\\$demowebappauth

2 Application Settings

Name	Value
B MICROSOFT_PROVIDER_AUTHENTICATION_SECRET	KYH8Q~xIF90wOtTQktyYO5dttiFfNC6nO85Xuak2
B WEBSITE_AUTH_AAD_ALLOWED_TENANTS	85c204d6-06a9-4803-a1fb-fc6beb1e7535

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

demowebappcs1

An Azure web app is an HTTP-based service for hosting web applications.

Properties	
Resource Type	Web App
Resource Group Name	WebApps
Subscription Name	Contoso
Subscription Identifier	8d0ebb56-65db-44e9-8b73-b51d46cdc738

🔏 Location	
Location Display Name	East US



Site Configuration

Site Configuration	
Always On	False
ARR Affinity	True
Custom Domain Verification Identifier	0A2F9DA0D02C09787D6394630A490F54DD33F8FD23349908C5183A3B8E022854
Default Hostname	demowebappcs1.azurewebsites.net
Host Names	demowebappcs1.azurewebsites.net
HTTP 2.0 Enabled	False
MySQL In App Enabled	False
Managed Pipeline Mode	Integrated
Minimum TLS Version	TLS 1.2
Outbound IP Addresses	52.226.144.245 52.226.144.254 52.226.145.12 52.226.145.73 52.226.145.109 52.226.145.151 52.226.147.6 52.226.147.9 52.226.147.16 52.226.147.22 52.226.147.37 52.226.147.38 52.226.147.38 52.226.147.41 52.226.147.45 52.226.147.73 52.226.147.73 52.226.147.104 52.226.147.115 20.119.0.52
Require HTTPS Connections	True
Web Sockets Enabled	False

Client Certificates

Client Certificate Mode

Ignore

Default Documents	
Default Documents	Default.htm Default.html Default.asp index.htm index.html iisstart.htm default.aspx index.php hostingstart.html

Remote Debugging	
Remote Debugging Enabled	False
Remote Debugging Version	
NET	

.NET Version	v8.0

Sevelopment Stack	
PHP Version	
Java Version	
Java Web Server	

b App Service Plan		
App Service Plan Name	ASP-WebApps-8d57	
SKU Tier	Free	
SKU Name	F1	
SKU Capacity	0	

Deployment Slots Deployment Slot Names

Authentication Settings

Enabled	True
Require Authentication	True
Unauthenticated Client Action	Redirect to login page
Token Store Enabled	True
Token Refresh Extension (Hours)	72
Default Provider Name	azureactivedirectory
Allowed External Redirect URLs	

é Apple Identity Provider

The identity provider is not configured.

Microsoft Identity Provider Application (Client) Identifier ee063821-c9e1-4757-80f3-6cec17df5e51 Client Secret Setting Name MICROSOFT_PROVIDER_AUTHENTICATION_SECRET Issuer URL https://sts.windows.net/85c204d6-06a9-4803-a1fb-fc6beb1e7535/v2.0 Allowed Audiences api://ee063821-c9e1-4757-80f3-6cec17df5e51

Facebook Identity Provider

The identity provider is not configured.

GitHub Identity Provider

Google Identity Provider

The identity provider is not configured.

X Twitter Identity Provider

The identity provider is not configured.

FTP Publishing Settings

FTP Access	FTPS Only
FTPS Endpoint ftps://waws-prod-blu-523.ftp.azurewebsites.windows.net/site/wwwroot	
Username	demowebappcs1\\$demowebappcs1

5 Application Settings

Name	Value		
	InstrumentationKey=fd743240-799a-44b5-bf79-3506464270b6;IngestionEndpoint=https://ea		
DeplicationInsightsAgent_EXTENSION_VERSION	~2		
	PMp8Q~-VhB4-1.fmTrZZGc4B_rLRtmGgLFevnbJa		
B WEBSITE_AUTH_AAD_ALLOWED_TENANTS	85c204d6-06a9-4803-a1fb-fc6beb1e7535		
XDT_MicrosoftApplicationInsights_Mode	default		

📑 0 Locks

There are no locks found.

0 Role Assignments (Directly Applied Only)

Other Resource Types

Other resources include any resource type that is not explicitly scanned by the system.

Only basic resource information is available for these resource types.

16 Other Resources

Nam	e	Subscription Name	Resource Type
9	c9portalvhdst1y6dds8f24r	Contoso	Microsoft.ClassicStorage/storageAccounts
9	DatabasePrivateEndpoint	Contoso	Microsoft.Network/privateEndpoints
	DefaultWebAppWafbdfc0dbd463c4 12cbe6888beb11ff063	Contoso	Microsoft.Network/frontdoorWebApplicationFire wallPolicies
	DEMO-2K12R2-CLA	Contoso	Microsoft.ClassicCompute/domainNames
	demowebappcs1	Contoso	microsoft.insights/components
	Example_Load_Balancer	Contoso	Microsoft.Network/loadBalancers
	Demo-Virtual-Machine-Scale-Set	Contoso	Virtual Machine Scale Set
	NetworkWatcher_eastus	Contoso	Network Watcher
	NetworkWatcher_swedencentral	Contoso	Network Watcher
	NetworkWatcher_uksouth	Contoso	Network Watcher
	NetworkWatcher_westeurope	Contoso	Network Watcher
	privatelink.blob.core.windows.net	Contoso	Microsoft.Network/privateDnsZones
	privatelink.database.windows.net	Contoso	Microsoft.Network/privateDnsZones
	privatelink.database.windows.net	Contoso	Microsoft.Network/privateDnsZones
	SRV22KeyVaultTest	Contoso	Microsoft.KeyVault/vaults
	demo-ubuntu-01_key	Contoso	Microsoft.Compute/sshPublicKeys

Version History

The version history displays the changes that have been made to the documentation of this item over time - either automatically when a change has been detected, or manually by users of the system.

S versions						
Version	Username	Date	Time	Description		
1.04	W-2K22\sysadmin	28 February 2024	16:30	Added custom item details.		
🕙 1.03	W-2K22\sysadmin	28 February 2024	16:28	Added a primary owner.		
🕙 1.02	W-2K22\sysadmin	28 February 2024	16:27	Added a description.		
🕙 1.01	W-2K22\sysadmin	28 February 2024	10:44	Updated by XIA Configuration Client Data		
1.00	W-2K22\sysadmin	28 February 2024	10:44	Item created.		