

# Compliance Benchmark Results

Report Output



CONTOSO  
TECHNICAL  
SERVICES

<b>Date</b>	12/10/2020 15:31:09
<b>Author</b>	DEMO2012R2\sysadmin
<b>Version</b>	1.0.0
<b>Product</b>	XIA Configuration Server [12.2.7.0]


# Disclaimer


















This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.







Microsoft, Windows and Active Directory are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.




















# Compliance Benchmark Results

















Provides a summary of the results of the benchmarks that have been run for items in the environment.

 433 Results




















Reference	Reference Title	Result	Benchmark Name	Name
 1.01	Set "Enforce password history" to remember at least 24 passwords	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 1.02	Set "Maximum password age" to 60 days or less	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 1.03	Set "Minimum password age" to at least 1 day(s)	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 1.04	Set "Minimum password length" to 14 or more characters	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 1.05	Set "Password must meet complexity requirements" to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 1.06	Set "Store passwords using reversible encryption" to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 2.01	Set the "Account lockout duration" to 30 minutes or longer	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 2.02	Set the "Account lockout threshold" to greater than 4 and less than 10	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 2.03	Set the "Reset account lockout after" value to between 15 minutes and 30 minutes	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 3.01	Enable the Windows Firewall domain profile	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 3.02	Set the Windows Firewall default inbound action of the domain profile to "Block"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 3.03	Enable the Windows Firewall public profile	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 3.04	Set the Windows Firewall default inbound action of the public profile to "Block"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 3.05	Enable the Windows Firewall private profile	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 3.06	Set the Windows Firewall default inbound action of the private profile to "Block"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 4.01	Rename the local Administrator account to a less easily identifiable account name (does not apply to domain controllers)	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 4.02	Set the local Administrator account to "Disabled" (does not apply to domain controllers)	Excluded by Configuration	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

	4.03	Rename the local Guest account to a less easily identifiable account name (does not apply to domain controllers)	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	4.04	Set the local Guest account to "Disabled" (does not apply to domain controllers)	Excluded by Configuration	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	5.01	Limit the number of server functions to one per server	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.01	Set the "Accounts: Limit local account use of blank passwords to console logon only" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.02	Set the "Devices: Allowed to format and eject removable media" security option to "Administrators"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.03	Set the "Devices: Prevent users from installing printer drivers" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.04	Set the "Domain controller: LDAP server signing requirements" security option to "Require signing"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.05	Set the "Domain member: Require strong (Windows 2000 or later) session key" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.06	Set the "Interactive logon: Do not display last user name" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.07	Set the "Interactive logon: Do not require CTRL+ALT+DEL" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.08	Set the "Interactive logon: Message text for users attempting to log on" security option to an appropriate value	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.09	Set the "Interactive logon: Message title for users attempting to log on" security option to an appropriate value	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.10	Set the "Interactive logon: Number of previous logons to cache (in case domain controller is not available)" security option to "0" for servers and "0" for workstations	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.11	Set the "Network access: Do not allow anonymous enumeration of SAM accounts" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.12	Set the "Network access: Do not allow anonymous enumeration of SAM accounts and shares" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.13	Set the "Network access: Let Everyone permissions apply to anonymous users" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.14	Set the "Credential User Interface: Do not display the password reveal button" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.15	Set the "Network security: Force logoff when logon hours expire" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.16	Set the "Network security: LAN Manager authentication level" security option to "Send NTLMv2 response only. Refuse LM & NTLM"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

	6.17	Set the "Network security: LDAP client signing requirements" security option to "Require signature"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.18	Set the "Recovery console: Allow automatic administrative logon" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.19	Set the "Recovery Console: Allow floppy copy and access to drives and folders" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.20	Set the "Shutdown: Clear virtual memory pagefile" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.21	Set the "Domain controller: Allow server operators to schedule tasks" security option to "Disabled" (only applies to domain controllers)	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.22	Set the "Domain controller: Refuse machine account password changes" security option to "Disabled" (only applies to domain controllers)	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.23	Set the "Domain member: Digitally encrypt secure channel data (when possible)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.24	Set the "Domain member: Digitally sign secure channel data (when possible)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.25	Set the "Domain member: Digitally encrypt or sign secure channel data (always)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.26	Set the "Domain member: Disable machine account password changes" security option to "Disabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.27	Set the "Domain member: Maximum machine account password age" security option to 30 days	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.28	Set the "Interactive logon: Machine inactivity limit" security option to 900 seconds or less	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.29	Set the "Interactive logon: Prompt user to change password before expiration" security option to a value between 5 and 10 days	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.30	Set the "Interactive logon: Require Domain Controller authentication to unlock workstation" security option to "Enabled" on domain members	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.31	Set the "Interactive logon: Smart card removal behavior" security option to "Lock Workstation" or greater	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.32	Set the "Microsoft network client: Digitally sign communications (always)" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.33	Set the "Microsoft network client: Digitally sign communications (if server agrees)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.34	Set the "Microsoft network client: Send unencrypted password to connect to third-party SMB servers" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.35	Set the "Microsoft network server: Amount of idle time required before suspending session" security option to "15 minutes"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

	6.36	Set the "Microsoft network server: Digitally sign communications (always)" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.37	Set the "Microsoft network server: Digitally sign communications (if client agrees)" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.38	Set the "Microsoft network server: Disconnect clients when logon hours expire" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.39	Set the "Microsoft network server: Server SPN target name validation level" security option to "Accept if provided by client" or "Required from client"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.40	Set the "Network access: Do not allow storage of passwords and credentials for network authentication" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.41	Set the "Network access: Remotely accessible registry paths" security option to the default value or a null (empty) value	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.42	Set the "Network access: Restrict anonymous access to Named Pipes and Shares" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.43	Set the "Network access: Shares that can be accessed anonymously" security option to an empty value	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.44	Set the "Network access: Sharing and security model for local accounts" security option to "Classic - Local users authenticate as themselves"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.45	Set the "Network security: Allow Local System to use computer identity for NTLM" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.46	Set the "Network security: Allow LocalSystem NULL session fallback" security option to "Disabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.47	Set the "Network security: Allow PKU2U authentication requests to this computer to use online identities" security option to "Disabled" for domain members	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.48	Set the "Network security: Do not store LAN Manager hash value on next password change" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.49	Set the "Network security: Minimum session security for NTLM SSP based (including secure RPC) clients" security option to "Require NTLMv2 session security, Require 128-bit encryption"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.50	Set the "Network security: Minimum session security for NTLM SSP based (including secure RPC) servers" security option to "Require NTLMv2 session security, Require 128-bit encryption"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.51	Set the "Shutdown: Allow system to be shut down without having to log on" security option to "Disabled" (only applies to server operating systems)	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.52	Set the "System objects: Require case insensitivity for non-Windows subsystems" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
	6.53	Set the "System objects: Strengthen default permissions of internal system objects (e.g. Symbolic Links)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

 6.54	Set the "User Account Control: Admin Approval Mode for the Built-in Administrator account" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.55	Set the "User Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.56	Set the "User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode" security option to "Prompt for consent on the secure desktop"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.57	Set the "User Account Control: Behavior of the elevation prompt for standard users" security option to "Automatically deny elevation requests"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.58	Set the "User Account Control: Detect application installations and prompt for elevation" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.59	Set the "User Account Control: Only elevate UIAccess applications that are installed in secure locations" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.60	Set the "User Account Control: Run all administrators in Admin Approval Mode" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.61	Set the "User Account Control: Switch to the secure desktop when prompting for elevation" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.62	Set the "User Account Control: Virtualize file and registry write failures to per-user locations" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.63	Set the "Accounts: Block Microsoft accounts" security option to "Users can't add or log on with Microsoft accounts"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.64	Set the "Audit: Shut down system immediately if unable to log security audits" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.65	Set the "Domain controller: Allow server operators to schedule tasks" security option to "Disabled" (domain controllers only)	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 6.66	Set the "Interactive logon: Don't display last signed-in" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.01	Set "Audit: Audit the access of global system objects" to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.02	Set "Audit: Audit the use of Backup and Restore privilege" to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.03	Set "Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings" to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.04	Set the "Audit Credential Validation" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.05	Set the "Audit Kerberos Authentication Service" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.06	Set the "Audit Kerberos Service Ticket Operations" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.07	Set the "Audit Other Account Logon Events" advanced audit policy to	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

	"Success and Failure"			
 7.08	Set the "Audit Application Group Management" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.09	Set the "Audit Computer Account Management" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.10	Set the "Audit Distribution Group Management" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.11	Set the "Audit Other Account Management Events" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.12	Set the "Audit Security Group Management" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.13	Set the "Audit User Account Management" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.14	Set the "Audit DPAPI Activity" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.15	Set the "Audit PNP Activity" advanced audit policy to "Any"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.16	Set the "Audit Process Creation" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.17	Set the "Audit Process Termination" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.18	Set the "Audit RPC Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.19	Set the "Audit Detailed Directory Service Replication" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.20	Set the "Audit Directory Service Access" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.21	Set the "Audit Directory Service Changes" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.22	Set the "Audit Directory Service Replication" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.23	Set the "Audit Account Lockout" advanced audit policy to "Success"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.24	Set the "Audit Group Membership" advanced audit policy to "Success"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.25	Set the "Audit IPsec Extended Mode" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.26	Set the "Audit IPsec Main Mode" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 7.27	Set the "Audit IPsec Quick Mode" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
7.28	Set the "Audit Logoff" advanced audit policy to "Success"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
7.29	Set the "Audit Logon" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
7.30	Set the "Audit Network Policy Server" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO



✔	7.31	Set the "Audit Other Logon/Logoff Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✘	7.32	Set the "Audit Special Logon" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.33	Set the "Audit User/Device Claims" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.34	Set the "Audit Application Generated" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.35	Set the "Audit Central Access Policy Staging" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.36	Set the "Audit Certification Services" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.37	Set the "Audit Detailed File Share" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.38	Set the "Audit File Share" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.39	Set the "Audit File System" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.40	Set the "Audit Filtering Platform Connection" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.41	Set the "Audit Filtering Platform Packet Drop" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.42	Set the "Audit Handle Manipulation" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.43	Set the "Audit Kernel Object" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.44	Set the "Audit Other Object Access Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.45	Set the "Audit Registry" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.46	Set the "Audit Removable Storage" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.47	Set the "Audit SAM" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✘	7.48	Set the "Audit Audit Policy Change" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✘	7.49	Set the "Audit Authentication Policy Change" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.50	Set the "Audit Authorization Policy Change" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.51	Set the "Audit Filtering Platform Policy Change" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✘	7.52	Set the "Audit MPSSVC Rule-Level Policy Change" advanced audit policy to "Success"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.53	Set the "Audit Other Policy Change Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.54	Set the "Audit Non Sensitive Privilege Use" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✔	7.55	Set the "Audit Other Privilege Use Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

✓	7.56	Set the "Audit Sensitive Privilege Use" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	7.57	Set the "Audit IPsec Driver" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	7.58	Set the "Audit Other System Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	7.59	Set the "Audit Security State Change" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	7.60	Set the "Audit Security System Extension" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	7.61	Set the "Audit System Integrity" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	8.01	Set the "Sign-in last interactive user automatically after a system-initiated restart" security setting to "Disabled" on Windows Server 2012 R2 and above	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	8.02	Enable Windows Update to receive updates	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	8.03	Configure Windows Update to use Windows Server Update Services (WSUS)	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	9.01	Enable the Windows Time client on all machines	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	9.02	Set the NTP client type to "Domain Hierarchy (NT5DS)" for workstations and member servers, and "NTP" for PDC emulators and machines on workgroups"	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	9.03	Enable the NTP server for domain controllers, and disable for member servers and workstations	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	10.01	If SNMP is enabled, ensure that no "public" or "private" SNMP community strings are configured	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	10.02	If SNMP is enabled, ensure that no writable SNMP community strings are configured	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	11.01	Ensure that Server Message Block (SMB) version 1 is disabled for the server service	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	12.01	Set the maximum size of the Application event log to 40,960 KB or greater	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	12.02	Set the maximum size of the Security event log to 81,920 KB or greater	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	12.03	Set the maximum size of the System event log to 20,480 KB or greater	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	12.04	Set the retention policy of the Application event log to 'Overwrite events as needed (oldest events first)'	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	12.05	Set the retention policy of the Security event log to 'Overwrite events as needed (oldest events first)'	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	12.06	Set the retention policy of the System event log to 'Overwrite events as needed (oldest events first)'	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO



















✓	13.01	Set the "Access Credential Manager as a trusted caller" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✘	13.02	Set the Access this computer from the network user right to include only BUILTIN\Administrators NT AUTHORITY\Authenticated Users	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.03	Set the "Act as part of the operating system" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✘	13.04	Set the "Add workstations to domain" user right to [Empty]	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.05	Set the Adjust memory quotas for a process user right to include only BUILTIN\Administrators IIS APPPOOL%\% NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT SERVICE\MSSQL%\% NT SERVICE\	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.06	Set the Allow log on locally user right to include only BUILTIN\Administrators BUILTIN\Backup Operators BUILTIN\Users	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.07	Set the Allow log on through Remote Desktop Services user right to include only BUILTIN\Administrators BUILTIN\Remote Desktop Users	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.08	Set the Back up files and directories user right to include only BUILTIN\Administrators BUILTIN\Backup Operators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.09	Set the "Bypass traverse checking" user right to [Any Value]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.10	Set the Change the system time user right to include only BUILTIN\Administrators NT AUTHORITY\LOCAL SERVICE	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.11	Set the "Change the time zone" user right to [Any Value]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.12	Set the Create a pagefile user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.13	Set the "Create a token object" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.14	Set the Create global objects user right to include only BUILTIN\Administrators NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT AUTHORITY\SERVICE	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.15	Set the "Create permanent shared objects" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.16	Set the Create symbolic links user right to include only BUILTIN\Administrators NT VIRTUAL MACHINE\Virtual Machines	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

✓	13.17	Set the Debug programs user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	13.18	Set the Deny access to this computer from the network user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	13.19	Set the Deny log on as a batch job user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	13.20	Set the Deny log on as a service user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	13.21	Set the Deny log on locally user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✗	13.22	Set the Deny log on through Remote Desktop Services user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.23	Set the "Enable computer and user accounts to be trusted for delegation" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.24	Set the Force shutdown from a remote system user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.25	Set the Generate security audits user right to include only IIS APPPOOL% NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT SERVICE\adfssrv NT SERVICE\drs	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.26	Set the Impersonate a client after authentication user right to include only BUILTIN\Administrators BUILTIN\IIS_IUSRS NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT AUTHORITY\SERVIC	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.27	Set the Increase a process working set user right to include only BUILTIN\Users Window Manager\Window Manager Group	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.28	Set the Increase scheduling priority user right to include only BUILTIN\Administrators Window Manager\Window Manager Group	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.29	Set the Load and unload device drivers user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.30	Set the "Lock pages in memory" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
✓	13.31	Set the Log on as a batch job user right to include only BUILTIN\Administrators BUILTIN\Backup Operators BUILTIN\IIS_IUSRS	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO

	BUILTIN\Performance Log Users			
 13.32	Set the Log on as a service user right to include only IIS APPPOOL%\NT AUTHORITY\NETWORK SERVICE\NT SERVICE\%	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.33	Set the Manage auditing and security log user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.34	Set the "Modify an object label" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.35	Set the Modify firmware environment values user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.36	Set the Obtain an impersonation token for another user in the same session user right to include only BUILTIN\Administrators	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.37	Set the Perform volume maintenance tasks user right to include only BUILTIN\Administrators	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.38	Set the Profile single process user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.39	Set the Profile system performance user right to include only BUILTIN\Administrators\NT SERVICE\WdiServiceHost	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.40	Set the "Remove computer from docking station" user right to [Any Value]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.41	Set the Replace a process level token user right to include only IIS APPPOOL%\NT AUTHORITY\LOCAL SERVICE\NT AUTHORITY\NETWORK SERVICE\NT SERVICE\%	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.42	Set the Restore files and directories user right to include only BUILTIN\Administrators	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.43	Set the Shut down the system user right to include only BUILTIN\Administrators	Failed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.44	Set the "Synchronize directory service data" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 13.45	Set the Take ownership of files or other objects user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K12R2-DEMO
 1.01	Ensure that the SQL instance is running SQL version 11.0 or above	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
 2.01	Disable ad hoc remote queries if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
 2.02	Disable CLR integration if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
 2.03	Disable database mail if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS




















✓	2.04	Disable OLE automation if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	2.05	Disable remote DAC if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	2.06	Disable the service broker endpoint if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	2.07	Disable SOAP endpoints if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	2.08	Disable SQL mail if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	2.09	Disable XP CMD Shell if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✗	3.01	Rename the 'sa' account	Failed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	3.02	Disable the 'sa' account	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	3.03	Ensure no logins have a blank password	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	4.01	Set the server authentication mode to 'Windows Authentication Mode'.	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	4.02	Set the server login audit level to 'Failed Logins Only'.	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	4.03	Disable cross database ownership chaining	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	5.01	Disable scan for start-up procedures	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	6.01	Ensure no databases are configured as TRUSTWORTHY	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	7.01	Disable Named Pipes if not required	Passed	SQL Basic Compliance Benchmark	XCS-2K12R2-DEMO\SQLEXPRESS
✓	1.01	Set "Enforce password history" to remember at least 24 passwords	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	1.02	Set "Maximum password age" to 60 days or less	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	1.03	Set "Minimum password age" to at least 1 day(s)	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	1.04	Set "Minimum password length" to 14 or more characters	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	1.05	Set "Password must meet complexity requirements" to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	1.06	Set "Store passwords using reversible encryption" to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	2.01	Set the "Account lockout duration" to 30 minutes or longer	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	2.02	Set the "Account lockout threshold" to greater than 4 and less than 10	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	2.03	Set the "Reset account lockout after" value to between 15 minutes and 30 minutes	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	3.01	Enable the Windows Firewall domain profile	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	3.02	Set the Windows Firewall default inbound action of the domain profile to "Block"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	3.03	Enable the Windows Firewall public profile	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE





















	3.04	Set the Windows Firewall default inbound action of the public profile to "Block"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	3.05	Enable the Windows Firewall private profile	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	3.06	Set the Windows Firewall default inbound action of the private profile to "Block"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	4.01	Rename the local Administrator account to a less easily identifiable account name (does not apply to domain controllers)	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	4.02	Set the local Administrator account to "Disabled" (does not apply to domain controllers)	Excluded by Configuration	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	4.03	Rename the local Guest account to a less easily identifiable account name (does not apply to domain controllers)	Excluded by Configuration	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	4.04	Set the local Guest account to "Disabled" (does not apply to domain controllers)	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	5.01	Limit the number of server functions to one per server	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.01	Set the "Accounts: Limit local account use of blank passwords to console logon only" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.02	Set the "Devices: Allowed to format and eject removable media" security option to "Administrators"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.03	Set the "Devices: Prevent users from installing printer drivers" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.04	Set the "Domain controller: LDAP server signing requirements" security option to "Require signing"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.05	Set the "Domain member: Require strong (Windows 2000 or later) session key" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.06	Set the "Interactive logon: Do not display last user name" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.07	Set the "Interactive logon: Do not require CTRL+ALT+DEL" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.08	Set the "Interactive logon: Message text for users attempting to log on" security option to an appropriate value	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.09	Set the "Interactive logon: Message title for users attempting to log on" security option to an appropriate value	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.10	Set the "Interactive logon: Number of previous logons to cache (in case domain controller is not available)" security option to "0" for servers and "0" for workstations	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.11	Set the "Network access: Do not allow anonymous enumeration of SAM accounts" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.12	Set the "Network access: Do not allow anonymous enumeration of SAM	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE






















	accounts and shares" security option to "Enabled"			
 6.13	Set the "Network access: Let Everyone permissions apply to anonymous users" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.14	Set the "Credential User Interface: Do not display the password reveal button" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.15	Set the "Network security: Force logoff when logon hours expire" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.16	Set the "Network security: LAN Manager authentication level" security option to "Send NTLMv2 response only. Refuse LM & NTLM"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.17	Set the "Network security: LDAP client signing requirements" security option to "Require signature"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.18	Set the "Recovery console: Allow automatic administrative logon" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.19	Set the "Recovery Console: Allow floppy copy and access to drives and folders" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.20	Set the "Shutdown: Clear virtual memory pagefile" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.21	Set the "Domain controller: Allow server operators to schedule tasks" security option to "Disabled" (only applies to domain controllers)	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.22	Set the "Domain controller: Refuse machine account password changes" security option to "Disabled" (only applies to domain controllers)	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.23	Set the "Domain member: Digitally encrypt secure channel data (when possible)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.24	Set the "Domain member: Digitally sign secure channel data (when possible)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.25	Set the "Domain member: Digitally encrypt or sign secure channel data (always)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.26	Set the "Domain member: Disable machine account password changes" security option to "Disabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.27	Set the "Domain member: Maximum machine account password age" security option to 30 days	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.28	Set the "Interactive logon: Machine inactivity limit" security option to 900 seconds or less	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.29	Set the "Interactive logon: Prompt user to change password before expiration" security option to a value between 5 and 10 days	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.30	Set the "Interactive logon: Require Domain Controller authentication to unlock workstation" security option to "Enabled" on domain members	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.31	Set the "Interactive logon: Smart card removal behavior" security option to	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE



	"Lock Workstation" or greater			
 6.32	Set the "Microsoft network client: Digitally sign communications (always)" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.33	Set the "Microsoft network client: Digitally sign communications (if server agrees)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.34	Set the "Microsoft network client: Send unencrypted password to connect to third-party SMB servers" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.35	Set the "Microsoft network server: Amount of idle time required before suspending session" security option to "15 minutes"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.36	Set the "Microsoft network server: Digitally sign communications (always)" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.37	Set the "Microsoft network server: Digitally sign communications (if client agrees)" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.38	Set the "Microsoft network server: Disconnect clients when logon hours expire" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.39	Set the "Microsoft network server: Server SPN target name validation level" security option to "Accept if provided by client" or "Required from client"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.40	Set the "Network access: Do not allow storage of passwords and credentials for network authentication" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.41	Set the "Network access: Remotely accessible registry paths" security option to the default value or a null (empty) value	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.42	Set the "Network access: Restrict anonymous access to Named Pipes and Shares" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.43	Set the "Network access: Shares that can be accessed anonymously" security option to an empty value	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.44	Set the "Network access: Sharing and security model for local accounts" security option to "Classic - Local users authenticate as themselves"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.45	Set the "Network security: Allow Local System to use computer identity for NTLM" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.46	Set the "Network security: Allow LocalSystem NULL session fallback" security option to "Disabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.47	Set the "Network security: Allow PKU2U authentication requests to this computer to use online identities" security option to "Disabled" for domain members	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.48	Set the "Network security: Do not store LAN Manager hash value on next password change" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 6.49	Set the "Network security: Minimum session security for NTLM SSP based (including secure RPC) clients" security option to "Require NTLMv2 session security, Require 128-bit encryption"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE

	6.50	Set the "Network security: Minimum session security for NTLM SSP based (including secure RPC) servers" security option to "Require NTLMv2 session security, Require 128-bit encryption"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.51	Set the "Shutdown: Allow system to be shut down without having to log on" security option to "Disabled" (only applies to server operating systems)	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.52	Set the "System objects: Require case insensitivity for non-Windows subsystems" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.53	Set the "System objects: Strengthen default permissions of internal system objects (e.g. Symbolic Links)" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.54	Set the "User Account Control: Admin Approval Mode for the Built-in Administrator account" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.55	Set the "User Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.56	Set the "User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode" security option to "Prompt for consent on the secure desktop"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.57	Set the "User Account Control: Behavior of the elevation prompt for standard users" security option to "Automatically deny elevation requests"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.58	Set the "User Account Control: Detect application installations and prompt for elevation" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.59	Set the "User Account Control: Only elevate UIAccess applications that are installed in secure locations" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.60	Set the "User Account Control: Run all administrators in Admin Approval Mode" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.61	Set the "User Account Control: Switch to the secure desktop when prompting for elevation" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.62	Set the "User Account Control: Virtualize file and registry write failures to per-user locations" security option to "Enabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.63	Set the "Accounts: Block Microsoft accounts" security option to "Users can't add or log on with Microsoft accounts"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.64	Set the "Audit: Shut down system immediately if unable to log security audits" security option to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.65	Set the "Domain controller: Allow server operators to schedule tasks" security option to "Disabled" (domain controllers only)	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	6.66	Set the "Interactive logon: Don't display last signed-in" security option to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.01	Set "Audit: Audit the access of global system objects" to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.02	Set "Audit: Audit the use of Backup and Restore privilege" to "Disabled"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE

 7.03	Set "Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings" to "Enabled"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.04	Set the "Audit Credential Validation" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.05	Set the "Audit Kerberos Authentication Service" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.06	Set the "Audit Kerberos Service Ticket Operations" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.07	Set the "Audit Other Account Logon Events" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.08	Set the "Audit Application Group Management" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.09	Set the "Audit Computer Account Management" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.10	Set the "Audit Distribution Group Management" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.11	Set the "Audit Other Account Management Events" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.12	Set the "Audit Security Group Management" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.13	Set the "Audit User Account Management" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.14	Set the "Audit DPAPI Activity" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.15	Set the "Audit PNP Activity" advanced audit policy to "Any"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.16	Set the "Audit Process Creation" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.17	Set the "Audit Process Termination" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.18	Set the "Audit RPC Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.19	Set the "Audit Detailed Directory Service Replication" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.20	Set the "Audit Directory Service Access" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.21	Set the "Audit Directory Service Changes" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.22	Set the "Audit Directory Service Replication" advanced audit policy to "None"	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 7.23	Set the "Audit Account Lockout" advanced audit policy to "Success"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE

	7.24	Set the "Audit Group Membership" advanced audit policy to "Success"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.25	Set the "Audit IPsec Extended Mode" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.26	Set the "Audit IPsec Main Mode" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.27	Set the "Audit IPsec Quick Mode" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.28	Set the "Audit Logoff" advanced audit policy to "Success"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.29	Set the "Audit Logon" advanced audit policy to "Success and Failure"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.30	Set the "Audit Network Policy Server" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.31	Set the "Audit Other Logon/Logoff Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.32	Set the "Audit Special Logon" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.33	Set the "Audit User/Device Claims" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.34	Set the "Audit Application Generated" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.35	Set the "Audit Central Access Policy Staging" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.36	Set the "Audit Certification Services" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.37	Set the "Audit Detailed File Share" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.38	Set the "Audit File Share" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.39	Set the "Audit File System" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.40	Set the "Audit Filtering Platform Connection" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.41	Set the "Audit Filtering Platform Packet Drop" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.42	Set the "Audit Handle Manipulation" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.43	Set the "Audit Kernel Object" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.44	Set the "Audit Other Object Access Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.45	Set the "Audit Registry" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.46	Set the "Audit Removable Storage" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.47	Set the "Audit SAM" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.48	Set the "Audit Audit Policy Change" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	7.49	Set the "Audit Authentication Policy Change" advanced audit policy to	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE




	"Success and Failure"			
✔ 7.50	Set the "Audit Authorization Policy Change" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.51	Set the "Audit Filtering Platform Policy Change" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✘ 7.52	Set the "Audit MPSSVC Rule-Level Policy Change" advanced audit policy to "Success"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.53	Set the "Audit Other Policy Change Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.54	Set the "Audit Non Sensitive Privilege Use" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.55	Set the "Audit Other Privilege Use Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.56	Set the "Audit Sensitive Privilege Use" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✘ 7.57	Set the "Audit IPsec Driver" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.58	Set the "Audit Other System Events" advanced audit policy to "None"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✘ 7.59	Set the "Audit Security State Change" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✘ 7.60	Set the "Audit Security System Extension" advanced audit policy to "Success and Failure"	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 7.61	Set the "Audit System Integrity" advanced audit policy to "Success and Failure"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 8.01	Set the "Sign-in last interactive user automatically after a system-initiated restart" security setting to "Disabled" on Windows Server 2012 R2 and above	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✘ 8.02	Enable Windows Update to receive updates	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✘ 8.03	Configure Windows Update to use Windows Server Update Services (WSUS)	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 9.01	Enable the Windows Time client on all machines	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 9.02	Set the NTP client type to "Domain Hierarchy (NT5DS)" for workstations and member servers, and "NTP" for PDC emulators and machines on workgroups"	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 9.03	Enable the NTP server for domain controllers, and disable for member servers and workstations	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 10.01	If SNMP is enabled, ensure that no "public" or "private" SNMP community strings are configured	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 10.02	If SNMP is enabled, ensure that no writable SNMP community strings are configured	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✔ 11.01	Ensure that Server Message Block (SMB) version 1 is disabled for the server	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE

	service				
	12.01	Set the maximum size of the Application event log to 40,960 KB or greater	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	12.02	Set the maximum size of the Security event log to 81,920 KB or greater	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	12.03	Set the maximum size of the System event log to 20,480 KB or greater	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	12.04	Set the retention policy of the Application event log to 'Overwrite events as needed (oldest events first)'	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	12.05	Set the retention policy of the Security event log to 'Overwrite events as needed (oldest events first)'	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	12.06	Set the retention policy of the System event log to 'Overwrite events as needed (oldest events first)'	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.01	Set the "Access Credential Manager as a trusted caller" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.02	Set the Access this computer from the network user right to include only BUILTIN\Administrators NT AUTHORITY\Authenticated Users	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.03	Set the "Act as part of the operating system" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.04	Set the "Add workstations to domain" user right to [Empty]	Excluded by Platform	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.05	Set the Adjust memory quotas for a process user right to include only BUILTIN\Administrators IIS APPPOOL%\ NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT SERVICE\MSSQL%\ NT SERVICE\ 	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.06	Set the Allow log on locally user right to include only BUILTIN\Administrators BUILTIN\Backup Operators BUILTIN\Users	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.07	Set the Allow log on through Remote Desktop Services user right to include only BUILTIN\Administrators BUILTIN\Remote Desktop Users	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.08	Set the Back up files and directories user right to include only BUILTIN\Administrators BUILTIN\Backup Operators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.09	Set the "Bypass traverse checking" user right to [Any Value]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.10	Set the Change the system time user right to include only BUILTIN\Administrators NT AUTHORITY\LOCAL SERVICE	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
	13.11	Set the "Change the time zone" user right to [Any Value]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE

✓	13.12	Set the Create a pagefile user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.13	Set the "Create a token object" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.14	Set the Create global objects user right to include only BUILTIN\Administrators NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT AUTHORITY\SERVICE	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.15	Set the "Create permanent shared objects" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.16	Set the Create symbolic links user right to include only BUILTIN\Administrators NT VIRTUAL MACHINE\Virtual Machines	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.17	Set the Debug programs user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.18	Set the Deny access to this computer from the network user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.19	Set the Deny log on as a batch job user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.20	Set the Deny log on as a service user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.21	Set the Deny log on locally user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.22	Set the Deny log on through Remote Desktop Services user right to must include BUILTIN\Guests	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.23	Set the "Enable computer and user accounts to be trusted for delegation" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.24	Set the Force shutdown from a remote system user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.25	Set the Generate security audits user right to include only IIS APPPOOL%\% NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT SERVICE\adfssrv NT SERVICE\drs	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.26	Set the Impersonate a client after authentication user right to include only BUILTIN\Administrators BUILTIN\IIS_IUSRS NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT AUTHORITY\SERVIC	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE

✓	13.27	Set the Increase a process working set user right to include only BUILTIN\Device Owners BUILTIN\Users Window Manager\Window Manager Group	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.28	Set the Increase scheduling priority user right to include only BUILTIN\Administrators Window Manager\Window Manager Group	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.29	Set the Load and unload device drivers user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.30	Set the "Lock pages in memory" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.31	Set the Log on as a batch job user right to include only BUILTIN\Administrators BUILTIN\Backup Operators BUILTIN\IIS_IUSRS BUILTIN\Performance Log Users	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.32	Set the Log on as a service user right to include only IIS APPPOOL%\ NT AUTHORITY\NETWORK SERVICE NT SERVICE%\	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.33	Set the Manage auditing and security log user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.34	Set the "Modify an object label" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.35	Set the Modify firmware environment values user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.36	Set the Obtain an impersonation token for another user in the same session user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.37	Set the Perform volume maintenance tasks user right to include only BUILTIN\Administrators	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.38	Set the Profile single process user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.39	Set the Profile system performance user right to include only BUILTIN\Administrators NT SERVICE\WdiServiceHost	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.40	Set the "Remove computer from docking station" user right to [Any Value]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✓	13.41	Set the Replace a process level token user right to include only IIS APPPOOL%\ NT AUTHORITY\LOCAL SERVICE NT AUTHORITY\NETWORK SERVICE NT SERVICE%\	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
✗	13.42	Set the Restore files and directories user right to include only BUILTIN\Administrators	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE



 13.43	Set the Shut down the system user right to include only BUILTIN\Administrators	Failed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 13.44	Set the "Synchronize directory service data" user right to [Empty]	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE
 13.45	Set the Take ownership of files or other objects user right to include only BUILTIN\Administrators	Passed	Windows Basic Compliance Benchmark	XCS-2K19-LIVE