

Citrix XenApp Farm Report

Farm65



Disclaimer

This document is for authorised use by the intended recipient(s) only. It may contain proprietary material, confidential information and, or be subject to legal privilege. It should not be copied, disclosed to, retained or used by, any other party.

Citrix XenApp Farm Information

This is an example Citrix XenApp 6.5 farm containing two servers and several published applications including server installed, streamed and content.


Item Properties

Description	Sample XenApp 6.5 farm
Item Name	Farm65
Item ID	9950
Primary Owner Name	IT Services
Primary Owner Contact	itservices@demonstration.int
Scanned on Date	Friday, April 24, 2015
Client Version	7.0.3

Relationships

Item ID	Direction	Name	Type	Relationship Type
 9951	Outbound	DEMO-XA65-01	Windows Server	Contains Farm Member Server
 9946	Outbound	DEMO-XA65-02	Windows Server	Contains Farm Member Server
 1000	Outbound	Demonstration Inc	Container	Contained Within
 Internal	Outbound	Corporate Intranet	Published Application	Hosts Published Application
 Internal	Outbound	Firefox	Published Application	Hosts Published Application
 Internal	Outbound	Microsoft Access	Published Application	Hosts Published Application
 Internal	Outbound	Microsoft Excel	Published Application	Hosts Published Application
 Internal	Outbound	Microsoft PowerPoint	Published Application	Hosts Published Application
 Internal	Outbound	Microsoft Word	Published Application	Hosts Published Application
 Internal	Outbound	Skype	Published Application	Hosts Published Application

Relationship Map



Farm65

A Citrix XenApp farm is a group of Citrix servers providing virtualized applications published to users. A farm can be managed as a unit, with all servers in a farm share a single data store.

General Settings

Farm Name	Farm65
-----------	--------

Configuration Logging

Enabled	True
Allow changes to the farm when logging database is disconnected	True
Authentication Mode	Integrated
Connection String	Server=localhost\CITRIX_METAFRAME;Database=MF20;Connection Timeout=20;Packet Size=8192;Encrypt=true;Pooling=true;Min Pool Size=0;Max Pool Size=100;Connection Lifetime=0;Enlist=true;Connection Reset=true;
Connection Type	SQL Server
Require administrators to enter database credentials before clearing the log	False
Server Name	localhost\CITRIX_METAFRAME
Database	MF20

Administrators

Citrix administrators are users or groups that are assigned permissions to manage the farm. A Citrix administrator is configured as either Full, View Only or Custom.

Name	Privilege	Status
 DEMO-XA65-01\Administrator	Custom	Enabled
 DEMOXENAPP\administrator	Full	Enabled

DEMO-XA65-01\Administrator

Citrix administrators are users or groups that are assigned permissions to manage the farm. A Citrix administrator is configured as either Full, View Only or Custom.

DEMO-XA65-01\Administrator

Enabled	True
Administrator Type	Custom
Unique Identifier	10f4-0124-0000022b

Privileges

Folder	Task
 Farm	Log on to Management console
 Farm	View administrators
 Farm	View load balancing policies
 Applications	View session management Send messages Log off users Reset sessions
 Servers	View session management Log off users

DEMOXENAPP\administrator

Citrix administrators are users or groups that are assigned permissions to manage the farm. A Citrix administrator is configured as either Full, View Only or Custom.

 **DEMOXENAPP\administrator**

Enabled	True
Administrator Type	Full
Unique Identifier	10f4-0124-000000f9

Applications

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

Name	Application Type	Status	Description
 Corporate Intranet	Content	Enabled	Corporate Intranet link
 Firefox	Streamed to client	Enabled	Firefox web browser
 Microsoft Access	Installed application	Enabled	Microsoft Access - database application
 Microsoft Excel	Installed application	Enabled	Microsoft Excel - spreadsheet application
 Microsoft PowerPoint	Installed application	Enabled	Microsoft PowerPoint presentation software
 Microsoft Word	Installed application	Enabled	Microsoft Word - Word processor
 Skype	Streamed to client	Enabled	Firefox web browser

Corporate Intranet

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Corporate Intranet
Disable application	False
Description	Corporate Intranet link

Access Control

Allow connections made through Access Gateway Advanced Edition	False
Allow all other connections	False

Location

Content address	http://intranet
-----------------	-----------------

Shortcut Presentation

Client application folder	Web Links
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Web Links

Users

Allow anonymous users	False
Users	DEMOXENAPP\Domain Users

Firefox

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Firefox
Disable application	False
Description	Firefox web browser

Access Control

Allow connections made through Access Gateway Advanced Edition	False
Allow all other connections	False

Streaming

Profile address	\\demo-xa-dc01\PublishedApplications\FireFox\FireFox.profile
Application to launch	Mozilla Firefox
Extra command line parameters	
Run application as a least-privileged user account	False
Enable offline access	True
Pre-cache application at login	True

Shortcut Presentation

Client application folder	Web Browsers
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Web Browsers

Users

Allow anonymous users	False
Users	DEMOXENAPP\Citrix Corporate Users

Microsoft Access

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Microsoft Access
Disable application	False
Description	Microsoft Access - database application

Access Control

Allow connections made through Access Gateway Advanced Edition	True
Access session conditions enabled	False
Allow all other connections	True

Appearance

Window Size	1024x768
Maximum color quality	Better Appearance (32-bit)
Hide application title bar	False
Maximize application at startup	False

Client Options

Enable legacy audio	True
Audio is minimum requirement	False
Enable SSL and TLS protocols	False
Encryption Level	Basic
Start this application without waiting for printers to be created	True

Location

Command line	"C:\Program Files\Microsoft Office\Office15\MSACCESS.EXE"
Working directory	C:\Program Files\Microsoft Office\Office15

Limits

Instance Limit	Unlimited
Allow only one instance of application for each user	False
Application importance	Normal

Servers

Server Names	DEMO-XA65-01 DEMO-XA65-02
--------------	------------------------------

Worker Group Names

 **Shortcut Presentation**

Client application folder	Microsoft Office
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Microsoft Office

 **Users**

Allow anonymous users	False
Users	DEMOXENAPP\Citrix Corporate Users

Microsoft Excel

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Microsoft Excel
Disable application	False
Description	Microsoft Excel - spreadsheet application

Access Control

Allow connections made through Access Gateway Advanced Edition	True
Access session conditions enabled	False
Allow all other connections	True

Appearance

Window Size	1024x768
Maximum color quality	Better Appearance (32-bit)
Hide application title bar	False
Maximize application at startup	False

Client Options

Enable legacy audio	True
Audio is minimum requirement	False
Enable SSL and TLS protocols	False
Encryption Level	Basic
Start this application without waiting for printers to be created	True

Location

Command line	"C:\Program Files\Microsoft Office\Office15\EXCEL.EXE"
Working directory	C:\Program Files\Microsoft Office\Office15

Limits

Instance Limit	Unlimited
Allow only one instance of application for each user	False
Application importance	Normal

Servers

Server Names	DEMO-XA65-01 DEMO-XA65-02
--------------	------------------------------

Worker Group Names

 **Shortcut Presentation**

Client application folder	Microsoft Office
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Microsoft Office

 **Users**

Allow anonymous users	False
Users	DEMOXENAPP\Citrix Corporate Users

Microsoft PowerPoint

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Microsoft PowerPoint
Disable application	False
Description	Microsoft PowerPoint presentation software

Access Control

Allow connections made through Access Gateway Advanced Edition	True
Access session conditions enabled	False
Allow all other connections	True

Appearance

Window Size	1024x768
Maximum color quality	Better Appearance (32-bit)
Hide application title bar	False
Maximize application at startup	False

Client Options

Enable legacy audio	True
Audio is minimum requirement	False
Enable SSL and TLS protocols	False
Encryption Level	Basic
Start this application without waiting for printers to be created	True

Location

Command line	"C:\Program Files\Microsoft Office\Office15\POWERPNT.EXE"
Working directory	C:\Program Files\Microsoft Office\Office15

Limits

Instance Limit	Unlimited
Allow only one instance of application for each user	False
Application importance	Normal

Servers

Server Names	DEMO-XA65-01 DEMO-XA65-02
--------------	------------------------------

Worker Group Names

 **Shortcut Presentation**

Client application folder	Microsoft Office
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Microsoft Office

 **Users**

Allow anonymous users	False
Users	DEMOXENAPP\Citrix Corporate Users

Microsoft Word

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Microsoft Word
Disable application	False
Description	Microsoft Word - Word processor

Access Control

Allow connections made through Access Gateway Advanced Edition	True
Access session conditions enabled	False
Allow all other connections	True

Appearance

Window Size	1024x768
Maximum color quality	Better Appearance (32-bit)
Hide application title bar	False
Maximize application at startup	False

Client Options

Enable legacy audio	True
Audio is minimum requirement	False
Enable SSL and TLS protocols	False
Encryption Level	Basic
Start this application without waiting for printers to be created	True

Location

Command line	"C:\Program Files\Microsoft Office\Office15\WINWORD.EXE"
Working directory	C:\Program Files\Microsoft Office\Office15

Limits

Instance Limit	Unlimited
Allow only one instance of application for each user	False
Application importance	Normal

Servers

Server Names	DEMO-XA65-01 DEMO-XA65-02
--------------	------------------------------

Worker Group Names

 **Shortcut Presentation**

Client application folder	Microsoft Office
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Microsoft Office

 **Users**

Allow anonymous users	False
Users	DEMOXENAPP\Citrix Corporate Users

Skype

Applications are the applications, content and server desktops that have been virtualized and made available (published) to users.

General Settings

Application Browser Name	Skype messenger application
Disable application	False
Description	Firefox web browser
File Types (Content Redirection)	Skype Content (.skype)

Access Control

Allow connections made through Access Gateway Advanced Edition	False
Allow all other connections	False

Streaming

Profile address	\\demo-xa-dc01\PublishedApplications\Install Skype\Install Skype.profile
Application to launch	Skype
Extra command line parameters	%*
Run application as a least-privileged user account	False
Enable offline access	True
Pre-cache application at login	False

Shortcut Presentation

Client application folder	Desktop Applications
Add shortcut to the client's desktop	True
Add to the client's Start menu	True
Start menu folder	Desktop Applications

Users

Allow anonymous users	False
Users	DEMOXENAPP\Citrix Corporate Users

File Types

Provides information about the file types that are associated with applications published within the farm.

File Types		
File Type	Extension	Applications
 3GPP Audio/Video	.3gp, .3gpp	[None Assigned]
 3GPP2 Audio/Video	.3g2, .3gp2	[None Assigned]
 Address Book File	.wab	[None Assigned]
 ADTS Audio	.AAC, .ADT, .ADTS	[None Assigned]
 AIFF Format Sound	.aif, .aifc, .aiff	[None Assigned]
 Application	.exe	[None Assigned]
 Application Manifest	.application	[None Assigned]
 Application Reference	.appref-ms	[None Assigned]
 AU Format Sound	.au, .snd	[None Assigned]
 AVCHD Video	.M2T, .M2TS, .MTS	[None Assigned]
 Bitmap Image	.bmp, .dib	[None Assigned]
 Cabinet File	.cab	[None Assigned]
 CD Audio Track	.cda	[None Assigned]
 Certificate Request Response	.p7r	[None Assigned]
 Certificate Revocation List	.crl	[None Assigned]
 Certificate Trust List	.stl	[None Assigned]
 Citrix ICA Client	.ica	[None Assigned]
 Citrix Optimization Session	.sfo	[None Assigned]
 Compiled HTML Help file	.chm	[None Assigned]
 Composite Font File	.compositefont	[None Assigned]
 Compressed (zipped) Folder	.zip	[None Assigned]
 Configuration Settings	.ini	[None Assigned]
 Contact File	.contact	[None Assigned]
 Contact Group File	.group	[None Assigned]
 cr document	.cr	[None Assigned]
 Diagnostic Cabinet	.diagcab	[None Assigned]
 Diagnostic Configuration	.diagcfg	[None Assigned]
 Diagnostic Document	.diagpkg	[None Assigned]
 Dial-Up Phonebook	.pbk	[None Assigned]
 Digital ID File	.p7c	[None Assigned]
 Directory Query	.qds	[None Assigned]
 EMF File	.emf	[None Assigned]

 GIF Image	.gif	[None Assigned]
 Help File	.hlp	[None Assigned]
 HTML Application	.hta	[None Assigned]
 HTML Document	.html	[None Assigned]
 Icon	.ico	[None Assigned]
 Information Card	.crd	[None Assigned]
 Information Card Store	.crds	[None Assigned]
 Integration Services Configuration	.dtsConfig	[None Assigned]
 Integration Services Deployment Manifest	.SSISDeploymentManifest	[None Assigned]
 JPEG Image	.jpe, .jpeg, .jpg	[None Assigned]
 JPEG Image	.jif	[None Assigned]
 JScript Encoded File	.JSE	[None Assigned]
 JScript Script File	.js	[None Assigned]
 M3U file	.m3u	[None Assigned]
 MHTML Document	.mht, .mhtml	[None Assigned]
 Microsoft Common Console Document	.msc	[None Assigned]
 Microsoft Data Link	.UDL	[None Assigned]
 Microsoft Recorded TV Show	.DVR-MS	[None Assigned]
 Microsoft Serialized Certificate Store	.sst	[None Assigned]
 Microsoft Update Standalone Package	.msu	[None Assigned]
 MIDI Sequence	.mid, .midi, .rmi	[None Assigned]
 Movie Clip	.m1v, .M2V, .MOD, .mp2v, .mpa, .mpe, .mpeg, .mpg, .mpv2	[None Assigned]
 MP3 Format Sound	.mp2, .mp3	[None Assigned]
 MP4 Video	.m4v, .mp4, .mp4v	[None Assigned]
 MPEG-2 TS Video	.TS, .TTS	[None Assigned]
 MPEG-4 Audio	.m4a	[None Assigned]
 MS-DOS Application	.com	[None Assigned]
 MSInfo Configuration File	.nfo	[None Assigned]
 No Description Available	.psm1	[None Assigned]
 No Description Available	.tif, .tiff	[None Assigned]
 No Description Available	.psd1	[None Assigned]
 No Description Available	.ps1	[None Assigned]
 No Description Available	.migtable	[None Assigned]
 No Description Available	.URL	[None Assigned]
 No Description Available	.odt	[None Assigned]
 No Description Available	.psc1	[None Assigned]
 No Description Available	.evt	[None Assigned]
 No Description Available	.evtx	[None Assigned]
 OOXML Text Document	.docx	[None Assigned]

 OpenSearch Description File	.osdx	[None Assigned]
 Performance Monitor Configuration	.perfmoncfg	[None Assigned]
 Performance Monitor File	.blg	[None Assigned]
 PICS Rules File	.prf	[None Assigned]
 PKCS #7 Certificates	.p7b, .spc	[None Assigned]
 PKCS #7 Signature	.p7s	[None Assigned]
 PNG Image	.png	[None Assigned]
 QuickTime Movie	.mov	[None Assigned]
 Rating System File	.rat	[None Assigned]
 Registration Entries	.reg	[None Assigned]
 Remote Desktop Connection	.RDP	[None Assigned]
 Resource Monitor Configuration	.resmoncfg	[None Assigned]
 Rich Text Document	.rtf	[None Assigned]
 RLE File	.rle	[None Assigned]
 Screen saver	.scr	[None Assigned]
 Security Catalog	.cat	[None Assigned]
 Security Certificate	.cer, .crt, .der	[None Assigned]
 Setup Information	.inf	[None Assigned]
 Shortcut to MS-DOS Program	.pif	[None Assigned]
 Skype Content	.skype	Skype
 Text Document	.log, .scp, .txt, .wtx	[None Assigned]
 URL:HyperText Transfer Protocol	.htm	[None Assigned]
 VBScript Encoded File	.VBE	[None Assigned]
 VBScript Script File	.vbs	[None Assigned]
 vCard File	.vcf	[None Assigned]
 Video Clip	.avi	[None Assigned]
 Wave Sound	.wav	[None Assigned]
 Windows Batch File	.bat	[None Assigned]
 Windows Command Script	.cmd	[None Assigned]
 Windows Explorer Command	.scf	[None Assigned]
 Windows Installer Package	.msi	[None Assigned]
 Windows Installer Patch	.msp	[None Assigned]
 Windows Markup File	.xaml	[None Assigned]
 Windows Media Audio file	.wma	[None Assigned]
 Windows Media Audio shortcut	.wax	[None Assigned]
 Windows Media Audio/Video file	.wmv	[None Assigned]
 Windows Media Audio/Video file	.asf, .wm	[None Assigned]
 Windows Media Audio/Video playlist	.wvx	[None Assigned]
 Windows Media Audio/Video playlist	.asx, .wmx	[None Assigned]

 Windows Media Photo	.wdp	[None Assigned]
 Windows Media Player Download Package	.WMD	[None Assigned]
 Windows Media Player Skin File	.WMS	[None Assigned]
 Windows Media Player Skin Package	.wmz	[None Assigned]
 Windows Media playlist	.wpl	[None Assigned]
 Windows Recorded TV Show	.WTV	[None Assigned]
 Windows Script Component	.sct, .wsc	[None Assigned]
 Windows Script File	.WSF	[None Assigned]
 Windows Script Host Settings File	.WSH	[None Assigned]
 Windows Theme File	.theme	[None Assigned]
 Windows Theme Pack	.themepack	[None Assigned]
 Windows Visual Style File	.msstyles	[None Assigned]
 WMF File	.wmf	[None Assigned]
 Workspace Configuration File	.wcx	[None Assigned]
 XAML Browser Application	.xbap	[None Assigned]
 XML Document	.xml	[None Assigned]
 XPS Document	.dwx, .easmx, .edrx, .eprx, .jtx, .xps	[None Assigned]
 XrML Digital License	.xrm-ms	[None Assigned]
 XrML Digital License Package	.slupkg-ms	[None Assigned]
 XSL Stylesheet	.xsl	[None Assigned]

History

The history provides a log of the configuration changes in the farm.

Date	Account Name	Action	Description
 4/24/2015 5:01:08 PM	DEMOXENAPP\Administrator	Modified	Administrator DEMO-XA65-01\Administrator was modified.
 4/24/2015 3:50:52 PM	DEMOXENAPP\Administrator	Modified	Administrator DEMO-XA65-01\Administrator was modified.
 4/24/2015 3:50:26 PM	DEMOXENAPP\Administrator	Modified	Administrator DEMO-XA65-01\Administrator was modified.
 4/24/2015 3:41:08 PM	DEMOXENAPP\Administrator	Modified	Farm zones have been modified
 4/24/2015 3:41:08 PM	DEMOXENAPP\Administrator	Modified	Zone HR Zone has been modified
 4/24/2015 3:40:54 PM	DEMOXENAPP\Administrator	Modified	Worker Group 'Corporate Group' was modified.
 4/24/2015 3:39:53 PM	DEMOXENAPP\Administrator	Modified	Administrator DEMO-XA65-01\Administrator was modified.
 4/24/2015 3:39:33 PM	DEMOXENAPP\Administrator	Modified	Worker Group 'HR Group' was modified.
 4/24/2015 3:39:31 PM	DEMOXENAPP\Administrator	Created	Folder 'WorkerGroups/HR Groups' was created.
 4/24/2015 3:39:18 PM	DEMOXENAPP\Administrator	Cleared	Configuration log cleared

Load Balancing Policies

Load balancing policies are used by Citrix to determine which group of servers a session should be started on.

Name	Priority	State
 Corporate Policy	2	Enabled
 HR Policy	1	Enabled

Corporate Policy

Load balancing policies are used by Citrix to determine which group of servers a session should be started on.

Corporate Policy

Enabled	True
Description	Provides load balancing for corporate users
Policy Identifier	10f4-0192-00000227
Priority	2
Streamed App Delivery	Not configured

Access Control

Filter based on access control	False
--------------------------------	-------

Client IP Address

Filter based on client IP addresses	False
-------------------------------------	-------

Client Name

Filter based on client name	False
-----------------------------	-------

Users

Filter based on user	True
Apply to anonymous users	False
Apply to all explicit (non-anonymous) users	False
Ignored Accounts	
Matched Accounts	DEMOXENAPP\Citrix Corporate Users

Worker Groups

Configure application connection preference based on worker group	True
Worker Group Preference	Corporate Group [1]

HR Policy

Load balancing policies are used by Citrix to determine which group of servers a session should be started on.

HR Policy

Enabled	True
Description	Load balancing policy for HR users
Policy Identifier	10f4-0192-00000228
Priority	1
Streamed App Delivery	Not configured

Access Control

Filter based on access control	False
--------------------------------	-------

Client IP Address

Filter based on client IP addresses	False
-------------------------------------	-------

Client Name

Filter based on client name	False
-----------------------------	-------

Users

Filter based on user	True
Apply to anonymous users	False
Apply to all explicit (non-anonymous) users	False
Ignored Accounts	
Matched Accounts	DEMOXENAPP\Citrix HR Users

Worker Groups

Configure application connection preference based on worker group	True
Worker Group Preference	HR Group [1]

Load Evaluators

A load evaluator is used to evaluate how much load is currently placed on a server using one or more rules such as memory usage and CPU utilization.

Name	Description
 Advanced	Use the Advanced Load Evaluator to limit memory usage, CPU utilization, and page swaps on a server for load management.
 Default	The Default Load Evaluator uses the user session count for its criteria.

Advanced

A load evaluator is used to evaluate how much load is currently placed on a server using one or more rules such as memory usage and CPU utilization.

Advanced

Description	Use the Advanced Load Evaluator to limit memory usage, CPU utilization, and page swaps on a server for load management.
Load Evaluator ID	10f4-0005-000000e7

Application User Load

Enabled	False
---------	-------

Context Switches

Enabled	False
---------	-------

CPU Utilization

Enabled	True
Report no load when the processor utilization percentage is less than or equal to this value.	10
Report full load when the processor utilization percentage is greater than this value.	90

Disk Data I/O

Enabled	False
---------	-------

Disk Operations

Enabled	False
---------	-------

IP Ranges

Enabled	False
---------	-------

Load Throttling

Enabled	True
Impact of logons on load	High (Default)

Memory Usage

Enabled	True
Report no load when the memory usage is less than or equal to this value	10
Report full load when the memory usage is greater than this value	90

 **Page Faults**

Enabled	False
---------	-------

 **Page Swaps**

Enabled	True
---------	------

Report no load when the number of page swaps per second is less than or equal to this value.	0
--	---

Report full load when the number of page swaps per second is greater than this value.	100
---	-----

 **Scheduling**

Enabled	False
---------	-------

 **Server User Load**

Enabled	False
---------	-------

Default

A load evaluator is used to evaluate how much load is currently placed on a server using one or more rules such as memory usage and CPU utilization.

Default

Description	The Default Load Evaluator uses the user session count for its criteria.
-------------	--

Load Evaluator ID	10f4-0005-000000ec
-------------------	--------------------

Application User Load

Enabled	False
---------	-------

Context Switches

Enabled	False
---------	-------

CPU Utilization

Enabled	False
---------	-------

Disk Data I/O

Enabled	False
---------	-------

Disk Operations

Enabled	False
---------	-------

IP Ranges

Enabled	False
---------	-------

Load Throttling

Enabled	True
---------	------

Impact of logons on load	High (Default)
--------------------------	----------------

Memory Usage

Enabled	False
---------	-------

Page Faults

Enabled	False
---------	-------

Page Swaps

Enabled	False
---------	-------

 **Scheduling**

Enabled

False

 **Server User Load**

Enabled

True

Report full load when the number of server users equals

100

Policies

Citrix policies are configured within the farm and provide a way to centrally manage both user and computer based settings.

Computer Policies

Citrix computer policies are configured within the farm and configure settings such as server ICA configuration, server settings, licensing and XML service configuration.

Name	Priority	Enabled	Description
 Corporate Servers	1	True	Policy for corporate servers
 Unfiltered	2	True	

Corporate Servers

Citrix computer policies are configured within the farm and configure settings such as server ICA configuration, server settings, licensing and XML service configuration.

General Settings

Description	Policy for corporate servers
Enabled	True
Policy Type	Computer
Priority	1

Filter - Worker Group

Enabled	True
Filter Mode	Allow
Filter Value	Corporate Group

ICA > Auto Client Reconnect

Name	State	Value
 Auto client reconnect	Allowed	
 Auto client reconnect logging	Enabled	Do Not Log auto-reconnect events

ICA > Graphics

Name	State	Value
 Display memory limit	Enabled	32768

ICA > Security

Name	State	Value
 Prompt for password	Disabled	

Server Settings

Name	State	Value
 Connection access control	Enabled	Any connections

Server Settings > Connection Limits

Name	State	Value
 Limit user sessions	Enabled	2147483647

Server Settings > Reboot Behavior

Name	State	Value
------	-------	-------

 Reboot custom warning	Enabled	
 Reboot custom warning text	Enabled	The application server is to be rebooted
 Reboot schedule time	Enabled	0
 Scheduled reboots	Enabled	

 **XML Service**

Name	State	Value
 Trust XML requests	Disabled	
 XML service port	Enabled	8080

Unfiltered

Citrix computer policies are configured within the farm and configure settings such as server ICA configuration, server settings, licensing and XML service configuration.

General Settings

Enabled	True
Policy Type	Computer
Priority	2

User Policies

Citrix user policies are configured within the farm and configure settings such as printing, session limits and session configuration.

Name	Priority	Enabled	Description
 HR users policy	1	True	This policy applies to HR users
 Corporate Users	2	True	Corporate users policy
 Unfiltered	3	True	

HR users policy

Citrix user policies are configured within the farm and configure settings such as printing, session limits and session configuration.

General Settings

Description	This policy applies to HR users
Enabled	True
Policy Type	User
Priority	1

Filter - User or Group

Enabled	True
Filter Mode	Allow
Filter Value	DEMOXENAPP\Citrix HR Users

ICA > Audio

Name	State	Value
 Audio Plug N Play	Allowed	
 Audio quality	Enabled	High
 Client audio redirection	Allowed	

ICA > Printing > Client Printers

Name	State	Value
 Auto-create client printers	Enabled	Auto-create all client printers

ICA > USB Devices

Name	State	Value
 Client USB device redirection	Prohibited	

ICA > Visual Display > Still Images

Name	State	Value
 Extra Color Compression Threshold	Use Default	

Corporate Users

Citrix user policies are configured within the farm and configure settings such as printing, session limits and session configuration.

General Settings

Description	Corporate users policy
Enabled	True
Policy Type	User
Priority	2

Filter - User or Group

Enabled	True
Filter Mode	Allow
Filter Value	DEMOXENAPP\Citrix Corporate Users

ICA > Desktop UI

Name	State	Value
 Desktop wallpaper	Allowed	

ICA > File Redirection

Name	State	Value
 Auto connect client drives	Enabled	

ICA > Port Redirection

Name	State	Value
 Auto connect client COM ports	Disabled	
 Auto connect client LPT ports	Disabled	

ICA > Session Limits

Name	State	Value
 Concurrent logon limit	Enabled	5

ICA > USB Devices

Name	State	Value
 Client USB device redirection	Allowed	

Server Session Settings

Name	State	Value
------	-------	-------

 Session importance

Enabled

Normal

Unfiltered

Citrix user policies are configured within the farm and configure settings such as printing, session limits and session configuration.

General Settings

Enabled	True
Policy Type	User
Priority	3

Servers

Servers within the farm provide access to published applications.

Name	Edition	Version	Operating System
 DEMO-XA65-01	Enterprise	6.5.6682	Microsoft Windows Server 2008 R2 Enterprise
 DEMO-XA65-02	Platinum	6.5.6682	Microsoft Windows Server 2008 R2 Enterprise

DEMO-XA65-01

Servers within the farm provide access to published applications.

DEMO-XA65-01

Product Name	Citrix XenApp for Windows
Server Edition	Enterprise
Citrix Service Pack	0
Citrix Version	6.5.6682.0
Citrix Install Path	C:\Program Files (x86)\Citrix\
Citrix Install Date	2/27/2015 2:20:47 PM
Election Preference	Most Preferred
Folder Path	Servers/Corporate Servers
ICA Port Number	1494
Logon Control	Allow logons and reconnections
PCM Mode	Normal
XML Service Port	8080
Zone Name	Corporate Zone

Host Information

Operating System Name	Microsoft Windows Server 2008 R2 Enterprise
Service Pack	[None Installed]
Computer Fully Qualified Domain Name	DEMO-XA65-01.demoxenapp.int
Manufacturer	VMware, Inc.
Model	VMware Virtual Platform
Serial Number	VMware-56 4d 40 22 50 8b 07 af-94 52 34 7b 01 38 a9 4c
Processors	Intel(R) Core(TM) i7-4710MQ CPU @ 2.50GHz

Hotfixes

There are no hotfixes documented for this server.

DEMO-XA65-02

Servers within the farm provide access to published applications.

DEMO-XA65-02

Product Name	Citrix XenApp for Windows
Server Edition	Platinum
Citrix Service Pack	0
Citrix Version	6.5.6682.0
Citrix Install Path	C:\Program Files (x86)\Citrix\
Citrix Install Date	3/2/2015 4:33:20 PM
Election Preference	Default Preference
Folder Path	Servers/Corporate Servers
ICA Port Number	1494
Logon Control	Allow logons and reconnections
PCM Mode	Normal
XML Service Port	8080
Zone Name	HR Zone

Host Information

Operating System Name	Microsoft Windows Server 2008 R2 Enterprise
Service Pack	[None Installed]
Computer Fully Qualified Domain Name	DEMO-XA65-02.demoxenapp.int
Manufacturer	VMware, Inc.
Model	VMware Virtual Platform
Serial Number	VMware-56 4d 57 87 cf 97 e7 ce-6d 48 76 21 64 65 bb b5
Processors	Intel(R) Core(TM) i7-4710MQ CPU @ 2.50GHz

Hotfixes

Type	Name	Product	Installation Date
 Hotfix Rollup Pack	XA650W2K8R2X64R05	Citrix XenApp 6.5	4/24/2015 12:57:28 PM

Worker Groups

Worker groups are collections of XenApp servers, residing in the same farm, that are managed as a single unit.

Name	Description
 Corporate Group	This worker groups contains the servers for corporate staff
 HR Group	This worker groups contains the servers for HR staff

Corporate Group

Worker groups are collections of XenApp servers, residing in the same farm, that are managed as a single unit.

Corporate Group

Description	This worker groups contains the servers for corporate staff
Worker Group Identifier	10f4-0350-000001ee
Folder Path	WorkerGroups/Corporate Worker Groups
Organizational Units	OU=Corporate Servers,OU=Citrix Servers,DC=demoxenapp,DC=int
Server Groups	
Server Names	DEMO-XA65-01

HR Group

Worker groups are collections of XenApp servers, residing in the same farm, that are managed as a single unit.

HR Group

Description	This worker groups contains the servers for HR staff
Worker Group Identifier	10f4-0350-000001f1
Folder Path	WorkerGroups/HR Groups
Organizational Units	
Server Groups	
Server Names	DEMO-XA65-02

Zones

Zones are a subset of a farm and allow servers to be logically grouped together and share a data collector.

Name	Data Collector
 CORPORATE ZONE	DEMO-XA65-01
 HR ZONE	DEMO-XA65-02

CORPORATE ZONE

Zones are a subset of a farm and allow servers to be logically grouped together and share a data collector.

CORPORATE ZONE

Name	CORPORATE ZONE
------	----------------

Data Collector	DEMO-XA65-01
----------------	--------------

Servers

Name	Election Preference	Version
 DEMO-XA65-01	Most Preferred	6.5.6682.0

HR ZONE

Zones are a subset of a farm and allow servers to be logically grouped together and share a data collector.

HR ZONE

Name	HR ZONE
Data Collector	DEMO-XA65-02

Servers

Name	Election Preference	Version
 DEMO-XA65-02	Default Preference	6.5.6682.0

Version History

The version history displays the changes that have been made to the documentation of this item over time - either automatically when a change has been detected, or manually by users of the system.

Version	Username	Date	Time	Description
 1.00	CENTREL-WS02\dhomer	Friday, April 24, 2015	5:03 PM	Updated by XIA Configuration Client Data